DAY - 5. [30/09/26].

→ Multiply all column datas to ROW datas. like.

1	2	3	4.
2	2x2	2x3	2x4
3	2x3	-	-
4	2x4	-	-

→ for this to excute the function we need to lock the common row / column for that particular cell.

DATA = 4.8319.

function NAME → ROUND. [0 decimals]

Syntax → ROUND (4.8319, 0).

output → 5.

function name → ROUND. [for 2 decimals]

Syntax → ROUND (4.8319, 2)

output → 4.83.

function name → ROUNDUP (for 0 decimals).

Syntax → ROUNDUP [4.8319, 0)

output → 5.

function name → ROUNDDown

Syntax → Rawnddown (4.8319, 0].

output → 4.

Data	Power
4	2.

function name → POWER.

Syntax → POWER [4, 2].

output → 16.

function name → ROMAN.

Syntax → ROMAN(4)

output → IV.

function name → ARABIC.

Syntax → ARABIC(IV)

output → 4.

function name → REPT. - 5 times.

Syntax → REPT(4,5)

output → 44444.

function name → REPT [same number of times].

Syntax → REPT[4,4].

output → 4444.

function name → REPT. [number with *].

Syntax → REPT[*, 4]

output → ****.

function name → SQRT.

Syntax → SQRT(16).

output → 4.

→ To convert negative data to positive date we can use ABS (Absolute) function.

function name → ABS.

Syntax → ABS(-16)

output → 16.