

								D									
								DIAGRA	/ LIST (1))							
	ITEM			DE	ESCRIPTIONS	DWG.	Э.	Rev.	ITEM			DESCRIF	PTIONS		DWG.	Rev.	
Α	1	DIAGRAM LIST				A01		Α	51	GIS Q03 ALARM STATUS	SIGNAL FOR RTU				K03B	А	
	2	LEGEND ILLUSTRA	TION			B01		Α	52	161KV RCP IN01 RELAY &	43 STATUS FOR RTU				K03C	A	
	3	SINGLE LINE DIAG	RAM			C01		A	53	GIS Q04 CB,DS,ES ON-OF	F STATUS FOR SCAD	A (RET670)			K04A	A	
	4	DC POWER SUPPL	Y DIAGF	AM		C02		A	54	GIS Q04 ALARM STATUS	FOR RTU				K04B	A	
	5	GIS Q01 CT & RCP	F01 PR0	TECTION RELAY CIRCUIT DIA	AGRAM	D01		A	55	RCP F03 PROTECTION R	ELAY & 43 STATUS FO	R RTU			K04C	A	
	6	GIS Q02 CT & RCP	F02 PR0	TECTION RELAY CIRCUIT DIA	AGRAM	D02		Α	56	GIS Q05 CB,DS,ES ON-OF	F STATUS FOR SCAD	A (RET670)			K05A	Α	
	7	GIS Q03 (MOF CT 8	PT) CIF	CUIT DIAGRAM		D03A	.A	Α	57	GIS Q05 ALARM STATUS	FOR RTU				K05B	Α	
	8	GIS Q03 CT & RCP	IN01 PR	OTECTION RELAY CIRCUIT D	IAGRAM	D03B	В	Α	58	RCP F04 PROTECTION R	ELAY & 43 STATUS FO	R RTU			K05C	Α	
	9	GIS Q03 (MOF CT	PT / BU	S PT) CIRCUIT DIAGRAM		D030	·C	Α	59	LIGHTING CIRCUIT DIAGE	RAM FOR RCP				L01	Α	
	10	GIS Q04 CT & RCP	F03 PR0	TECTION RELAY CIRCUIT DIA	AGRAM	D04		A	60	MATERIAL LIST					M01	Α	
	11	GIS Q05 CT & RCP	F04 PR0	TECTION RELAY CIRCUIT DIA	AGRAM	D05		Α	61	CONTROL PANEL FRONT	VIEW				P01	Α	
	12	87B PROTECTION	RELAY (IRCUIT DIAGRAM		DBP	,	Α	62	CONTROL PANEL BASE O	CHANNEL VIEW				P02	Α	
	13	GIS Q01 DS & ES C	N-OFF (ONTROL DIAGRAM FOR RCP	F01	E01		Α	63	CONTROL PANEL TOP CH	HANNEL VIEW				P03	Α	
	14	GIS Q02 DS & ES C	N-OFF C	ONTROL DIAGRAM FOR RCP	F02	E02		Α	64	CONTROL PANEL SIDE V					P04	А	
	15	GIS Q03 DS & ES C	N-OFF C	ONTROL DIAGRAM FOR RCP	IN01	E03		А	65	CONTROL PANEL REAR \					P05	Α	
1	16	GIS Q04 DS & ES C	N-OFF C	ONTROL DIAGRAM FOR RCP	F03	E04		А	66	電驛及控制盤製裝規範(一)					Q01	А	
4	17	GIS Q05 DS & ES C	N-OFF C	ONTROL DIAGRAM FOR RCP	F04	E05		А	67	電驛及控制盤製裝規範(二)					Q02	А	
1	18			OFF STATUS INDICATION FOR		F01		A	68	電驛及控制盤製裝規範(三)					Q03	А	
	19	GIS Q02 CB & DS &	ES ON-	OFF STATUS INDICATION FOR	R RCP F02	F02		A	69	TRIP LOGICAL DIAGRAM	FOR RCP F01				X01	A	
	20	GIS Q03 CB & DS &	ES ON-	OFF STATUS INDICATION FOR	R RCP IN01	F03		A	70	TRIP LOGICAL DIAGRAM					X02	A	
	21			OFF STATUS INDICATION FOR		F04		A	71	TRIP LOGICAL DIAGRAM				-	X03	А	
	22			OFF STATUS INDICATION FOR		F05		A	72	TRIP LOGICAL DIAGRAM					X04	A	
	23	GIS Q01 CB ON-OFF & TRIP CONTROL CIRCUIT DIAGRAM (1) GIS Q01 CB ON-OFF & TRIP CONTROL CIRCUIT DIAGRAM (2)				G01A		A	73						X05	A	
	24					G01B		A	74	THE EGGIOAE BIAGITAN	P LOGICAL DIAGRAM FOR RCP F04					^	
	25			CONTROL CIRCUIT DIAGRAI	G02A			75	+								
	<u> </u>			CONTROL CIRCUIT DIAGRAI	10.100	G02F		A	-								
	26			CONTROL CIRCUIT DIAGRAI				A	76						-		
_	27					G03A		A .	77								
	28					G03E		A	78								
	29	50+2-1,2 CB ON-OFF COMMAND CONTROL CIRCUIT DIAGRAM (1) 50+2-1,2 CB ON-OFF COMMAND CONTROL CIRCUIT DIAGRAM (2)				G03C		A	79								
	30					G03E		A	80								
	31			CONTROL CIRCUIT DIAGRAI		G04A		A	81								
	32			CONTROL CIRCUIT DIAGRAI		G04E		A	82						-		
	33			CONTROL CIRCUIT DIAGRAI		G05A		A	83								
	34	GIS Q05 CB ON-OF	G05B		A	84											
	35			RIP CIRCUIT DIAGRAM		GBP		Α	85							-	
	36			RCUIT DIAGRAM FOR RCP F0		H01		A	86								
_	37	ALARM SYSTEM 30RY-2 CIRCUIT DIAGRAM FOR RCP F02				H02		A	87								
	38	ALARM SYSTEM 30	RY-3 CI	3 CIRCUIT DIAGRAM FOR RCP IN01		H03		Α	88								
	39			RCUIT DIAGRAM FOR RCP F0		H04		A	89								
	40			RCUIT DIAGRAM FOR RCP F0		H05		A	90								
	41	ALARM SYSTEM W	INDOWS	DIAGRAM FOR RCP F01 & R	CP F02	101		Α	91								
	42	ALARM SYSTEM W	INDOWS	DIAGRAM FOR RCP IN01		102		A	92								
	43	ALARM SYSTEM W	INDOWS	DIAGRAM FOR RCP F03 & R	CP F04	103		Α	93								
	44	GIS Q01 CB,DS,ES	ON-OFF	STATUS FOR SCADA (RET67	0)	K01A	A	Α	94								
	45	GIS Q01 ALARM ST	ATUS F	OR RTU		K01B	В	А	95					_			
1	46	RCP F01 PROTECT	ION REL	AY & 43 STATUS FOR RTU		K010	С	А	96								
	47	GIS Q02 CB,DS,ES	ON-OFF	STATUS FOR SCADA (RET67	0)	K02A	A	А	97								
	48	GIS Q02 ALARM ST				K02B		A	98								
1	49	RCP F02 PROTECT	ION REL	AY & 43 STATUS FOR RTU		K02C	.C	А	99								
	50			STATUS FOR SCADA (7SL85)	,	K03A		А	100								
-																	
				Project V	ENA ENERGY	Approved by Jeff Lu	Dat	2021-06-	18	Title	D		Doc. des.		DWG. NO.	/ENA- A	
			 	161KV	61KV GIS S/S PROJECT	Checked by	Dat	ıte		DIAGRAM LIST			D 1 1				
_		10004 5=	١, ١,		OID D/D INOJECT	Jeff Lu		2021-06-	18 _				Resp. dept.		Scale	Lang.	
I Lin	r Approval	2021-07-08	A Customer 章能台 Rev. Derived fm		程 Replaces	Prepared by Chuan Hua	Da	Date 2021-06	10	台灣日立電網股份有限公司	. ==	Doc. No.			Sheet		


6 We reserve all rights in this document and in the information contained Reproduction, use or disclosure to third parties without express authority is strictly forbidden. Qusea Brown Boveri Ltd. Taiwan 1998


D


D ITEM SYMBOLS **DESCRIPTION** ITEM SYMBOLS **DESCRIPTION** SYMBOLS ITEM **DESCRIPTION** 1 21 18 (wi) DISTANCE RELAY WH METER (BZ) BUZZER 35 67 w) 2 **DIRECTIVE OVER CURREN RELAY** 19 W METER 36 =LIMIT SWITCH 50/51 50N/51N (w) 3 **OVER CURRENT RELAY** 20 WATT TRANSDUCER D FUSE (KVA)R 4 81H/L 21 VAR METER (TC) FREQUENCY RELAY 38 TRIPPING COIL 5 50N/51N 22 (PF) **GROUND OVER CURRENT RELAY** POWER FACTOR METER Р 39 WIRING COIL TRANSFORMER DIFFERENTIAL (PF) 6 (87T) 23 PF TRANSDUCER QO 40 161KV GCB **MOTOR OPERATED M**-°⁄ MOTOR OPERATED 7 (30) ANNUNCIATOR RELAY 24 41 **EARTHING SWITCH** DISCONNECTING SWITCH MANAUL OPERATED 8 (87B) 25 KVAR **BUS DIFFERENTIAL RELAY** 42 **VAR TRANSOUCER EARTHING SWITCH** COMBINED OVERVOLTAGE ≰ 9 27/59 26 X **CURRENT TRANSFORMER** 43 INDICATING LAMP AND UNDERVOLTAGE RELAY *** (86B) 27 10 **BUS LOCKOUT RELAY BUS PT** 44 **PUSH BUTTON SWITCH** *** 86L) 11 LINE LOCKOUT RELAY 28 POWER TRANSFORMER 45 $(\longleftarrow \bigcirc \longrightarrow)$ 12 (86T) 29 TRANSFORMER LOCKOUT RELAY ((a_o)) 46 WVAR W AND VAR TRANSDUCER 59G 59Vo 30 (32) 13 **GROUND OVER VOLTAGE RELAY EARTHING** 47 **POWER RELAY** (v) 31 **(85)** 14 **VOLTAGE METER NORMAL OPEN CONTACT** 48 0 0 PILOT WIRE RELAY (v) V/TD 32 15 **VOLTAGE TRANSDUCER** NORMAL CLOSE CONTACT 49 (51**g** 0 **GROUND OVER CURRENT RELAY** 16 (A)**AMPER METER** 33 TB1 WIRING TERMINAL 切換開關 50 (43) (A) (1) 6/<u>C 3.5</u> 17 A/TD 34 CURRENT TRANSDUCER WIRE NUMBER AND SIZE 87L 51 LINE DIFFERENTIAL RELAY DWG. NO. VENA-B01 Approved by Jeff Lu Date 2021-06-18 Project VENA ENERGY Doc. des. LEGEND ILLUSTRATION 161KV GIS S/S PROJECT Checked by Resp. dept. 2021-06-18 Jeff Lu Sheet 1 For Approval | 2021-07-08 A | Customer 章能台西 Doc. No. Prepared by 台灣日立電網股份有限公司 2021-06-18 Issued for Rev. Derived fm Ĉhuan Hua Cont. Replaces












































































































































































.3 6 8 4 RELAY CONTROL PANEL SPECIFICATION RCP RCP RCP RCP SUB ITEM **EQUIPMENTS** TYPE DESCRIPTION BRAND F01 | F02 | IN01 | F03 | F04 TOTAL 2 87L LINE DIFFERENTIAL RELAY Siemens 7SL86 2 67/67N DIRECTIONAL OVER CURRENT RELAY 50+2 Siemens 7SJ82 2 2 REB670 19"*1 4 87B ABB **BUS DIFFERENTIAL RELAY** 1 5 27/59/59Vo UNDER/OVER/GROUND VOLTAGE RELAY REF630 4 1 81H-L FREQUENCY RELAY 50/51/50N/51N OVER CURRENT RELAY 8 87T/51G TR. DIFFERENTIAL RELAY ABB RET670 4 9 51G in this docume r disclosure to t Asea Brown Br TR. GROUND OVER CURRENT RELAY 10 30RY ANNUNCIATER 16CH SACO 16D1-AA 5 ABB 1 1 1 1 11 12 MULTI METER V/A/KW/KVAR METER UMG512 1 1 Janitza 13 MULTI METER V/A/KW/KVAR METER UMG509 1 1 4 We reserve all rights i Reproduction, use or is strictly forbidden. © Janitza 14 VM UMV 3 3 **VOLTAGE METER** HC 86T1~86T4.86P1~86P4.86L 15 LOCK OUT RY E/S LOR7805G 2 1 2 2 9 16 86B LOCK OUT RY E/S LOR7810G 1 17 18 43-86P FUJI 不 B-SB2001 (2B2A) 1 1 4 PULL OPERATION (OFF - 0 - ON) FUJI 不: B-SB2001 (2B2A) 19 CB CONTROL SWITCH 1 1 1 1 5 20 FUJI 不: KTT-AW4B 7 7 **CURRENT TEST TERMINAL** 500V DC/AC 10A 5 5 2 38 21 FUJI 不: KTT-VS4B **VOLTAGE TEST TERMINAL** 4 4 500V DC/AC 10A 22 東亞 LTS21441XAA CUBICLE ILLUMINATION LED AC100~240V 50/60HZ 10W 1 6 23 R / G / W LAMP INDICATOR AB 800F-D0C 13 13 4 4 4 44 22mm 110V DC LED 24 CB/DS/ES POSTTION INDICATOR LANDING PPL22A-DS/127AD 7 7 5 5 5 29 22mm 110V DC R/G LED 25 IDEC ABW120+HW9Z-KL1 12 12 8 48 DS/ES ON-OFF PUSH BUTTON 22mm 2NO R/G 8 26 ABB S201-C2 1 MCCB 1P 2A 27 ABB 2 MCCB 2P 4A,6A,10A S202-C4,C6,C10 2 2 13 28 ABB S203-C2 MCCB 1 3P 2A 29 IDEC ASW2K-22 KEY SELECT SWITCH 11 4 4 22mm 2NO+2NC 30 K&N KEY SELECT SWITCH CA10 A723 5 22mm 4NO+4NC 1 1 1 | 1 31 TERMINNAL BLOCK 600V AC/DC 40A (CT/VT) IDEC BNH-30W 32 IDEC BNH-15LW TERMINNAL BLOCK 600V AC/DC 21A OMRON 33 MY4N 25 DC110V 4a/4b 4 4 4 AUX RELAY 34 35 RAL7035 THICKNESS: 60µ LOCAL 5 1 1 Cubicle cover sheets colour (outside/inside) 36 Wire colour, Conductor cross section CT Block, 10AWG(5.26mm²) 600V 105 C PEWC 37 Wire colour, Conductor cross section PT Red. 12AWG(3.31mm²) 600V 105 C PEWC 38 Wire colour, Conductor cross section AC Yellow, 14AWG(2.08mm²) 600V 105 C **PEWC** 39 Blue, 14AWG(2.08mm²) 600V 105 C PEWC Wire colour, Conductor cross section DC P 40 Blue, 14AWG(2.08mm²) 600V 105 C Wire colour, Conductor cross section DC N PEWC 41 Wire colour, Conductor cross section Earthing Green, 14AWG(2.08mm²) 600V 105 C PEWC 42 43 44 45 DWG. NO. VENA-MO1 Approved by Project Title VENA ENERGY Doc. des. 2021-06-18 Jeff Lu MATERIAL LIST 161KV GIS S/S PROJECT Checked by Lang. Resp. dept. Scale 2021-06-18 Jeff Lu For Approval 2021-07-08 A Customer 意能台西 Sheet Doc. No. Prepared by 台灣日立電網股份有限公司 2021-06-18 Issued for Date Rev. Derived fm Ĉhuan Hua Cont. Replaces














	1		2			3		4		5 6	7	8
			۷			<u> </u>		Т		5 U	/	U
We reserve all rights in this document and in the information contained therein. Reproduction, use or disclosure to third parties without express authority is strictly forbidden. Chase Brown Bover Ltd. Taiwan 1998 The Company of												
containe is author												
rmation It expres 998												
the info			使	用	環 境							
t and in ird parti ⁄eri Ltd.					<u>承</u> 屋外			 塗裝處理	 依塗裝			
ocumen e to thi own Bov			周圍溫度範	1 国		5°C~40°	,C	表面顏色		台灣油漆公會 NO.		
isclosur Asea Bra			相對濕度		最高9	90%			\boxtimes	RAL7035 垂紋漆 國邦790-49780	н	
rights in the or diden.			高度		海拔1	1000公尺	以下	內部顏色		台灣油漆公會 NO.		
rve all iction, u ily forbic	-		安裝地點		区屋	内 □屋	外		\boxtimes	RAL7035 垂紋漆 國邦790-49780	Н	
We rese Reprodu is strict			電纜進出方			部 □頂	部	塗料材質	\boxtimes	環氧/聚脂/填充料/色料/添加劑		
С			盤體							盤體材質		
			前面			⊠ 板式		前板/後門	板区	鋼板 (SPHC) 3.2mm		
			後面	⊠ l		□背板		側板	\boxtimes	鋼板 (SPHC) 2.3mm		
			側面	_		□ 側門	⊠ 板式	底板		鋼板 (SPHC) 2.3mm		
			底部			□ 放空		頂板		鋼板 (SPHC) 2.3mm		
D)		頂部	1		□屋頂		主骨架		角鋼 (ss41) L50*50*5t	ler lek An Ju	
			保護構造		一般型	□防塵型	□防滴型	+		槽鋼 100*50*5t 及角鐵50*50*5t	<u> </u>	
			兩側開雙開	門間門	門慮加D	ACKING		銘牌	\boxtimes	歴克力,白底黑字盤 體 重 量		
			773 (2000 \$200)	1 1/001	1 JOSON .	ACREITO		 單一盤體]	量	約500kg		
E												
			⊠ 記號表示	下被選	澤使用」	貝目						
F			Dwainet				Approved by	Date		Title In	1	DWC NO
			Project 1611		IA ENERO S S/S P		Jeff Lu Checked by	2021 Date	-06-18	電驛及控制盛製裝規輕(二)	c. des.	DWG. NO. VENA-Q03
	For Approval	2021-07-08 A	Customer 章能台				Jeff Lu Prepared by	2021 Date	-06-18		sp. dept. c. No.	Scale Lang. Sheet 1
	Issued for	Date Re	ev. Derived fm		Replaces		Chuan I	Hua 2021	-06-18	H 1.4 H JAMAN M 11 IN 41 .4		Cont. ∼

