Smart Infrastructure - Distribution Systems	Circuit diagram	
	for	
	Purchaser	Vena new energy company / TW
	User	Siemens Limited (Taipei)
	Plant	33KV MAIN SUBSTATION
	Plant section	8DA10 SWITCHGEAR 33,0 kV BUS SECTION OUTGOING FEEDER
	Typical	=HZ24.1
	Project reference number	
	Date of issue	29.04.21
A change PCMI II29.04.21 HE Revision Modification Date Name	Customer document number	
SIEMENS AG	Documentation identifier	A / =H10 / / 1

Archive: =H10 / A / / / 1 Project: 998574-000501

Manufacturer document number (3) W92210-L1965-U101-A

		1			2	3	4		5	6	7	8	
7.7.1 SP2 29.04.21 FBINH2	A/A/1	Desi	gnatio	n		Manufacturer document num Customer document numb	Sheet	Sheets	Date	Description		Prepared by	
ELCAD-Version 7. Last used: 2	thive: =H10 / A	А	=H +H		/1	(3) W92210-L1965-U101	1-	1	07.04.2021	8DA10 SWITCHGEAR 33,0 kV BUS SECTION Cover sheet	EI	M MS O GIS SWF PR OP SEI	N FFM
	Arc	Α	=H +H		A1	(3) W92210-L1965-L102	1+	4	07.04.2021	8DA10 SWITCHGEAR 33,0 kV BUS SECTION List of documents	Er	M MS O GIS SWF PR OP SEI	N FFM
:- 04-11-24	:r, 04-11-24	Α	=H +H		A2	(3) W92210-L1965-L102	2+	4	07.04.2021	8DA10 SWITCHGEAR 33,0 kV BUS SECTION List of documents	Er	M MS O GIS SWF PR OP SEI	N FFM
B COC_DE PB: leer1	C. C. FB. EN. E	Α	=H +H		А3	(3) W92210-L1965-L102	3+	4	07.04.2021	8DA10 SWITCHGEAR 33,0 kV BUS SECTION List of documents	E	M MS O GIS SWF PR OP SEI	N FFM
Translate file A: Translate file B: Translate file B:	ranslate file Translate file	Α	=H +H		A4	(3) W92210-L1965-L102	4-	4	07.04.2021	8DA10 SWITCHGEAR 33,0 kV BUS SECTION List of documents	E	M MS O GIS SWF PR OP SEI	N FFM
C g		S	=H +H		B1	(3) W92210-L1965-S104	1-	1	07.04.2021	8DA10 SWITCHGEAR 33,0 kV BUS SECTION FEEDER OVERVIEW Circuit diagram	Er	M MS O GIS SWF PR OP SEI	N FFM
Onn/998574-000501.pro		S	=H +H		G1	(3) W92210-L1965-S105	1-	1	07.04.2021	8DA10 SWITCHGEAR 33,0 kV BUS SECTION POWER SUPPLY Circuit diagram	E	M MS O GIS SWF PR OP SEI	N FFM
C:/Herrma PTD60617 PTD_M2_C	₩ 4.	S	=H +H		M1	(3) W92210-L1965-S105	1+	16	07.04.2021	8DA10 SWITCHGEAR 33,0 kV BUS SECTION CONTROL, CB. CLOSING/TRIPPING Circuit diagram	EI	M MS O GIS SWF PR OP SEI	N FFM
Project: Symbol library 1: Symbol library 2: Symbol library 2:	Symbol library	S	=H +H		M2	(3) W92210-L1965-S105	2+	16	07.04.2021	8DA10 SWITCHGEAR 33,0 kV BUS SECTION CONTROL, CB. CLOSING/TRIPPING Circuit diagram	Er	M MS O GIS SWF PR OP SEI	N FFM D
		S	=H +H		М3	(3) W92210-L1965-S105	3+	16	07.04.2021	8DA10 SWITCHGEAR 33,0 kV BUS SECTION SIGNAL CONTACT FOR EXTERNAL Circuit diagram	Er	M MS O GIS SWF PR OP SEI	N FFM
Rights Reser		S	=H +H		M4	(3) W92210-L1965-S105	4+	16	07.04.2021	8DA10 SWITCHGEAR 33,0 kV BUS SECTION CONTROL, CB. CLOSING/TRIPPING Circuit diagram	Er	M MS O GIS SWF PR OP SEI	N FFM
м 4G 2021 All I		S	=H +H		M5	(3) W92210-L1965-S105	5+	16	07.04.2021	8DA10 SWITCHGEAR 33,0 kV BUS SECTION CONTROL CIRCUIT Circuit diagram	Er	M MS O GIS SWF PR OP SEI	N FFM E
Siemens (S	=H +H		M6	(3) W92210-L1965-S105	6+	16	07.04.2021	8DA10 SWITCHGEAR 33,0 kV BUS SECTION CONTROL CIRCUIT Circuit diagram	E	M MS O GIS SWF PR OP SEI	N FFM
ா CopyRight (C) Siemens AG 2021 All Rights Reserved		S	=H +H		M7	(3) W92210-L1965-S105	7+	16	07.04.2021	8DA10 SWITCHGEAR 33,0 kV BUS SECTION CONTROL CIRCUIT Circuit diagram	Er	M MS O GIS SWF PR OP SEI	N FFM
				Da		Vena new energy company / TW		8	 DA10 SWITCHG	EAR 33,0 kV		=HZ24.1 A =H10	
A	cha	ange PCMI II29	9.04.21		awn Herrmann ppr. Jacobi	Siemens Limited (Taipei) 33KV MAIN SUBSTATION	Siemens	S AG B	US SECTION			+H10	A1 Sheet 1+
Revisi				Name No	orm	Orig./Prep.for/Prep.by			st of documents) W92210-L19		4 Sh.
		1			2	3	4		5	6	7	8	

## 110 M10 (3) W921041965-505 10+ 16 07.04.2021 80A1S WTTERERS 33.6 M BY SO GIS SWF PR CP 98 05 GIS SWF PR		8	7		6	; ;			4	3	2			1	/
Second Part		Prepared by		escription	Desc	Date	Sheets	Sheet					nation	Desi	7.1 SP2 9.04.21 FBINH2 / A / 2
S +H10 M10 (3) W92210-L1965-5105 10+ 16 07.04.202 SALOS WITCHOSEN 33,0 km SALOS SWITCHOSEN 33,0	EN FFM	EM MS O GIS SWF PR OP SEN I	E	•	BUS SECTION SIGNAL CONTACT FOR EX	07.04.2021	16	8+	L1965-S105	(3) W92210-L196	M8			S	LCAD-Version 7.: Last used: 23 chive: =H10 / A
## HID	EN FFM	EM MS O GIS SWF PR OP SEN I	E	•	BUS SECTION SIGNAL CONTACT FOR EX	07.04.2021	16	10+	L1965-S105	(3) W92210-L196	M10			S	
### Section Se	EN FFM	EM MS O GIS SWF PR OP SEN I	E	•	BUS SECTION SIGNAL CONTACT FOR EX	07.04.2021	16	11+	L1965-S105	(3) W92210-L196	M11			S	D E etr, 04-11-24
Count diagram S	EN FFM	EM MS O GIS SWF PR OP SEN I	E	·	BUS SECTION SIGNAL CONTACT FOR EX	07.04.2021	16	12+	L1965-S105	(3) W92210-L196	M12			S	28000
Section Sect	EN FFM	EM MS O GIS SWF PR OP SEN I	E	·	BUS SECTION SIGNAL CONTACT FOR EX	07.04.2021	16	13+	L1965-S105	(3) W92210-L196	M13			S	Translate (Translate (Translate (Translate (
S =H10 M16 (3) W92210-L1965-S105 16+ 16 07.04.2021 BUS SECTION SIGNAL CONTACT FOR EXTERNAL CIRCUIT diagram SIGNAL CONTACT FOR EXTERNAL CIRCUIT GENERAL CIRCUIT CIR	EN FFM	EM MS O GIS SWF PR OP SEN I	E	•	BUS SECTION INDICATION / STATUS	07.04.2021	16	14+	L1965-S105	(3) W92210-L196	M14			S	C ord.:
S =H10 M16 (3) W92210-L1965-S105 16+ 16 07.04.2021 BUS SECTION SIGNAL CONTACT FOR EXTERNAL CIRCUIT diagram SIGNAL CONTACT FOR EXTERNAL CIRCUIT GENERAL CIRCUIT CIR	EN FFM	EM MS O GIS SWF PR OP SEN I	E	33,0 kV	BUS SECTION CONTROL CIRCUIT	07.04.2021	16	15+	L1965-S105	(3) W92210-L196	M15			S	n/998574-00050 C_E
S	EN FFM	EM MS O GIS SWF PR OP SEN I	E	·	BUS SECTION SIGNAL CONTACT FOR EX	07.04.2021	16	16+	L1965-S105	(3) W92210-L196	M16			S	C:/Herrmal PTD60617 PTD_M2_C
##10 ##10 ##10 ##10 ##10 ##10 ##10 ##10	EN FFM	EM MS O GIS SWF PR OP SEN I	E	33,0 kV	BUS SECTION CONTROL CIRCUIT	07.04.2021	16	17-	L1965-S105	(3) W92210-L196	M17			S	Proje Symbol librar Symbol librar Symbol librar Symbol librar
Date 07.04.2021 Vena new energy company / TW Drawn Herrmann Siemens Limited (Taipei) A change PCMI ITP 04.21 HE Appre Jacobi 33KV MAIN SUBSTATION Siemens Limited (Taipei) 33KV MAIN SUBSTATION	EN FFM	EM MS O GIS SWF PR OP SEN I	E	•	BUS SECTION TRANSFORMER CIRCUITS	07.04.2021	4	1+	L1965-S105	(3) W92210-L196	S1			S	rved
Date 07.04.2021 Vena new energy company / TW Drawn Herrmann Siemens Limited (Taipei) Siemens Limited (Taipei) Siemens AG	EN FFM	EM MS O GIS SWF PR OP SEN I	E	ŕ	BUS SECTION TRANSFORMER CIRCUITS	07.04.2021	4	2+	L1965-S105	(3) W92210-L196	S2			S	Rights Rese
Date 07.04.2021 Vena new energy company / TW Drawn Herrmann Siemens Limited (Taipei) Siemens Limited (Taipei) Siemens AG Siemens Limited (Taipei) Siemens AG Siemens	EN FFM	EM MS O GIS SWF PR OP SEN I	E	•	BUS SECTION TRANSFORMER CIRCUITS	07.04.2021	4	3+	L1965-S105	(3) W92210-L196	S3			S	т 4G 2021 All
Date 07.04.2021 Vena new energy company / TW Drawn Herrmann Siemens Limited (Taipei) A change PCMI 1729 04 21 HE Appr. Jacobi 33KV MAIN SUBSTATION Siemens Limited (Taipei) 33KV MAIN SUBSTATION Siemens AG Siemens AG Siemens AG Siemens AG	EN FFM	EM MS O GIS SWF PR OP SEN I	E	33,0 kV	BUS SECTION CAPDIS-S1+	07.04.2021	4	4-	L1965-S105	(3) W92210-L196	S4			S	C) Siemens
Drawn Herrmann Siemens Limited (Taipei) A change PCMI 1729 04 21 HE Appr Jacobi 33KV MAIN SUBSTATION Siemens Limited (Taipei) Siemens AG BUS SECTION	EN FFM	EM MS O GIS SWF PR OP SEN I	E	33,0 kV	BUS SECTION CIRCUIT BREAKER	07.04.2021	10	1+	L1965-S105	(3) W92210-L196	Z 1			S	T CopyRight ((
Drawn Herrmann Siemens Limited (Taipei) A change PCMI I79 04 21 HE Appr Jacobi 33KV MAIN SUBSTATION SIEMENS LIMITED (Taipei) BUS SECTION			I		EAR 33,0 kV		80	iomors	company / TW						
	A2 Sheet 2+	+H10		008574_000501		SECTION	AG BI	ernens	ATION	33KV MAIN SUBSTATIO	Jacobi	Appr.			
Revision Modification Date Name Norm Orig./Prep.for/Prep.by 1 2 3 4 5 6 7 8	4 Sh.	-L1965-L1U2-A		3303/4-000501								ne Norm		Modification D	

	1		2	3	4		5	6 7		8	_\
7.7.1 SP2 29.04.21 FBINH2	Desig	nation		Manufacturer document num Customer document numb	Sheet	Sheets	Date	Description		Prepared by	
ELCAD-Version 7.7 Last used: 29	S	=H10 +H10	Z2	(3) W92210-L1965-S105	2+	10	07.04.2021	8DA10 SWITCHGEAR 33,0 kV BUS SECTION THREE POSITION SWITCH Circuit diagram	EM MS O	GIS SWF PR OP SEN FFM	A
_	s	=H10 +H10	Z 3	(3) W92210-L1965-S105	3+	10	07.04.2021	8DA10 SWITCHGEAR 33,0 kV BUS SECTION THREE POSITION SWITCH Circuit diagram	EM MS O	GIS SWF PR OP SEN FFM	
E etr, 04-11-24	S	=H10 +H10	Z4	(3) W92210-L1965-S105	4+	10	07.04.2021	8DA10 SWITCHGEAR 33,0 kV BUS SECTION VOIS + Circuit diagram	EM MS O	GIS SWF PR OP SEN FFM	
A COC_DE Ne B: leer1 Ne B: leer1 Ne C: CE_EN.etr, (:	=H10 +H10	Z 5	(3) W92210-L1965-S105	5+	10	07.04.2021	8DA10 SWITCHGEAR 33,0 kV BUS SECTION PROTECTION DEVICE Circuit diagram	EM MS O	GIS SWF PR OP SEN FFM	P
Translate file A Translate file A Translate file E	S	=H10 +H10	Z 6	(3) W92210-L1965-S105	6+	10	07.04.2021	8DA10 SWITCHGEAR 33,0 kV BUS SECTION SECONDARY EQUIPMENT Circuit diagram	EM MS O	GIS SWF PR OP SEN FFM	
C ed.;	S	=H10 +H10	Z7	(3) W92210-L1965-S105	7+	10	07.04.2021	8DA10 SWITCHGEAR 33,0 kV BUS SECTION SECONDARY EQUIPMENT Circuit diagram	EM MS O	GIS SWF PR OP SEN FFM	С
Onn/998574-000501.pro	S	=H10 +H10	Z 8	(3) W92210-L1965-S105	8+	10	07.04.2021	8DA10 SWITCHGEAR 33,0 kV BUS SECTION SECONDARY EQUIPMENT Circuit diagram	EM MS O	GIS SWF PR OP SEN FFM	
C:/Herrmal PTD60617 PTD_M2_C	S	=H10 +H10	Z9	(3) W92210-L1965-S105	9+	10	07.04.2021	8DA10 SWITCHGEAR 33,0 kV BUS SECTION SECONDARY EQUIPMENT Circuit diagram	EM MS O	GIS SWF PR OP SEN FFM	
Symbol library 1: Symbol library 2: Symbol library 2: Symbol library 3: Symbol library 3:	S	=H10 +H10	Z10	(3) W92210-L1965-S105	10-	10	07.04.2021	8DA10 SWITCHGEAR 33,0 kV BUS SECTION SECONDARY EQUIPMENT Circuit diagram	EM MS O	GIS SWF PR OP SEN FFM	D
^eq	V	=H10 +.B	/1	(3) W92210-L1965-S108	1+	15	07.04.2021	8DA10 SWITCHGEAR 33,0 kV BUS SECTION +.B-XR1 Connection table	EM MS O	GIS SWF PR OP SEN FFM	
Rights Reser	V	=H10 +.B	/2	(3) W92210-L1965-S108	2+	15	07.04.2021	8DA10 SWITCHGEAR 33,0 kV BUS SECTION +.B-XR2 Connection table	EM MS O	GIS SWF PR OP SEN FFM	
G 2021 All F	V	=H10 +.B	/3	(3) W92210-L1965-S108	3+	15	07.04.2021	8DA10 SWITCHGEAR 33,0 kV BUS SECTION +.B-XT1 Connection table	EM MS O	GIS SWF PR OP SEN FFM	E
) Siemens ∤	v	=H10 +.B	/4	(3) W92210-L1965-S108	4+	15	07.04.2021	8DA10 SWITCHGEAR 33,0 kV BUS SECTION +.B-XC30 Connection table	EM MS O	GIS SWF PR OP SEN FFM	
т CopyRight (C) Siemens AG 2021 All Rights Reserved	V	=H10 +.B	/5	(3) W92210-L1965-S108	5+	15	07.04.2021	8DA10 SWITCHGEAR 33,0 kV BUS SECTION +.B-XC30 Connection table	EM MS O	GIS SWF PR OP SEN FFM	F
			Date 07.04.20			8	L DA10 SWITCHG	EAR 33,0 kV	=HZ24.1	A =H10	
Α	change PCMI II29.	04.21 HE	Drawn Herrman Appr. Jacobi	n Siemens Limited (Taipei) 33KV MAIN SUBSTATION	Siemens	AG B	US SECTION			H10 A3	3+
	Modification Da		ne Norm	Orig./Prep.for/Prep.by			st of documents		W92210-L1965-L102	-A 4 S	
	1		2	3	4	1	5	6 7		8	4

	1			2	3	4		1 ;	5	6 7	8	
7.7.1 SP2 29.04.21 FBINH2	De De	signatio	on		Manufacturer docume Customer docume		Sheet	Sheets	Date	Description	Prepared by	
ELCAD-Version 7.	rchive: =H10 / #	=H +.E		/6	(3) W92210-L1965-S108		6+	15	07.04.2021	8DA10 SWITCHGEAR 33,0 kV BUS SECTION +.B-XC30 Connection table	EM MS O GIS SWF PR OP SEN FFM	4 A
	V	=H +.E		/7	(3) W92210-L1965-S108		7+	15	07.04.2021	8DA10 SWITCHGEAR 33,0 kV BUS SECTION +.B-XC30 Connection table	EM MS O GIS SWF PR OP SEN FFM	1
B DE Setr, 04-11-24	V	=H +.E		/8	(3) W92210-L1965-S108		8+	15	07.04.2021	8DA10 SWITCHGEAR 33,0 kV BUS SECTION +.B-XC30 Connection table	EM MS O GIS SWF PR OP SEN FFM	4
A COC. [C	V	=H +.E		/9	(3) W92210-L1965-S108		9+	15	07.04.2021	8DA10 SWITCHGEAR 33,0 kV BUS SECTION +.B-XQ0 Connection table	EM MS O GIS SWF PR OP SEN FFM	1
Translate file A: Translate file B: Translate file C:	Translate	=H +.E		/10	(3) W92210-L1965-S108		10+	15	07.04.2021	8DA10 SWITCHGEAR 33,0 kV BUS SECTION +.B-XQ0 Connection table	EM MS O GIS SWF PR OP SEN FFM	1
C ord.!	V	=H +.E		/11	(3) W92210-L1965-S108		11+	15	07.04.2021	8DA10 SWITCHGEAR 33,0 kV BUS SECTION +.B-XQ1 Connection table	EM MS O GIS SWF PR OP SEN FFM	1 c
C;/Herrmann/998574-000501.pro PTD60617 PTD_M2_CoC_E	V	=H +.E		/12	(3) W92210-L1965-S108		12+	15	07.04.2021	8DA10 SWITCHGEAR 33,0 kV BUS SECTION +.B-XQ1 Connection table	EM MS O GIS SWF PR OP SEN FFM	1
ct: C:/Herrmani /1: PTD60617 /2: PTD_M2_Co	. ∧	=H +.E		/13	(3) W92210-L1965-S108		13+	15	07.04.2021	8DA10 SWITCHGEAR 33,0 kV BUS SECTION +.B-XPE Connection table	EM MS O GIS SWF PR OP SEN FFM	1
O Symbol library 1: Symbol library 2: Symbol library 2:	Symbol library Symbol library	=H +.E		/14	(3) W92210-L1965-S108		14+	15	07.04.2021	8DA10 SWITCHGEAR 33,0 kV BUS SECTION +.B-XT15 Connection table	EM MS O GIS SWF PR OP SEN FFM	4 D
Rights Reserved	v	=H +.E		/15	(3) W92210-L1965-S108		15-	15	07.04.2021	8DA10 SWITCHGEAR 33,0 kV BUS SECTION +.B-XT Connection table	EM MS O GIS SWF PR OP SEN FFM	1
m ins AG 2021 All												E
ு ம CopyRight (C) Siemens AG 2021 All Rights Reserved												F
ც		Т	T= :	07.04.2024	<u></u>			 	140 000	54D 22 G IV		
A	change PCMI I	<u>129</u> .04 21		Herrmann	Vena new energy company / TW Siemens Limited (Taipei) 33KV MAIN SUBSTATION	Sie	emens	AG BL	DA10 SWITCHG US SECTION		=HZ24.1 A =H10	eet 4-
			Name Norm		Orig./Prep.for/Prep.by			List	t of documents	998574-000501 (3) W92		4 Sh.
	1			2	3	4		;	5	6 7	8	































































































