Ruby on Rails 5.x

Do início ao fim!

Trix Editor

https://trix-editor.org/

Gem Trix Editor

```
https://github.com/basecamp/trix
https://rubygems.org/gems/trix
https://github.com/maclover7/trix

gem 'trix'
bundle
```

JS/CSS

```
# application.js
//= require trix
# application.css
*= require trix
```

View

```
# app/views/admins_backoffice/questions/shared/_form.html.erb

<%= form.hidden_field :description, class:"form-control",
placeholder: t('placeholder.question_description'), rows:
5 %>
<trix-editor input="question description"></trix-editor>
```

Upload / application.js

```
document.addEventListener('trix-attachment-add', function (event) {
 var file = event.attachment.file;
 if (file) {
   var upload = new
window.ActiveStorage.DirectUpload(file, '/rails/active storage/direct uploads', window);
    upload.create((error, attributes) => {
      if (error) {
        return false;
      } else {
        return event.attachment.setAttributes({
          url: \(\)/rails/active storage/blobs/\(\){\(\)(attributes.signed id\)/\(\){\(\)(attributes.filename\)\(\),
          href:
`/rails/active storage/blobs/${attributes.signed id}/${attributes.filename}`,
    });
```

• site.scss

```
# app/assets/stylesheets/site.scss
h3.panel-title div {
  display: inline;
}
```

_questions.html.erb

```
# app/views/site/shared/_questions.html.erb
<%= sanitize question.description %>
```

site_helper.rb

```
# app/helpers/site_helper.rb

module SiteHelper
  def msg_jumbotron
    case params[:action]
  when 'index'
    "Últimas perguntas cadastradas..."
  when 'questions'
    "Resultados par ao termo \"#{sanitize params[:term]}\"..."
  when 'subject'
    "Mostrando questões para o assunto \"#{sanitize params[:subject]}\"..."
  end
  end
end
```