```
1: #!/afs/cats.ucsc.edu/courses/cse112-wm/usr/smalltalk/bin/gst -f
 2: "$Id: outbits.st,v 1.2 2020-01-31 17:05:02-08 - - $"
 3: execname := '$RCSfile: outbits.st, v \ $' = '.* : (.*), v.*' at: 1.
 4:
 5: ""
 6: " Opens a file given as the first argument and writes out bits."
7: ""
8:
9: nl := Character nl.
10:
11: Object subclass: OutBits [
       |bitIndex currentByte myStream|
13:
       OutBits class >> new [
14:
          self shouldNotImplement.
15:
16:
       OutBits class >> new: fileStream [
17:
          result
18:
          result := super new.
19:
          result init: fileStream.
20:
          ^result
21:
22:
       clearByte [
23:
          bitIndex := 8.
24:
          currentByte := 0.
25:
26:
       init: fileStream [
27:
          myStream := fileStream.
28:
          self clearByte.
29:
30:
       flushByte [
31:
          bitIndex = 8 ifFalse: [
32:
             myStream nextPutByte: currentByte.
33:
             self clearByte.
34:
          ]
35:
36:
       writeBit: bit [
          currentByte := currentByte bitAt: bitIndex put: bit.
37:
38:
          bitIndex := bitIndex - 1.
39:
          bitIndex = 0 ifTrue: [self flushByte].
40:
       ]
41: ]
42:
```

```
43:
44: " Output of bitstream hello world."
45: bitArray := #(
       1 0 1 0
                  1 0 1 1
46:
                  1 0 0 0
47:
       0 1 0 0
       0 1 1 0
                  0 1 0 1
48:
49:
       0 1 1 0
                  1 1 0 0
50:
       0 1 1 0
                  1 1 0 0
       0 1 1 0
                  1 1 1 1
51:
52:
       0 0 1 0
                  1 1 0 0
       0 0 1 0
53:
                  0 0 0 0
54:
       0 1 0 1
                  0 1 1 1
55:
       0 1 1 0
                  1 1 1 1
       0 1 1 1
                  0 0 1 0
56:
       0 1 1 0
                  1 1 0 0
57:
       0 1 1 0
                  0 1 0 0
58:
59:
       0 0 1 0
                  0 0 0 1
60:
       1 0 1 1
                  1 0 1 1
       0 0 0 0
                  1 0 1 0
61:
       0 0 1 1
                  0 0 1 0
62:
       1 1 0 1
                  0 1 1 1
63:
64:
       0 0 1 1
                  0 0 1 0
       0 0 1 1
                  1 1 0 1
65:
66:
       0 0 1 1
                  0 1 0 0
       0 0 0 0
                  1 0 1 0
67:
68: ).
69:
```

```
70:
 71: writeBitArray := [:outfile
        outBytes
 73:
        outBytes := OutBits new: outfile.
 74:
        bitArray do: [:bit | outBytes writeBit: bit].
 75:
        outBytes flushByte.
 76: ].
 77:
 78: Smalltalk arguments size = 0
        ifTrue: [writeBitArray value: stdout]
 80:
        ifFalse: [
 81:
           outfilename
 82:
           outfilename := Smalltalk arguments at: 1.
 83:
           [ |outfile|
 84:
              outfile := FileStream open: outfilename mode: FileStream write.
 85:
              writeBitArray value: outfile.
 86:
              outfile close.
 87:
           ] on: SystemExceptions.FileError do: [:signal |
 88:
              errno
              errno := File errno.
 89:
 90:
              stdout flush.
              stderr << execname << ': ' << filename << ': '</pre>
 91:
 92:
                      << signal messageText << nl.</pre>
 93:
              stderr flush.
 94:
           1
 95:
        1
 96:
 97: "TEST: outbits.st"
 98: "TEST: outbits.st | od -c"
 99: "TEST: outbits.st /tmp/outbits.tmp"
100: "TEST: cat -n /tmp/outbits.tmp"
101: "TEST: od -c /tmp/outbits.tmp"
102: "TEST: binarydump/binarydump /tmp/outbits.tmp"
103: "TEST: binarydump/hexadecimaldump /tmp/outbits.tmp"
104:
105:
```

```
2: mkst.perl: outbits.st
4: «Hello, World!»
5: 2×2=4
7: Exit status 0
9: mkst.perl: outbits.st | od -c
11: 0000000
    «
     Н
      е
       1
        1
                r
         0
12: 0000020
    2
      2
       =
13: 0000026
15: Exit status 0
17: mkst.perl: outbits.st /tmp/outbits.tmp
20: Exit status 0
22: mkst.perl: cat -n /tmp/outbits.tmp
24:
  1 «Hello, World!»
  2 2×2=4
25:
27: Exit status 0
29: mkst.perl: od -c /tmp/outbits.tmp
31: 0000000
    «
     H
      e 1 1
         0
             W
                r
                 1
                     \n
              0
32: 0000020
       = 4 \n
      2
33: 0000026
35: Exit status 0
37: mkst.perl: binarydump/binarydump /tmp/outbits.tmp
40: Exit status -1
42: mkst.perl: binarydump/hexadecimaldump /tmp/outbits.tmp
45: Exit status -1
```