


## 深圳市比创达电子科技有限公司

地址:深圳市龙岗区坂田街道发达路云里智能园7栋1楼

Tel: (0755) 81487166 Fax: (0755) 81487199



Site LAB Polarization: *Horizontal* Temperature: 26 °C Limit: EN55032 Class B 3M Power: Humidity: 54 %

EUT: 牧人王 Distance:

M/N: MK-8602E Mode: 正常工作

Note:

No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	70.090	76.48	-15.76	60.72	40.00	20.72	peak	100	0	F	
2 X	140.342	61.90	-18.58	43.32	40.00	3.32	peak	100	0	F	
3 X	163.755	66.96	-18.53	48.43	40.00	8.43	peak	100	0	F	
4 X	175.037	71.63	-20.66	50.97	40.00	10.97	peak	100	0	F	
5 X	239.987	66.43	-17.01	49.42	47.00	2.42	peak	100	0	F	
6!	842.130	45.71	-1.09	44.62	47.00	-2.38	peak	100	0	Р	

\*:Maximum data x:Over limit !:over margin

File: RE MK-8602E 2024\Data:#1

Page: 1


Engineer Signature:



## 深圳市比创达电子科技有限公司

地址:深圳市龙岗区坂田街道发达路云里智能园7栋1楼

Tel: (0755) 81487166 Fax: (0755) 81487199



Site LAB Polarization: Vertical Temperature: 26 °C Limit: EN55032 Class B 3M Power: Humidity: 54 %

EUT: 牧人王 Distance:

M/N: MK-8602E Mode: 正常工作

Note:

No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	70.337	84.04	-22.18	61.86	40.00	21.86	peak	100	360	F	
2 X	88.964	63.43	-18.77	44.66	40.00	4.66	peak	100	360	F	
3 X	140.342	59.24	-14.98	44.26	40.00	4.26	peak	100	360	F	
4 X	150.538	62.38	-15.67	46.71	40.00	6.71	peak	100	360	F	
5 !	346.809	59.41	-16.25	43.16	47.00	-3.84	peak	100	360	Р	
6 X	510.044	55.59	-7.35	48.24	47.00	1.24	peak	100	360	F	

\*:Maximum data x:Over limit !:over margin

File :RE MK-8602E 2024\Data :#2

Page: 1

Engineer Signature: