






## MicroSD Card / SD NAND



## TYPE-C






## UART/I2C

## Debug






K230

|       |                 |           |    |
|-------|-----------------|-----------|----|
| Title |                 | K230 Core |    |
| Size  | Number          | Revision  |    |
| A3    | www.01Studio.cc | v1.0      |    |
| Date: |                 | Sheet     | Of |
| File: |                 | Drawn By: |    |







$$V_o = 0.6 * (R1 + R2) / R2$$
$$R1 = (V_o / 0.6 - 1) * R2$$
$$R2 \leq 200k$$
$$R2 = 0.6 * R1 / (V_o - 0.6)$$




# POWER\_LED

|       |                 |           |    |
|-------|-----------------|-----------|----|
| Title |                 | Power     |    |
| Size  | Number          | Revision  |    |
| A3    | www.01Studio.cc | v1.0      |    |
| Date: |                 | Sheet     | Of |
| File: |                 | Drawn By: |    |




K230

MIPI\_DSI




CAMERA (CSI0+CSI1 4Lane)




MIPI\_CSI2\_2Lane

MIPI\_CSI0\_4Lane


|       |                 |          |      |
|-------|-----------------|----------|------|
| Title |                 |          | MIPI |
| Size  | Number          | Revision |      |
| A3    | www.01Studio.cc | v1.0     |      |
| Date: | Sheet Of        |          |      |
| File: | Drawn By:       |          |      |




## LED




## KEY




## USB




## WiFi



## AUDIO



## MIC



## GPIO

| Title   |                 |          |
|---------|-----------------|----------|
| Devices |                 |          |
| Size    | Number          | Revision |
| A4      | www.01Studio.cc | v1.0     |
| Date:   | Sheet Of        |          |
| File:   | Drawn By:       |          |