



RN2483 LoRa™ Technology Module Command Reference User's Guide

Note the following details of the code protection feature on Microchip devices:

- Microchip products meet the specification contained in their particular Microchip Data Sheet.
- Microchip believes that its family of products is one of the most secure families of its kind on the market today, when used in the intended manner and under normal conditions.
- There are dishonest and possibly illegal methods used to breach the code protection feature. All of these methods, to our knowledge, require using the Microchip products in a manner outside the operating specifications contained in Microchip's Data Sheets. Most likely, the person doing so is engaged in theft of intellectual property.
- Microchip is willing to work with the customer who is concerned about the integrity of their code.
- Neither Microchip nor any other semiconductor manufacturer can guarantee the security of their code. Code protection does not mean that we are guaranteeing the product as "unbreakable."

Code protection is constantly evolving. We at Microchip are committed to continuously improving the code protection features of our products. Attempts to break Microchip's code protection feature may be a violation of the Digital Millennium Copyright Act. If such acts allow unauthorized access to your software or other copyrighted work, you may have a right to sue for relief under that Act.

Information contained in this publication regarding device applications and the like is provided only for your convenience and may be superseded by updates. It is your responsibility to ensure that your application meets with your specifications. MICROCHIP MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND WHETHER EXPRESS OR IMPLIED, WRITTEN OR ORAL, STATUTORY OR OTHERWISE, RELATED TO THE INFORMATION, INCLUDING BUT NOT LIMITED TO ITS CONDITION, QUALITY, PERFORMANCE, MERCHANTABILITY OR FITNESS FOR PURPOSE. Microchip disclaims all liability arising from this information and its use. Use of Microchip devices in life support and/or safety applications is entirely at the buyer's risk, and the buyer agrees to defend, indemnify and hold harmless Microchip from any and all damages, claims, suits, or expenses resulting from such use. No licenses are conveyed, implicitly or otherwise, under any Microchip intellectual property rights.

Trademarks

The Microchip name and logo, the Microchip logo, dsPIC, FlashFlex, flexPWR, JukeBlox, KEELOQ, KEELOQ logo, Klear, LANCheck, MediaLB, MOST, MOST logo, MPLAB, OptoLyzer, PIC, PICSTART, PIC³² logo, RightTouch, SpyNIC, SST, SST Logo, SuperFlash and UNI/O are registered trademarks of Microchip Technology Incorporated in the U.S.A. and other countries.

The Embedded Control Solutions Company and mTouch are registered trademarks of Microchip Technology Incorporated in the U.S.A.

Analog-for-the-Digital Age, BodyCom, chipKIT, chipKIT logo, CodeGuard, dsPICDEM, dsPICDEM.net, ECAN, In-Circuit Serial Programming, ICSP, Inter-Chip Connectivity, KlearNet, KlearNet logo, MiWi, MPASM, MPF, MPLAB Certified logo, MPLIB, MPLINK, MultiTRAK, NetDetach, Omniscient Code Generation, PICDEM, PICDEM.net, PICkit, PICtail, RightTouch logo, REAL ICE, SQI, Serial Quad I/O, Total Endurance, TSHARC, USBCheck, VariSense, ViewSpan, WiperLock, Wireless DNA, and ZENA are trademarks of Microchip Technology Incorporated in the U.S.A. and other countries.

SQTP is a service mark of Microchip Technology Incorporated in the U.S.A.

Silicon Storage Technology is a registered trademark of Microchip Technology Inc. in other countries.

GestIC is a registered trademarks of Microchip Technology Germany II GmbH & Co. KG, a subsidiary of Microchip Technology Inc., in other countries.

All other trademarks mentioned herein are property of their respective companies.

© 2015, Microchip Technology Incorporated, Printed in the U.S.A., All Rights Reserved.

ISBN: 978-1-63277-206-0

QUALITY MANAGEMENT SYSTEM
CERTIFIED BY DNV
= ISO/TS 16949 =

Microchip received ISO/TS-16949:2009 certification for its worldwide headquarters, design and wafer fabrication facilities in Chandler and Tempe, Arizona; Gresham, Oregon and design centers in California and India. The Company's quality system processes and procedures are for its PIC® MCUs and dsPIC® DSCs, KEELOQ® code hopping devices, Serial EEPROMs, microperipherals, nonvolatile memory and analog products. In addition, Microchip's quality system for the design and manufacture of development systems is ISO 9001:2000 certified.



RN2483 LoRa™ TECHNOLOGY MODULE COMMAND REFERENCE USER'S GUIDE

Preface

NOTICE TO CUSTOMERS

All documentation becomes dated, and this manual is no exception. Microchip tools and documentation are constantly evolving to meet customer needs, so some actual dialogs and/or tool descriptions may differ from those in this document. Please refer to our web site (www.microchip.com) to obtain the latest documentation available.

Documents are identified with a “DS” number. This number is located on the bottom of each page, in front of the page number. The numbering convention for the DS number is “DSXXXXXA”, where “XXXXX” is the document number and “A” is the revision level of the document.

For the most up-to-date information on development tools, see the MPLAB IDE online help. Select the Help menu, and then Topics to open a list of available online help files.

INTRODUCTION

This chapter contains general information that will be useful to know before using the RN2483 module. Topics discussed in this chapter include:

- Document Layout
- Conventions Used in this Guide
- Recommended Reading
- The Microchip Web Site
- Development Systems Customer Change Notification Service
- Customer Support
- Revision History

DOCUMENT LAYOUT

This command reference user's guide provides information for configuring the RN2483 low-power long-range LoRa™ technology transceiver module, including a description of communication and command references. The document is organized as follows:

- **Chapter 1. “Introduction”** – This chapter introduces the RN2483 module and provides a brief overview of its features.
- **Chapter 2. “Command Reference”** – This chapter provides information on the commands used to configure the RN2483 module with examples.

CONVENTIONS USED IN THIS GUIDE

This manual uses the following documentation conventions:

DOCUMENTATION CONVENTIONS

Description	Represents	Examples
Arial font:		
Italic characters	Referenced books	<i>MPLAB® IDE User's Guide</i>
	Emphasized text	...is the <i>only</i> compiler...
Initial caps	A window	the Output window
	A dialog	the Settings dialog
	A menu selection	select Enable Programmer
Quotes	A field name in a window or dialog	"Save project before build"
Underlined, italic text with right angle bracket	A menu path	<u><i>File>Save</i></u>
Bold characters	A dialog button	Click OK
	A tab	Click the Power tab
N'Rnnnn	A number in verilog format, where N is the total number of digits, R is the radix and n is a digit.	4'b0010, 2'hF1
Text in angle brackets < >	A key on the keyboard	Press <Enter>, <F1>
Courier New font:		
Plain Courier New	Sample source code	#define START
	Filenames	autoexec.bat
	File paths	c:\mcc18\h
	Keywords	_asm, _endasm, static
	Command-line options	-Opa+, -Opa-
	Bit values	0, 1
	Constants	0xFF, 'A'
Italic Courier New	A variable argument	<i>file.o</i> , where <i>file</i> can be any valid filename
Square brackets []	Optional arguments	mcc18 [options] <i>file</i> [options]
Curly brackets and pipe character: { }	Choice of mutually exclusive arguments; an OR selection	errorlevel {0 1}
Ellipses...	Replaces repeated text	var_name [, var_name...]
	Represents code supplied by user	void main (void) { ... }

RECOMMENDED READING

This command reference user's guide describes how to configure the RN2483 module. The module-specific data sheet contains current information on the module specifications. Other useful documents are listed below. The following documents are available and recommended as supplemental reference resources:

RN2483 Low-Power Long-Range LoRa™ Technology Transceiver Module Data Sheet (DS50002346)

This data sheet provides detailed specifications for the RN2483 module.

LoRa™ Alliance: LoRaWAN™ Specification

This document describes the LoRaWAN™ Class A protocol, which is optimized for battery-powered end devices. This specification is available from the LoRa Alliance at <http://www.lora-alliance.org>.

To obtain any of Microchip's documents, visit the Microchip web site at www.microchip.com.

THE MICROCHIP WEB SITE

Microchip provides online support via our web site at www.microchip.com. This web site is used as a means to make files and information easily available to customers. Accessible by using your favorite Internet browser, the web site contains the following information:

- **Product Support** – Data sheets and errata, application notes and sample programs, design resources, user's guides and hardware support documents, latest software releases and archived software
- **General Technical Support** – Frequently Asked Questions (FAQs), technical support requests, online discussion groups, Microchip consultant program member listing
- **Business of Microchip** – Product selector and ordering guides, latest Microchip press releases, listing of seminars and events, listings of Microchip sales offices, distributors and factory representatives

DEVELOPMENT SYSTEMS CUSTOMER CHANGE NOTIFICATION SERVICE

Microchip's customer notification service helps keep customers current on Microchip products. Subscribers will receive e-mail notification whenever there are changes, updates, revisions or errata related to a specified product family or development tool of interest.

To register, access the Microchip web site at www.microchip.com, click on Customer Change Notification and follow the registration instructions.

The Development Systems product group categories are:

- **Compilers** – The latest information on Microchip C compilers, assemblers, linkers and other language tools. These include all MPLAB C compilers; all MPLAB assemblers (including MPASM™ assembler); all MPLAB linkers (including MPLINK™ object linker); and all MPLAB librarians (including MPLIB™ object librarian).
- **Emulators** – The latest information on Microchip in-circuit emulators. This includes the MPLAB REAL ICE™ and MPLAB ICE 2000 in-circuit emulators.
- **In-Circuit Debuggers** – The latest information on the Microchip in-circuit debuggers. This includes MPLAB ICD 3 in-circuit debuggers and PICKit™ 3 debug express.
- **MPLAB® IDE** – The latest information on Microchip MPLAB IDE, the Windows® Integrated Development Environment for development systems tools. This list is focused on the MPLAB IDE, MPLAB IDE Project Manager, MPLAB Editor and MPLAB SIM simulator, as well as general editing and debugging features.
- **Programmers** – The latest information on Microchip programmers. These include production programmers such as MPLAB REAL ICE in-circuit emulator, MPLAB ICD 3 in-circuit debugger and MPLAB PM3 device programmers. Also included are nonproduction development programmers such as PICSTART® Plus and PICKit 2 and 3.

CUSTOMER SUPPORT

Users of Microchip products can receive assistance through several channels:

- Distributor or Representative
- Local Sales Office
- Field Application Engineer (FAE)
- Technical Support

Customers should contact their distributor, representative or field application engineer (FAE) for support. Local sales offices are also available to help customers. A listing of sales offices and locations is included in the back of this document.

Technical support is available through the web site at:

<http://www.microchip.com/support>.

REVISION HISTORY

Revision A (March 2015)

Initial release of the document.

Revision B (March 2015)

Update to Section 1.4.

Table of Contents

Preface	3
Chapter 1. Introduction	
1.1 Overview	10
1.2 Features	11
1.3 Configuration	11
1.4 UART Interface	12
Chapter 2. Command Reference	
2.1 Command Syntax	13
2.2 Command Organization	13
2.3 System Commands	14
2.3.1 sys sleep <length>	14
2.3.2 sys reset	14
2.3.3 sys eraseFW	14
2.3.4 sys factoryRESET	15
2.3.5 System Set Commands	15
2.3.5.1 sys set nvm <address> <data>	15
2.3.5.2 sys set pindig <pinName> <pinState>	15
2.3.6 System Get Commands	16
2.3.6.1 sys get ver	16
2.3.6.2 sys get nvm <address>	16
2.3.6.3 sys get vdd	16
2.3.6.4 sys get hweui	16
2.4 MAC Commands	17
2.4.1 mac reset <band>	17
2.4.2 mac tx <type> <portno> <data>	18
2.4.3 mac join <mode>	20
2.4.4 mac save	21
2.4.5 mac forceENABLE	21
2.4.6 mac pause	22
2.4.7 mac resume	22
2.4.8 MAC Set Commands	23
2.4.8.1 mac set devaddr <address>	23
2.4.8.2 mac set deveui <devEUI>	24
2.4.8.3 mac set appeui <appEUI>	24
2.4.8.4 mac set nwkskey <nwkSessKey>	24
2.4.8.5 mac set appskey <appSessKey>	25
2.4.8.6 mac set appkey <appKey>	25
2.4.8.7 mac set pwridx <pwrIndex>	25
2.4.8.8 mac set dr <dataRate>	26
2.4.8.9 mac set adr <state>	26
2.4.8.10 mac set bat <level>	26

2.4.8.11	mac set retx <reTxNb>	26
2.4.8.12	mac set linkchk <linkCheck>	27
2.4.8.13	mac set rxdelay1 <rxDelay>	27
2.4.8.14	mac set ar <state>	27
2.4.8.15	mac set rx2 <dataRate> <frequency>	28
2.4.8.16	MAC Set Channel Commands	28
2.4.9	MAC Get Commands	30
2.4.9.1	mac get devaddr	31
2.4.9.2	mac get deveui	31
2.4.9.3	mac get appeui	31
2.4.9.4	mac get dr	31
2.4.9.5	mac get band	31
2.4.9.6	mac get pwridx	31
2.4.9.7	mac get adr	32
2.4.9.8	mac get retx	32
2.4.9.9	mac get rxdelay1	32
2.4.9.10	mac get rxdelay2	32
2.4.9.11	mac get ar	32
2.4.9.12	mac get rx2 <freqband>	33
2.4.9.13	mac get dcycleps	33
2.4.9.14	mac get mrgn	33
2.4.9.15	mac get gwnb	33
2.4.9.16	mac get status	34
2.4.9.17	MAC Get Channel Commands	35
2.5	Radio Commands	37
2.5.1	radio rx <rxWindowSize>	38
2.5.2	radio tx <data>	39
2.5.3	radio cw <state>	39
2.5.4	Radio Set Commands	40
2.5.4.1	radio set bt <gfBT>	40
2.5.4.2	radio set mod <mode>	40
2.5.4.3	radio set freq <frequency>	40
2.5.4.4	radio set pwr <pwrOut>	41
2.5.4.5	radio set sf <spreadingFactor>	41
2.5.4.6	radio set afcbw <autoFreqBand>	41
2.5.4.7	radio set rxbw <rxBandwidth>	41
2.5.4.8	radio set bitrate <fskBitrate>	41
2.5.4.9	radio set fdev <freqDev>	42
2.5.4.10	radio set prlen <preamble>	42
2.5.4.11	radio set crc <crcHeader>	42
2.5.4.12	radio set iq1 <iqInvert>	42
2.5.4.13	radio set cr <codingRate>	42
2.5.4.14	radio set wdt <watchDog>	43
2.5.4.15	radio set sync <syncWord>	43
2.5.4.16	radio set bw <bandWidth>	43
2.5.5	Radio Get Commands	44
2.5.5.1	radio get bt	44
2.5.5.2	radio get mod	44
2.5.5.3	radio get freq	45
2.5.5.4	radio get pwr	45
2.5.5.5	radio get sf	45

2.5.5.6	radio get afcbw	45
2.5.5.7	radio get rxbw	45
2.5.5.8	radio get bitrate	46
2.5.5.9	radio get fdev	46
2.5.5.10	radio get prlen	46
2.5.5.11	radio get crc	46
2.5.5.12	radio get iqj	46
2.5.5.13	radio get cr	46
2.5.5.14	radio get wdt	47
2.5.5.15	radio get bw	47
2.5.5.16	radio get snr	47

Appendix A. Current Firmware Features and Fixes

Worldwide Sales and Service	50
--	-----------

Chapter 1. Introduction


1.1 OVERVIEW

The Microchip RN2483 module provides LoRaWAN™ protocol connectivity using a simple UART interface. This module handles the LoRaWAN Class A protocol and provides an optimized text command/response interface to the host system. This document is intended to describe an implementation of the LoRaWAN Class A protocol. LoRaWAN protocol terms are described in more detail in the *LoRaWAN Specification* available from the LoRa Alliance (<http://www.lora-alliance.org>). Thus, it is recommended to review the *LoRaWAN Specification* before using the RN2483 module.

The required configuration for accessing a LoRa™ technology network is minimal and can be stored in the module's EEPROM, allowing for factory configuration of these parameters, lowering the requirements for the host system while also increasing system security. The module also features GPIO pins that can be configured through the UART interface.

A simple use case is described in [Figure 1-1](#) where an end device, containing a host MCU which reads a sensor, commands the RN2483 to transmit the sensor reading over the LoRa network. Data are encrypted by the RN2483 and the radio packet is received by one or multiple gateways which forward it to the network server. The network server sends the data to the application server which has the key to decrypt the application data. Similarly, a development platform may consist of an RN2483 directly connected over UART to a PC which becomes the host system in this case. Users can then type commands into the module using a terminal program.

FIGURE 1-1: SIMPLE LoRa™ TECHNOLOGY NETWORK DIAGRAM



The flow of data can be followed as it gets generated by an end device and transported on the network.

1.2 FEATURES

- LoRaWAN Class A protocol compliance
- Integrated FSK, GFSK and LoRa technology transceiver allowing the user to transmit custom packets using these protocols
- Globally unique 64-bit identifier (EUI-64™)
- Configurable GPIOs
- Intelligent Low-Power mode with programmable/on-demand wake-up
- Bootloader for firmware upgrade
- All configuration and control done over UART using simple ASCII commands


Refer to the *RN2483 Low-Power Long-Range LoRa™ Technology Transceiver Module Data Sheet* (DS50002346) for details on the hardware specifications of the module.

1.3 CONFIGURATION

The RN2483 module's architecture is described in [Figure 1-2](#) from the command interface point of view. There are three types of commands that can be used, and each allows access to different module functions:

- LoRaWAN Class A configuration and control, using the `mac` group of commands
- Radio configuration and control, using the `radio` group of commands
- Other module functions, using the `sys` group of commands

FIGURE 1-2: RN2483 COMMAND INTERFACE (YELLOW) AND ITS RELATIONSHIP TO THE MODULE'S INTERNAL COMPONENTS



The available commands can be used to configure and control the LoRaWAN protocol layer, the radio driver and some system peripherals.

In order to communicate with a LoRa network, a specific number of parameters need to be configured. Since two distinctive methods are offered for a device to become part of the network, each of these requires different parameters:

- Over-the-Air Activation (OTAA), where a device negotiates network encryption keys at the time it joins the network. For this, the device EUI, application EUI and application key need to be configured and then the OTAA procedure can start.
- Activation by Personalization (ABP) where the device already contains the network keys and can directly start communication with the network. Configuring the device address, network session key and application session key is sufficient for this type of initialization.

For increased security, these parameters can be configured and stored in the module's EEPROM during manufacturing of devices requiring LoRaWAN connectivity. Thus, the keys do not need to be sent over the UART interface by the host system every time the device powers up.

1.4 UART INTERFACE

All of the RN2483 module's settings and commands are transmitted over UART using the ASCII interface.

All commands need to be terminated with <CR><LF> and any replies they generate will also be terminated by the same sequence.

The default settings for the UART interface are 57600 bps, 8 bits, no parity, 1 Stop bit, no flow control. The baud rate can be changed by triggering the auto-baud detection sequence of the module. To do this, the host system needs to transmit to the module a break condition followed by a 0x55 character at the new baud rate. The auto-baud detection mechanism can also be triggered during Sleep to wake the module up before the predetermined time has expired.

Note: A break condition is signaled to the module by keeping the UART_RX pin low for longer than the time to transmit a complete character. For example, at the default baud rate of 57600 bps keeping the UART_RX pin low for 938 μ s is a valid break condition, whereas at 9600 bps this would be interpreted as a 0x00 character. Thus, the break condition needs to be long enough to still be interpreted as such at the baud rate that is currently in use.

Chapter 2. Command Reference

The RN2483 LoRa technology module supports a variety of commands for configuration. This section describes these commands in detail and provides examples.

2.1 COMMAND SYNTAX

To issue commands to the RN2483 module, the user sends keywords followed by optional parameters. Commands (keywords) are case sensitive, and spaces must not be used in parameters. Hex input data can be uppercase or lowercase. String text data, such as OTAA used for the join procedure, is case-insensitive.

The use of shorthand for parameters is *NOT* supported.

Depending on the command, the parameter may expect values in either decimal or hexadecimal form; refer to the command description for the expected form. For example, when configuring the frequency, the command expects a decimal value in Hertz such as 868100000 (868.1 MHz). Alternatively, when configuring the LoRaWAN device address, the hex value is entered into the parameter as aabbccdd. To enter a number in hex form, use the value directly. For example, the hex value 0xFF would be entered as FF.

2.2 COMMAND ORGANIZATION

There are three general command categories, as shown in [Table 2-1](#).

TABLE 2-1: COMMAND TYPES

Command Type	Keyword	Description
System	<sys>	Issues system level behavior actions, gathers status information on the firmware and hardware version, or accesses the module user EEPROM memory.
LoRaWAN™ Class A Protocol	<mac>	Issues LoRaWAN Class A protocol network communication behaviors, actions and configurations commands.
Transceiver commands	<radio>	Issues radio specific configurations, directly accessing and updating the transceiver setup.

Once the LoRaWAN Class A protocol configuration is complete, the user must save the settings to store the configuration data, otherwise it will not take effect upon reboot or Reset.

Note: Upon successful reception of commands, the module will respond with one of the following:

- ok
- invalid_param
- Requested Information
- Descriptive Error Message

Note: To facilitate the sharing of the radio between user custom applications and the LoRaWAN MAC, please refer to the `mac pause` and `mac resume` commands. Since no sharing exists between `sys` and other types of commands, there is no need for additional `pause` commands.

2.3 SYSTEM COMMANDS

System commands begin with the system keyword `<sys>` and include the categories shown in [Table 2-2](#), [Table 2-3](#) and [Table 2-4](#).

TABLE 2-2: SYSTEM COMMANDS

Parameter	Description
<code>sleep</code>	Puts the system in Sleep for a finite number of milliseconds.
<code>reset</code>	Resets and restarts the RN2483 module.
<code>eraseFW</code>	Deletes the current RN2483 module application firmware and prepares it for firmware upgrade. The RN2483 module bootloader is ready to receive new firmware.
<code>factoryRESET</code>	Resets the RN2483 module's configuration data and user EEPROM to factory default values and restarts the RN2483 module.
<code>set⁽¹⁾</code>	Sets specified system parameter values.
<code>get⁽¹⁾</code>	Gets specified system parameter values.

Note 1: Refer to [Table 2-3](#) for system `<set>` and [Table 2-4](#) for system `<get>` command summaries.

2.3.1 `sys sleep <length>`

`<length>`: decimal number representing the number of milliseconds the system is put to Sleep, from 100 to 4294967296.

Response: `ok` after the system gets back from Sleep mode

`invalid_param` if the length is not valid

This command puts the system to Sleep for the specified number of milliseconds. The module can be forced to exit from Sleep by sending a break condition followed by a `0x55` character at the new baud rate. Note that the break condition needs to be long enough not to be interpreted as a valid character at the current baud rate.

Example: `sys sleep 120` // Puts the system to Sleep for 120 ms.

2.3.2 `sys reset`

Response: RN2483 X.Y.Z MMM DD YYYY HH:MM:SS, where X.Y.Z is firmware version, MMM is month, DD is day, HH:MM:SS is hour, minutes, seconds (format: [HW] [FW] [Date] [Time]). [Date] and [Time] refer to the release of the firmware.

This command resets and restarts the RN2483 module; stored internal configurations will be loaded automatically upon reboot.

Example: `sys reset` // Resets and restarts the RN2483 module.

2.3.3 `sys eraseFW`

Response: no response

This command deletes the current RN2483 module application firmware and prepares it for firmware upgrade. The RN2483 module bootloader is ready to receive new firmware.

Example: `sys eraseFW` // Deletes the current RN2483 module application firmware.

2.3.4 sys factoryRESET

Response: RN2483 X.Y.Z MMM DD YYYY HH:MM:SS, where X.Y.Z is firmware version, MMM is month, DD is day, HH:MM:SS is hour, minutes, seconds (format: [HW] [FW] [Date] [Time]). [Date] and [Time] refer to the release of the firmware.

This command resets the module's configuration data and user EEPROM to factory default values and restarts the module. After `factoryRESET`, the RN2483 module will automatically reset and all configuration parameters are restored to factory default values.

Example: `sys factoryRESET` // Restores factory default values.

2.3.5 System Set Commands

TABLE 2-3: SYSTEM SET COMMANDS

Parameter	Description
nvm	Stores <data> to a location <address> of user EEPROM.
pindig	Allows user to set and clear available digital pins.

2.3.5.1 sys set nvm <address> <data>

<address>: hexadecimal number representing user EEPROM address, from 300 to 3FF

<data>: hexadecimal number representing data, from 00 to FF

Response: ok if the parameters (address and data) are valid

invalid_param if the parameters (address and data) are not valid

This command allows the user to modify the user EEPROM at <address> with the value supplied by <data>. Both <address> and <data> must be entered as hex values. The user EEPROM memory is located inside the MCU on the module.

Example: `sys set nvm 300 A5` // Stores the value 0xA5 at user EEPROM address 0x300.

2.3.5.2 sys set pindig <pinname> <pinstate>

<pinname>: string representing the pin. Parameter values can be: GPIO0 - GPIO14, UART_CTS, UART_RTS, TEST0, TEST1

<pinstate>: decimal number representing the state. Parameter values can be: 0 or 1.

Response: ok if the parameters (<pinname>, <pinstate>) are valid

invalid_param if the parameters (<pinname>, <pinstate>) are not valid

This command allows the user to modify the unused pins available for use by the module. The selected <pinname> is driven high or low depending on the desired <pinstate>.

Default: GPIO0-GPIO14, UART_CTS, UART_RTS, TEST0 and TEST1 are driven low (value 0).

Example: `sys set pindig GPIO5 1` // Drives GPIO5 high 1, VDD.

2.3.6 System Get Commands

TABLE 2-4: SYSTEM GET COMMANDS

Parameter	Description
ver	Returns the information on hardware platform, firmware version, release date.
nvm	Returns data from the requested user EEPROM <address>.
vdd	Returns measured voltage in mV.
hweui	Returns the preprogrammed EUI node address.

2.3.6.1 sys get ver

Response: RN2483 X.Y.Z MMM DD YYYY HH:MM:SS, where X.Y.Z is firmware version, MMM is month, DD is day, HH:MM:SS is hour, minutes, seconds (format: [HW] [FW] [Date] [Time]). [Date] and [Time] refer to the release of the firmware.

This command returns the information related to the hardware platform, firmware version, release date and time stamp on firmware creation.

Example: `sys get ver` // Returns version-related information.

2.3.6.2 sys get nvm <address>

<address>: hexadecimal number representing user EEPROM address, from 300 to 3FF

Response: 00 – FF (hexadecimal value from 00 to FF) if the address is valid
invalid_param if the address is not valid

This command returns the data stored in the user EEPROM of the RN2483 module at the requested <address> location.

Example: `sys get nvm 300` // Returns the 8-bit hex value stored at 300.

2.3.6.3 sys get vdd

Response: 0–3600 (decimal value from 0 to 3600)

This command informs the RN2483 module to do an ADC conversion on the VDD. The measurement is converted and returned as a voltage (mV).

Example: `sys get vdd` // Returns mV measured on the VDD module.

2.3.6.4 sys get hweui

Response: hexadecimal number representing the preprogrammed EUI node address

This command reads the preprogrammed EUI node address from the RN2483 module. The value returned by this command is a globally unique number provided by Microchip.

Example: `sys get hweui` // Reads the preprogrammed EUI node address.

Note: The preprogrammed EUI node address is a read-only value and cannot be changed or erased. This value can be used to configure the device EUI using the `mac set deveui` command (see [Section 2.4.8.2](#)).

2.4 MAC COMMANDS

LoRaWAN Class A protocol commands begin with the system keyword `mac` and include the categories shown in [Table 2-5](#) through [Table 2-9](#).

TABLE 2-5: MAC COMMANDS

Parameter	Description
<code>reset</code>	Resets the RN2483 module to a specific frequency band.
<code>tx</code>	Sends the data string on a specified port number and sets default values for most of the LoRaWAN parameters.
<code>join</code>	Informs the RN2483 module to join the configured network.
<code>save</code>	Saves LoRaWAN Class A configuration parameters to the user EEPROM.
<code>forceENABLE</code>	Enables the RN2483 module after the LoRaWAN network server commanded the end device to become silent immediately.
<code>pause</code>	Pauses LoRaWAN stack functionality to allow transceiver (radio) configuration.
<code>resume</code>	Restores the LoRaWAN stack functionality.
<code>set</code>	Accesses and modifies specific MAC related parameters.
<code>get</code>	Reads back current MAC related parameters from the module.

2.4.1 `mac reset <band>`

`<band>`: decimal number representing the frequency band, either 868 or 433

Response: `ok` if band is valid

`invalid_param` if band is not valid

This command will automatically reset the software LoRaWAN stack and initialize it with the parameters for the selected band.

Example: `mac reset 868` // Sets the default values and selects the 868 default band.

Note: This command will set default values for most of the LoRaWAN™ parameters. Everything set prior to this command will lose its set value.

2.4.2 mac tx <type> <portno> <data>

<type>: string representing the uplink payload type, either `cnf` or `uncnf` (`cnf` – confirmed, `uncnf` – unconfirmed)

<portno>: decimal number representing the port number, from 1 to 223

<data>: hexadecimal value. The length of <data> bytes capable of being transmitted are dependent upon the set data rate (please refer to the *LoRaWAN™ Specification* for further details).

Response: this command may reply with two responses. The first response will be received immediately after entering the command. In case the command is valid (`ok` reply received), a second reply will be received after the end of the uplink transmission. Please refer to the *LoRaWAN™ Specification* for further details.

Response after entering the command:

- `ok` – if parameters and configurations are valid and the packet was forwarded to the radio transceiver for transmission
- `invalid_param` – if parameters (<type> <portno> <data>) are not valid
- `not_joined` – if the network is not joined
- `no_free_ch` – if all channels are busy
- `silent` – if the module is in a Silent Immediately state
- `frame_counter_err_rejoin_needed` – if the frame counter rolled over
- `busy` – if MAC state is not in an Idle state
- `mac_paused` – if MAC was paused and not resumed back
- `invalid_data_len` if application payload length is greater than the maximum application payload length corresponding to the current data rate

Response after the uplink transmission:

- `mac_tx_ok` if uplink transmission was successful and no downlink data was received back from the server;
- `mac_rx <portno> <data>` if transmission was successful, <portno>: port number, from 1 to 223; <data>: hexadecimal value that was received from the server;
- `mac_err` if transmission was unsuccessful, ACK not received back from the server
- `invalid_data_len` if application payload length is greater than the maximum application payload length corresponding to the current data rate

A confirmed message will expect an acknowledgment from the server; otherwise, the message will be retransmitted by the number indicated by the command `mac set retx <value>`, whereas an unconfirmed message will not expect any acknowledgment back from the server. Please refer to the *LoRaWAN™ Specification* for further details.

If the automatic reply feature is enabled and the server sets the Frame Pending bit or initiates downlink confirmed transmissions, multiple responses will be displayed after each downlink packet is received by the module. A typical scenario for this case would be (prerequisites: free LoRaWAN channels available and automatic reply enabled):

- The module sends a packet on port 4 with application payload `0xAB`
- Radio transmission is successful and the module will display the first response:
`ok`
- The server needs to send two separate downlink confirmed packets back on port 1 with the following data: `0xAC`, then `0xAF`. First it will transmit the first one (`0xAC`) and will set the Frame Pending bit. The module will display the second response
`mac_rx 1 AC`
- The module will initiate an automatic uplink unconfirmed transmission with no application payload on the first free channel because the Frame Pending bit was set in the downlink transmission
- The server will send back the second confirmed packet (`0xAF`). The module will display a third response `mac_rx 1 AF`
- The module will initiate an automatic unconfirmed transmission with no application payload on the first free channel because the last downlink transmission was confirmed, so the server needs an ACK
- If no reply is received back from the server, the module will display the fourth response after the end of the second Receive window: `mac_tx_ok`
- After this scenario, the user is allowed to send packets when at least one enabled channel is free

Based on this scenario, the following responses will be displayed by the module:

- `mac tx cnf 4 AB`
- `ok`
- `mac_rx 1 AC`
- `mac_rx 1 AF`
- `mac_tx_ok`

Example: `mac tx cnf 4 5A5B5B`

// Sends a confirmed frame on port 4 with application payload 5A5B5B.

2.4.3 `mac join <mode>`

`<mode>`: string representing the join procedure type (case-insensitive), either `otaa` or `abp` (`otaa` – over-the-air activation, `abp` – activation by personalization).

Response: this command may reply with two responses. The first response will be received immediately after entering the command. In case the command is valid (`ok` reply received) a second reply will be received after the end of the join procedure. Please refer to the *LoRaWAN™ Specification* for further details.

Response after entering the command:

- `ok` – if parameters and configurations are valid and the join request packet was forwarded to the radio transceiver for transmission
- `invalid_param` – if `<mode>` is not valid
- `keys_not_init` – if the keys corresponding to the Join mode (`otaa` or `abp`) were not configured
- `no_free_ch` – if all channels are busy
- `silent` – if the device is in a Silent Immediately state
- `busy` – if MAC state is not in an Idle state
- `mac_paused` – if MAC was paused and not resumed back

Response after the join procedure:

- `denied` if the join procedure was unsuccessful (the module attempted to join the network, but was rejected);
- `accepted` if the join procedure was successful;

This command informs the RN2483 module it should attempt to join the configured network. Module activation type is selected with `<mode>`. Parameter values can be `otaa` (over-the-air activation) or `abp` (activation by personalization). The `<mode>` parameter is not case sensitive. Before joining the network, the specific parameters for each activation type should be configured (for over the air activation: device EUI, application EUI, application key; for activation by personalization: device address, network session key, application session key).

Example: `mac join otaa` // Attempts to join the network using over-the-air activation.

2.4.4 `mac save`

Response: `ok`

The `mac save` command must be issued after configuration parameters have been appropriately entered from the `mac set <cmd>` commands. This command will save LoRaWAN Class A protocol configuration parameters to the user EEPROM. When the next `sys reset` command is issued, the LoRaWAN Class A protocol configuration will be initialized with the last saved parameters.

The LoRaWAN Class A protocol configuration savable parameters are:

- `band`: Band
- `deveui`: End-Device Identifier
- `appeui`: Application Identifier
- `appkey`: Application Key
- `nwkskey`: Network Session Key
- `appskey`: Application Session Key
- `devaddr`: End Device Address
- `ch`: All Channel Parameter
 - `freq`: Frequency
 - `dcycle`: Duty Cycle
 - `drrange`: Data Rate Range
 - `status`: Status

Example: `mac save`

// Saves the LoRaWAN Class A protocol configuration parameters to the user EEPROM.

2.4.5 `mac forceENABLE`

Response: `ok`

The network can issue a certain command (Duty Cycle Request frame with parameter 255) that would require the RN2483 module to go silent immediately. This mechanism disables any further communication of the module, effectively isolating it from the network. Using `mac forceENABLE`, after this network command has been received, restores the module's connectivity by allowing it to send data.

Example: `mac forceENABLE`

// Disables the Silent Immediately state.

2.4.6 mac pause

Response: 0 – 4294967295 (decimal number representing the number of milliseconds the mac can be paused)

This command pauses the LoRaWAN stack functionality to allow transceiver (radio) configuration. Through the use of `mac pause`, radio commands can be generated between a LoRaWAN Class A protocol uplink application (`mac tx` command), and the LoRaWAN Class A protocol Receive windows (second response for the `mac tx` command). This command will reply with the time interval in milliseconds that the transceiver can be used without affecting the LoRaWAN functionality. The maximum value (4294967295) is returned whenever the LoRaWAN stack functionality is in Idle state and the transceiver can be used without restrictions. '0' is returned when the LoRaWAN stack functionality cannot be paused. After the radio configuration is complete, the `mac resume` command should be used to return to LoRaWAN Class A protocol commands.

```
Example: mac_pause // Pauses the LoRaWAN stack
                functionality if the response is different
                from 0.
```

Note: If already joined to a network, this command *MUST* be called *BEFORE* configuring the radio parameters, initiating radio reception, or transmission.

2.4.7 mac resume

Response: ok

This command resumes LoRaWAN stack functionality, in order to continue normal functionality after being paused.

```
Example: mac resume // Resumes the LoRaWAN stack functionality.
```

Note: This command *MUST* be called *AFTER* all radio commands have been issued and all the corresponding asynchronous messages have been replied.

2.4.8 MAC Set Commands

TABLE 2-6: MAC SET COMMANDS

Parameter	Description
devaddr	Sets the unique network device address for RN2483 module.
deveui	Sets the globally unique identifier for the RN2483 module.
appeui	Sets the application identifier for the RN2483 module.
nwkskey	Sets the network session key for the RN2483 module.
appskey	Sets the application session key for the RN2483 module.
appkey	Sets the application key for the RN2483 module.
pwridx	Sets the output power to be used on the next transmissions.
dr	Sets the data rate to be used for the next transmissions.
adr	Sets if the adaptive data rate is to be enabled, or disabled.
bat	Sets the battery level needed for Device Status Answer frame command response.
retx	Sets the number of retransmissions to be used for an uplink confirmed packet.
linkchk	Sets the time interval for the link check process to be triggered.
rxdelay1	Sets the value used for the first Receive window delay.
ar	Sets the state of the automatic reply.
rx2	Sets the data rate and frequency used for the second Receive window.
ch	Allows modification of channel related parameters.

2.4.8.1 mac set devaddr <address>

<address>: 4-byte hexadecimal number representing the device address, from 00000000 – FFFFFFFF

Response: ok if address is valid
invalid_param if address is not valid

This command configures the module with a 4-byte unique network device address <address>. The <address> *MUST* be *UNIQUE* to the current network. This must be directly set solely for activation by personalization devices. This parameter must not be set before attempting to join using over-the-air activation because it will be overwritten once the join process is over.

Example: `mac set devaddr ABCDEF01`

Note: If this parameter had previously been saved to user EEPROM by issuing the `mac save` command, after modifying its value, the `mac save` command should be called again.

2.4.8.2 `mac set deveui <devEUI>`

`<devEUI>`: 8-byte hexadecimal number representing the device EUI

Response: `ok` if address is valid

`invalid_param` if address is not valid

This command sets the globally unique device identifier for the module. The identifier must be set by the host MCU. The module contains a pre-programmed unique EUI and can be retrieved using the `sys get hweui` command (see [Section 2.3.6.4](#)) or user provided EUI can be configured using the `mac set deveui` command.

Example: `mac set deveui 0004A30B001A55ED`

Note: If this parameter was previously saved to user EEPROM by issuing the `mac save` command, after modifying its value, the `mac save` command should be called again.

2.4.8.3 `mac set appeui <appEUI>`

`<appEUI>`: 8-byte hexadecimal number representing the application EUI

Response: `ok` if address is valid

`invalid_param` if address is not valid

This command sets the application identifier for the module. The application identifier should be used to identify device types (sensor device, lighting device, etc.) within the network.

Example: `mac set appeui FEDCBA9876543210`

Note: If this parameter was previously saved to user EEPROM by issuing the `mac save` command, after modifying its value, the `mac save` command should be called again.

2.4.8.4 `mac set nwkskey <nwksesskey>`

`<nwkSessKey>`: 16-byte hexadecimal number representing the network session key

Response: `ok` if address is valid

`invalid_param` if address is not valid

This command sets the network session key for the module. This key is 16 bytes in length, and should be modified with each session between the module and network. The key should remain the same until the communication session between devices is terminated.

Example: `mac set nwkskey 1029384756AFBECD5647382910DACFEB`

Note: If this parameter was previously saved to user EEPROM by issuing the `mac save` command, after modifying its value, the `mac save` command should be called again.

2.4.8.5 `mac set appskey <appSesskey>`

`<appSesskey>`: 16-byte hexadecimal number representing the application session key

Response: `ok` if address is valid

`invalid_param` if address is not valid

This command sets the application session key for the module. This key is unique, created for each occurrence of communication, when the network requests an action taken by the application.

Example: `mac set appskey AFBECD56473829100192837465FAEBDC`

Note: If this parameter was previously saved to user EEPROM by issuing the `mac save` command, after modifying its value, the `mac save` command should be called again.

2.4.8.6 `mac set appkey <appKey>`

`<appKey>`: 16-byte hexadecimal number representing the application key

Response: `ok` if address is valid

`invalid_param` if address is not valid

This command sets the application key for the module. The application key is used to identify a grouping over module units which perform the same or similar task.

Example: `mac set appkey 00112233445566778899AABBCCDDEEFF`

Note: If this parameter was previously saved to user EEPROM by issuing the `mac save` command, after modifying its value, the `mac save` command should be called again.

2.4.8.7 `mac set pwridx <pwrIndex>`

`<pwrIndex>`: decimal number representing the index value for the output power, from 0 to 5 for 433 MHz frequency band and from 1 to 5 for 868 MHz frequency band.

Response: `ok` if power index is valid

`invalid_param` if power index is not valid

This command sets the output power to be used on the next transmissions. Refer to the *LoRaWAN™ Specification* for the output power corresponding to the `<pwrIndex>` and also to the *RN2483 Low-Power Long-Range LoRa™ Technology Transceiver Module Data Sheet* (DS50002346) for the actual radio power capabilities.

Example: `mac set pwridx 1` // Sets the TX output power to 14 dBm on the next transmission for a 868 MHz EU module.

2.4.8.8 `mac set dr <dataRate>`

<dataRate>: decimal number representing the data rate, from 0 and 7, but within the limits of the data rate range for the defined channels.

Response: `ok` if data rate is valid

`invalid_param` if data rate is not valid

This command sets the data rate to be used for the next transmission. Please refer to the *LoRaWAN™ Specification* for the description of data rates and the corresponding spreading factors.

Example: `mac set dr 5` // On EU863-870; SF7/125 kHz.

2.4.8.9 `mac set adr <state>`

<state>: string value representing the state, either `on` or `off`.

Response: `ok` if state is valid

`invalid_param` if state is not valid

This command sets if the adaptive data rate (ADR) is to be enabled, or disabled. The server is informed about the status of the module's ADR in every uplink frame it receives from the ADR field in uplink data packet. If ADR is enabled, the server will optimize the data rate and the transmission power of the module based on the information collected from the network.

Example: `mac set adr on` // This will enable the ADR mechanism.

2.4.8.10 `mac set bat <level>`

<level>: decimal number representing the level of the battery, from 0 to 255. 0 means external power, 1 means low level, 254 means high level, 255 means the end device was not able to measure the battery level.

Response: `ok` if the battery level is valid

`invalid_param` if the battery level is not valid

This command sets the battery level required for Device Status Answer frame in use with the LoRaWAN Class A protocol.

Example: `mac set bat 127` // Battery is set to ~50%.

2.4.8.11 `mac set reTx <reTxNb>`

<reTxNb>: decimal number representing the number of retransmissions for an uplink confirmed packet, from 0 to 255.

Response: `ok` if `<reTx>` is valid

`invalid_param` if `<reTx>` is not valid

This command sets the number of retransmissions to be used for an uplink confirmed packet, if no downlink acknowledgment is received from the server.

Example: `mac set reTx 5` // The number of retransmissions made for an uplink confirmed packet is set to 5.

2.4.8.12 `mac set linkchk <linkCheck>`

`<linkCheck>`: decimal number that sets the time interval in seconds for the link check process, from 0 to 65535

Response: ok if the time interval is valid

`invalid_param` if the time interval is not valid

This command sets the time interval for the link check process to be triggered periodically. A `<value>` of '0' will disable the link check process. When the time interval expires, the next application packet that will be sent to the server will include also a link check MAC command. Please refer to the *LoRaWAN™ Specification* for more information on the Link Check MAC command.

Example: `mac set linkchk 600` // The module will attempt a link check process at 600-second intervals.

Note: If the command `mac reset` is issued, the link check process will be set as disabled.

2.4.8.13 `mac set rxdelay1 <rxDelay>`

`<rxDelay>`: decimal number representing the delay between the transmission and the first Reception window in milliseconds, from 0 to 65535.

Response: ok if `<rxDelay>` is valid

`invalid_param` if `<rxDelay>` is not valid

This command will set the delay between the transmission and the first Reception window to the `<rxDelay>` in milliseconds. The delay between the transmission and the second Reception window is calculated in software as the delay between the transmission and the first Reception window + 1000 (ms).

Example: `mac set rxdelay1 1000` // Set the delay between the transmission and the first Receive window to 1000 ms.

2.4.8.14 `mac set ar <state>`

`<state>`: string value representing the state, either on or off.

Response: ok if state is valid

`invalid_param` if state is not valid

This command sets the state of the automatic reply. By enabling the automatic reply, the module will transmit a packet without a payload immediately after a confirmed downlink is received, or when the Frame Pending bit has been set by the server. If set to OFF, no automatic reply will be transmitted.

Example: `mac set ar on` // Enables the automatic reply process inside the module.

Note: The RN2483 module implementation will initiate automatic transmissions with no application payload if the automatic reply feature is enabled and the server sets the Frame Pending bit or initiates a confirmed downlink transmission. In this case, if all enabled channels are busy due to duty cycle limitations, the stack will wait for the first channel that will become free to transmit. The user will not be able to initiate uplink transmissions until the automatic transmissions are done.

2.4.8.15 `mac set rx2 <dataRate> <frequency>`

<dataRate>: decimal number representing the data rate, from 0 to 7.

<frequency>: decimal number representing the frequency, from 863000000 to 870000000 or from 433050000 to 434790000, in Hz.

Response: `ok` if parameters are valid

`invalid_param` if parameters are not valid

This command sets the data rate and frequency used for the second Receive window. The configuration of the Receive window parameters should be in concordance with the server configuration.

Example: `mac set rx2 3 865000000` // Receive window 2 is configured with SF9/125 kHz data rate with a center frequency of 865 MHz.

2.4.8.16 MAC SET CHANNEL COMMANDS

TABLE 2-7: MAC SET CHANNEL COMMANDS

Parameter	Description
<code>freq</code>	Sets the module operation frequency on a given channel ID.
<code>dcycle</code>	Sets the module operation duty cycle on a given channel ID.
<code>drrange</code>	Sets the module allowed data rate range (min.- max.) allowed on a given channel ID.
<code>status</code>	Sets the use of the specified channel ID.

2.4.8.16.1 `mac set ch freq <channelID> <frequency>`

<channelId>: decimal number representing the channel number, from 3 to 15.

<frequency>: decimal number representing the frequency, from 863000000 to 870000000 or from 433050000 to 434790000, in Hz.

Response: `ok` if parameters are valid

`invalid_param` if parameters are not valid

This command sets the operational frequency on the given channel ID. The default channels (0-2) cannot be modified in terms of frequency.

Example: `mac set ch freq 13 864000000` // Define frequency for channel 13 to be 864 MHz.

Note: If this parameter was previously saved to user EEPROM by issuing the `mac save` command, after modifying its value, the `mac save` command should be called again.

2.4.8.16.2 `mac set ch dcycle <channelID> <dutyCycle>`

`<channelId>`: decimal number representing the channel number, from 0 to 15.

`<dutyCycle>`: decimal number representing the duty cycle, from 0 to 65535.

Response: `ok` if parameters are valid

`invalid_param` if parameters are not valid

This command sets the duty cycle used on the given channel ID on the module. The `<dutyCycle>` value that needs to be configured can be obtained from the actual duty cycle X (in percentage) using the following formula: $\text{<dutyCycle>} = (100/X) - 1$. The default settings consider only the three default channels (0-2), and their default duty cycle is 0.33%. If a new channel is created either by the server or by the user, all the channels (including the default ones) must be updated by the user in terms of duty cycle to comply with the ETSI regulations.

Example: `mac set ch dcycle 13 9` // Defines duty cycle for channel 13 to be 10%. Since $(100/10) - 1 = 9$, the parameter that gets configured is 9.

Note: If this parameter was previously saved to user EEPROM by issuing the `mac save` command, after modifying its value, the `mac save` command should be called again.

2.4.8.16.3 `mac set ch drrange <channelID> <minRange> <maxRange>`

`<channelId>`: decimal number representing the channel number, from 0 to 15

`<minRange>`: decimal number representing the minimum data rate range, from 0 to 7

`<maxRange>`: decimal number representing the maximum data rate range, from 0 to 7

Response: `ok` if parameters are valid

`invalid_param` if parameters are not valid

This command sets the operating data rate range, min. to max., for the given `<channelId>`. By doing this the module can vary data rates between the `<minRange>` and `<maxRange>` on the specified `<channelId>`. Please refer to the *LoRaWAN™ Specification* for the actual values of the data rates and the corresponding spreading factors (SF).

Example: `mac set ch drrange 13 0 2` // Using EU863-870 band: on channel 13 the data rate can range from 0 (SF12/125 kHz) to 2 (SF10/125 kHz) as required.

Note: If this parameter was previously saved to user EEPROM by issuing the `mac save` command, after modifying its value, the `mac save` command should be called again.

2.4.8.16.4 mac set ch status <channel ID> <status>

<channelId>: decimal number representing the channel number, from 0 to 15.

<status>: string value representing the state, either on or off.

Response: ok if parameters are valid

invalid_param if parameters are not valid

This command sets the operation of the given <channelId>.

Example: `mac set ch status 4 off` // Channel ID 4 is disabled from use.

Warning: <ChannelId> parameters (frequency, data range, duty cycle) must be issued prior to enabling the status of that channel.

Note: If this parameter was previously saved to user EEPROM by issuing the `mac save` command, after modifying its value, the `mac save` command should be called again.

2.4.9 MAC Get Commands

TABLE 2-8: MAC GET COMMANDS

Parameter	Description
devaddr	Gets the current stored unique network device address for that specific end device.
deveui	Gets the current stored globally unique identifier for that specific end device.
appeui	Gets the application identifier for the end device.
dr	Gets the data rate to be used for the next transmission.
band	Gets the current frequency band in operation.
pwridx	Gets the output power index value.
adr	Gets the state of adaptive data rate for the device.
retx	Gets the number of retransmissions to be used for an uplink confirmed packet.
rxdelay1	Gets the interval value stored for rxdelay1.
rxdelay2	Gets the interval value stored for rxdelay2.
ar	Gets the state of the automatic reply.
rx2	Gets the data rate and frequency used for the second Receive window.
dcycleps	Gets the duty cycle prescaler which can only be configured by the server.
mrgn	Gets the demodulation margin as received in the last Link Check Answer frame.
gwnb	Gets the number of gateways that successfully received the last Link Check Request frame.
status	Gets the current status of the RN2483 module.
ch	Gets parameters related information which pertains to channel operation and behaviors.

2.4.9.1 `mac get devaddr`

Response: 4-byte hexadecimal number representing the device address, from 00000000 to FFFFFFFF.

This command will return the current end-device address of the module.

Default: 00000000

Example: `mac get devaddr`

2.4.9.2 `mac get deveui`

Response: 8-byte hexadecimal number representing the device EUI.

This command returns the globally unique end-device identifier, as set in the module.

Default: 0000000000000000

Example: `mac get deveui`

2.4.9.3 `mac get appeui`

Response: 8-byte hexadecimal number representing the application EUI.

This command will return the application identifier for the module. The application identifier is a value given to the device by the network.

Default: 0000000000000000

Example: `mac get appeui`

2.4.9.4 `mac get dr`

Response: decimal number representing the current data rate.

This command will return the current data rate.

Default: 5

Example: `mac get dr`

2.4.9.5 `mac get band`

Response: decimal number representing the frequency band, either 868 or 433.

This command returns the current frequency band of operation. The band reflects the module's operation types.

Default: 868

Example: `mac get band`

2.4.9.6 `mac get pwridx`

Response: decimal number representing the current output power index value, from 0 to 5.

This command returns the current output power index value.

Default: 1

Example: `mac get pwridx`

2.4.9.7 mac get adr

Response: string representing the state of the adaptive data rate mechanism, either `on` or `off`.

This command will return the state of the adaptive data rate mechanism. It will reflect if the ADR is `on` or `off` on the requested device.

Default: `off`

Example: `mac get adr`

2.4.9.8 mac get retx

Response: decimal number representing the number of retransmissions, from 0 to 255.

This command will return the currently configured number of retransmissions which are attempted for a confirmed uplink communication when no downlink response has been received.

Default: 7

Example: `mac get retx`

2.4.9.9 mac get rxdelay1

Response: decimal number representing the interval, in milliseconds, for `rxdelay1`, from 0 to 65535.

This command will return the interval, in milliseconds, for `rxdelay1`.

Default: 1000

Example: `mac get rxdelay1`

2.4.9.10 mac get rxdelay2

Response: decimal number representing the interval, in milliseconds, for `rxdelay2`, from 0 to 65535.

This command will return the interval, in milliseconds, for `rxdelay2`.

Default: 2000

Example: `mac get rxdelay2`

2.4.9.11 mac get ar

Response: string representing the state of the automatic reply, either `on` or `off`.

This command will return the current state for the automatic reply (AR) parameter. The response will indicate if the AR is `on` or `off`.

Default: `off`

Example: `mac get ar`

2.4.9.12 `mac get rx2 <freqBand>`

`<freqBand>`: decimal number representing the frequency band, either 868 or 433.

Response: decimal number representing the data rate configured for the second Receive window, from 0 to 7 and a decimal number for the frequency configured for the second Receive window, from 863000000 to 870000000 or from 433050000 to 434790000, in Hz.

This command will return the current data rate and frequency configured to be used during the second Receive window.

Default: 3 869525000 // for 868 band
3 434665000 // for 433 band

Example: `mac get rx2 868`

2.4.9.13 `mac get dcycleps`

Response: decimal number representing the prescaler value, from 0 to 65535.

This command returns the duty cycle prescaler. The value of the prescaler can be configured *ONLY* by the *SERVER* through use of the Duty Cycle Request frame. Upon reception of this command from the server, the duty cycle prescaler is changed for all enabled channels.

Default: 1

Example: `mac get dcycleps`

2.4.9.14 `mac get mrgn`

Response: decimal number representing the demodulation margin, from 0 to 255.

This command will return the demodulation margin as received in the last Link Check Answer frame. Please refer to the *LoRaWAN™ Specification* for the description of the values.

Default: 255

Example: `mac get mrgn`

2.4.9.15 `mac get gwnb`

Response: decimal number representing the number of gateways, from 0 to 255.

This command will return the number of gateways that successfully received the last Link Check Request frame command, as received in the last Link Check Answer.

Default: 0

Example: `mac get gwnb`

2.4.9.16 mac get status


Response: 2-byte hexadecimal number representing the current status of the module.

This command will return the current status of the module. The value returned is a bit mask represented in hexadecimal form. Please refer to [Figure 2-1](#) for the significance of the bit mask.

Default: 0000

Example: `mac get status`

FIGURE 2-1: MAC STATUS BIT-MAPPED REGISTER ⁽¹⁾



2.4.9.17 MAC GET CHANNEL COMMANDS

TABLE 2-9: MAC GET CHANNEL COMMANDS

Parameter	Description
freq	Gets the module operation frequency for the specified channel ID.
dcycle	Gets the module duty cycle used for transmission on the specified channel ID.
drrange	Gets the valid data rate range (min. to max.) allowed for the module on the specified channel ID
status	Gets the status for the specified channel ID to indicate if it is enabled for use.

TABLE 2-10: DEFAULT PARAMETERS FOR CHANNELS

Channel Number	Parameters	Frequency band	
		868	433
Channel 0	Frequency (Hz)	868100000	433175000
	Duty cycle ⁽¹⁾	302	302
	Data rate range	0-5	0-5
	Status	On	On
Channel 1	Frequency (Hz)	868300000	433375000
	Duty cycle ⁽¹⁾	302	302
	Data rate range	0-5	0-5
	Status	On	On
Channel 2	Frequency (Hz)	868500000	433575000
	Duty cycle ⁽¹⁾	302	302
	Data rate range	0-5	0-5
	Status	On	On
Channels 3-15	Frequency (Hz)	0	0
	Duty cycle ⁽¹⁾	65535	65535
	Data rate range	15 15	15 15
	Status	Off	Off

Note 1: The default settings consider only the three default channels (0-2), and their default duty cycle is 0.33%. If a new channel is created either by the server or by the user, all the channels (including the default ones) must be updated by the user in terms of duty cycle to comply with the ETSI regulations.

2.4.9.17.1 mac get ch freq <ChannelId>

<channelId>: decimal number representing the channel number, from 0 to 15.

Response: decimal number representing the frequency of the channel, from 863000000 to 870000000 or from 433050000 to 434790000, in Hz, depending on the frequency band selected.

This command returns the frequency on the requested <channelId>, entered in decimal form.

Default: see [Table 2-10](#)

Example: `mac get ch freq 0`

2.4.9.17.2 `mac get ch dcycle <channelId>`

`<channelId>`: decimal number representing the channel number, from 0 to 15.

Response: decimal number representing the duty cycle of the channel, from 0 to 65535.

This command returns the duty cycle on the requested `<channelId>`. The duty cycle is returned in decimal value. The actual duty cycle (in percentage) can be obtained using the returned value V as: $\text{percent} = 100/(V + 1)$.

Default: see [Table 2-10](#)

Example: `mac get ch dcycle 0` // Reads back duty cycle setting on Channel ID 0. If the value reported back is 99, the actual duty cycle on the channel (in percentage) is $100/(99 + 1) = 1$.

2.4.9.17.3 `mac get ch drrange <channelId>`

`<channelId>`: decimal number representing the channel number, from 0 to 15.

Response: decimal number representing the minimum data rate of the channel, from 0 to 7 and a decimal number representing the maximum data rate of the channel, from 0 to 7

This command returns the allowed data rate index range on the requested `<channelId>`, entered in decimal form. The `<minRate>` and `<maxRate>` index values are returned in decimal form and reflect index values. Please refer to the *LoRaWAN™ Specification* for the description of data rates and the corresponding spreading factors.

Default: see [Table 2-10](#)

Example: `mac get ch drrange 0`

2.4.9.17.4 `mac get ch status <channelId>`

`<channelId>`: decimal number representing the channel number, from 0 to 15.

Response: string representing the state of the channel, either `on` or `off`.

This command returns if `<channelId>` is currently enabled for use. `<channelId>` is entered in decimal form and the response will be `on` or `off` reflecting the channel is enabled or disabled appropriately.

Default: see [Table 2-10](#)

Example: `mac get ch status 2`

Note: `<ChannelId>` parameters must be issued prior to enabling the status of that channel. If a channel is disabled through the `<status>`, all channel parameters must be reconfigured prior to enabling.

2.5 RADIO COMMANDS

TABLE 2-11: RADIO COMMANDS⁽¹⁾

Parameter	Description
rx	This command configures the radio to receive simple radio packets according to prior configuration settings.
tx	This command configures a simple radio packet transmission according to prior configuration settings.
cw	This command will put the module into a Continuous Wave (cw) Transmission for system tuning or certification use.
set	This command allows modification to the radio setting directly. This command allows for the user to change the method of radio operation within module type band limits.
get	This command grants the ability to read out radio settings as they are currently configured.

Note 1: The `mac pause` command must be called before any radio transmission or reception, even if no MAC operations have been initiated before.

TABLE 2-12: RADIO PARAMETERS AVAILABILITY FOR DIFFERENT OPERATIONS

Command	radio get	radio set	Availability for LoRa™ Modulation	Availability for FSK Modulation
bt	√	√	—	√
mod	√	√	√	√
freq	√	√	√	√
pwr	√	√	√	√
sf	√	√	√	—
afcbw	√	√	—	√
rxbw	√	√	—	√
bitrate	√	√	—	√
fdev	√	√	—	√
prlen	√	√	—	√
crc	√	√	√	√
iqi	√	√	√	—
cr	√	√	√	—
wdt	√	√	√	√
sync	√	—	√	√
bw	√	√	√	—
snr	√	—	√	—

2.5.1 radio rx <rxWindowSize>

<rxWindowSize>: decimal number representing the number of symbols (for LoRa modulation) or time out (for FSK modulation) that the receiver will be opened, from 0 to 65535. Set <rxWindowSize> to '0' in order to enable the Continuous Reception mode. Continuous Reception mode will be exited once a valid packet is received.

Response: this command may reply with two responses. The first response will be received immediately after entering the command. If the command is valid (ok reply received), a second reply will be received after the reception of a packet or after the time out occurred.

Response after entering the command:

- ok – if parameter is valid and the transceiver is configured in Receive mode
- invalid_param – if parameter is not valid
- busy – if the transceiver is currently busy

Response after the receive process:

- radio_rx <data> – if reception was successful, <data>: hexadecimal value that was received;
- radio_err – if reception was not successful, reception time out occurred

Example: `radio rx 0` // Puts the radio into continuous Receive mode.

Note: Ensure the radio Watchdog Timer time out is higher than the Receive window size.

Note: The `mac pause` command must be called before any radio transmission or reception, even if no MAC operations have been initiated before.

2.5.2 radio tx <data>

<data>: hexadecimal value representing the data to be transmitted, from 0 to 255 bytes for LoRa modulation and from 0 to 64 bytes for FSK modulation.

Response: this command may reply with two responses. The first response will be received immediately after entering the command. If the command is valid (ok reply received), a second reply will be received after the effective transmission.

Response after entering the command:

- ok – if parameter is valid and the transceiver is configured in Transmit mode
- invalid_param – if parameter is not valid
- busy – if the transceiver is currently busy

Response after the effective transmission:

- radio_tx_ok – if transmission was successful
- radio_err – if transmission was unsuccessful (interrupted by radio Watchdog Timer time-out)

This command transmits the <data> passed.

Example: `radio tx 48656c6C6F` // Transmits a packet of
[0x48][0x65][0x6c][0x6C][0x6F];
Hello.

Note: In order to meet ETSI regulations in the given frequency bands, the radio has to use either Listen Before Talk (LBT) + Adaptive Frequency Agility (AFA) or duty cycle limitations. By issuing the `radio tx <data>` command the module does not perform LBT before transmission, thus the user has to make sure that duty cycle limits are not violated. For more information on duty cycle limits please check the EN 300 220-2 v2.4.1 standard.

Note: The `mac pause` command must be called before any radio transmission or reception, even if no MAC operations have been initiated before.

2.5.3 radio cw <state>

<state>: string representing the state of the Continuous Wave (CW) mode, either on or off.

Response: ok if state is valid

invalid_param if state is not valid

This command will enable or disable the CW mode on the module. CW mode allows the user to put the transceiver into Transmission mode to observe the generated signal. By altering the settings for the radio the user can observe the changes in transmissions levels.

Example: `radio cw on`

Note: Please note that using `radio cw off` resets the module, this command being semantically identical to `sys reset`.

2.5.4 Radio Set Commands

TABLE 2-13: RADIO SET COMMANDS

Parameter	Description
bt	Set the data shaping for frequency shift keying (FSK) modulation type.
mod	Set the module Modulation mode.
freq	Set the current operation frequency for the radio.
pwr	Set the output power level used by the radio during transmission.
sf	Set the requested spreading factor (SF) to be used during transmission.
afcbw	Set the value used by the automatic frequency correction bandwidth.
rxbw	Set the operational receive bandwidth.
bitrate	Set the frequency shift keying (FSK) bit rate.
fdev	Set the frequency deviation allowed by the end device.
prlen	Set the preamble length used during transmissions.
crc	Set if a CRC header is to be used.
iqi	Set if IQ inversion is used.
cr	Set the coding rate used by the radio.
wdt	Set the time-out limit for the radio Watchdog Timer.
sync	Set the sync word used.
bw	Set the value used for the radio bandwidth.

2.5.4.1 radio set bt <gfBT>

<gfBT>: string representing the Gaussian baseband data shaping, enabling GFSK modulation. Parameter values can be: none, 1.0, 0.5, 0.3.

Response: ok if the data shaping is valid

invalid_param if the data shaping is not valid

This command modifies the data shaping applied to FSK transmissions. Entering any <gfBT> other than none will result in a Gaussian Filter BT being applied to transmissions in FSK mode.

Example: **radio set bt none** // Data shaping in FSK mode is disabled or null.

2.5.4.2 radio set mod <mode>

<mode>: string representing the modulation method, either lora or fsk.

Response: ok if the modulation is valid

invalid_param if the modulation is not valid

This command changes the modulation method being used by the module. Altering the mode of operation does not affect previously set parameters, variables or registers. FSK mode also allows GFSK transmissions when data shaping is enabled.

Example: **radio set mod lora**

2.5.4.3 radio set freq <frequency>

<frequency>: decimal representing the frequency, from 433000000 to 434800000 or from 863000000 to 870000000, in Hz.

Response: ok if the frequency is valid

invalid_param if the frequency is not valid

This command changes the communication frequency of the radio transceiver.

Example: **radio set freq 868000000**

2.5.4.4 radio set pwr <pwrout>

<pwrOut>: signed decimal number representing the transceiver output power, from -3 to 15.

Response: ok if the output power is valid

invalid_param if the output power is not valid

This command changes the transceiver output power. However, note that the transceiver is designed to transmit a maximum of +14 dBm. It is possible to set the output power above the regulatory limits. This power setting allows some compensation on the cable or transmission line loss. For more details on output power please check the *RN2483 Low-Power Long-Range LoRa™ Technology Transceiver Module Data Sheet*.

Example: **radio set pwr 14**

2.5.4.5 radio set sf <spreadingfactor>

<spreadingFactor>: string representing the spreading factor. Parameter values can be: sf7, sf8, sf9, sf10, sf11 or sf12.

Response: ok if the spreading factor is valid

invalid_param if the spreading factor is not valid

This command sets the spreading factor used during transmission.

Example: **radio set sf sf7**

2.5.4.6 radio set afcbw <autoFreqBand>

<autoFreqBand>: float representing the automatic frequency correction, in kHz. Parameter values can be: 250, 125, 62.5, 31.3, 15.6, 7.8, 3.9, 200, 100, 50, 25, 12.5, 6.3, 3.1, 166.7, 83.3, 41.7, 20.8, 10.4, 5.2, 2.6.

Response: ok if the automatic frequency correction is valid

invalid_param if the automatic frequency correction is not valid

This command modifies the automatic frequency correction bandwidth for receiving/transmitting.

Example: **radio set afcbw 125**

2.5.4.7 radio set rxbw <rxbandwidth>

<rxBandwidth>: float representing the signal bandwidth, in kHz. Parameter values can be: 250, 125, 62.5, 31.3, 15.6, 7.8, 3.9, 200, 100, 50, 25, 12.5, 6.3, 3.1, 166.7, 83.3, 41.7, 20.8, 10.4, 5.2, 2.6.

Response: ok if the signal bandwidth is valid

invalid_param if signal bandwidth is not valid

This command sets the signal bandwidth when receiving.

Example: **radio set rxbw 250** // Signal bandwidth for receiving is 250 kHz.

2.5.4.8 radio set bitrate <fskBitRate>

<fskBitRate>: decimal number representing the FSK bit rate value, from 0 to 65535.

Response: ok if the bit rate value is valid

invalid_param if the bit rate value is not valid

This command sets the FSK bit rate value.

Example: **radio set bitrate 5000** // FSK bit rate is set to 5 kb/s.

2.5.4.9 radio set fdev <freqdev>

<freqDev>: decimal number representing the frequency deviation, from 0 to 65535.

Response: ok if the frequency deviation is valid

invalid_param if frequency deviation is not valid

This command sets the frequency deviation during operation.

Example: **radio set fdev 5000** // Frequency deviation is 5 kHz.

2.5.4.10 radio set prlen <preamble>

<preamble>: decimal number representing the preamble length, from 0 to 65535.

Response: ok if the preamble length is valid

invalid_param if the preamble length is not valid

This command sets the preamble length for transmit/receive.

Example: **radio set prlen 8** // Preamble length is 8.

2.5.4.11 radio set crc < crcHeader >

<crcHeader>: string representing the state of the CRC header, either on or off.

Response: ok if the state is valid

invalid_param if the state is not valid

This command enables or disables the CRC header for communications.

Example: **radio set crc on** // Enables the CRC header.

2.5.4.12 radio set iqI <iqInvert>

<iqInvert>: string representing the state of the invert IQ, either on or off.

Response: ok if the state is valid

invalid_param if the state is not valid

This command enables or disables the Invert IQ for communications.

Example: **radio set iqI on** // Invert IQ is enabled.

2.5.4.13 radio set cr <codingRate>

<codingRate>: string representing the coding rate. Parameter values can be: 4/5, 4/6, 4/7, 4/8.

Response: ok if the coding rate is valid

invalid_param if the coding rate is not valid

This command modifies the coding rate currently being used by the radio.

Example: **radio set cr 4/7** // The coding rate is set to 4/7.

2.5.4.14 `radio set wdt <watchDog>`

`<watchDog>`: decimal number representing the time-out length for the Watchdog Timer, from 0 to 4294967295. Set to '0' to disable this functionality.

Response: `ok` if the watchdog time out is valid

`invalid_param` if the watchdog time out is not valid

This command updates the time-out length, in milliseconds, applied to the radio Watchdog Timer. If this functionality is enabled, then the Watchdog Timer is started for every transceiver reception or transmission. The Watchdog Timer is stopped when the operation in progress is finished.

Example: `radio set wdt 2000` // The Watchdog Timer is configured for 2000 ms.

Note: Ensure the value configured for the Watchdog Timer matches the radio configurations. For example, set the `<watchDog>` value to '0' in order to disable this functionality during the radio continuous reception.

2.5.4.15 `radio set sync <syncWord>`

`<syncWord>`: hexadecimal value representing the Sync word used during communication. For LoRa modulation one byte is used, for FSK up to eight bytes can be entered.

Response: `ok` if the sync word is valid

`invalid_param` if the sync word is not valid

This command configures the sync word used during communication.

Example: `radio set sync 12` // LoRa modulation in use.

2.5.4.16 `radio set bw <bandWidth>`

`<bandWidth>`: decimal representing the operating radio bandwidth, in kHz. Parameter values can be: 125, 250, 500.

Response: `ok` if the bandwidth is valid

`invalid_param` if the bandwidth is not valid

This command sets the operating radio bandwidth for LoRa operation.

Example: `radio set bw 250` // The operating bandwidth is 250 kHz.

2.5.5 Radio Get Commands

TABLE 2-14: RADIO GET COMMANDS

Parameter	Description
bt	Get the data shaping for frequency shift keying (FSK) modulation type.
mod	Get the module Modulation mode.
freq	Get the current operation frequency for the radio.
pwr	Get the output power level used by the radio during transmission.
sf	Get the requested spreading factor (SF) to be used during transmission.
afcbw	Get the value used by the automatic frequency correction bandwidth.
rxbw	Get the operational receive bandwidth.
bitrate	Get the frequency shift keying (FSK) bit rate.
fdev	Get the frequency deviation allowed by the end device.
prlen	Get the preamble length used during transmissions.
crc	Get if a CRC header is to be used.
iqi	Get if IQ inversion is used.
cr	Get the coding rate used by the radio.
wdt	Get the time-out limit for the Watchdog Timer.
bw	Get the value used for the radio bandwidth.
snr	Get the signal noise ratio (SNR) of the last received packet.

2.5.5.1 radio get bt

Response: string representing the configuration for data shaping. Parameter values can be: none, 1.0, 0.5, 0.3.

This command reads back the current configuration for data shaping applied to FSK transmissions.

Default: 0.5

Example: `radio get bt` // Reads the current data shaping FSK configuration.

2.5.5.2 radio get mod

Response: string representing the current mode of operation of the module, either lora or fsk.

This command reads back the current mode of operation of the module.

Default: lora

Example: `radio get mod` // Reads if module is modulating in LoRa or FSK.

2.5.5.3 `radio get freq`

Response: decimal number representing the frequency, from 433000000 to 434800000 or from 863000000 to 870000000, in Hz.

This command reads back the current operation frequency of the module.

Default: 868100000

Example: `radio get freq` // Reads back the current frequency the transceiver communicates on.

2.5.5.4 `radio get pwr`

Response: signed decimal representing the current power level, from -3 to 15.

This command reads back the current power level settings used in operation.

Default: 1

Example: `radio get pwr` // Reads back the current transmit output power.

2.5.5.5 `radio get sf`

Response: string representing the current spreading factor.

This command reads back the current spreading factor being used by the transceiver. Parameter values can be: `sf7`, `sf8`, `sf9`, `sf10`, `sf11`, `sf12`

Default: `sf12`

Example: `radio get sf` // Reads back the current spreading factor settings.

2.5.5.6 `radio get afcbw`

Response: float representing the automatic frequency correction band, in kHz.

Parameter values can be: 250, 125, 62.5, 31.3, 15.6, 7.8, 3.9, 200, 100, 50, 25, 12.5, 6.3, 3.1, 166.7, 83.3, 41.7, 20.8, 10.4, 5.2, 2.6.

This command reads back the status of the Automatic Frequency Correction Bandwidth.

Default: 41.7

Example: `radio get afcbw` // Reads back the current automatic frequency correction bandwidth.

2.5.5.7 `radio get rxbw`

Response: float representing the signal bandwidth, in kHz. Parameter values can be: 250, 125, 62.5, 31.3, 15.6, 7.8, 3.9, 200, 100, 50, 25, 12.5, 6.3, 3.1, 166.7, 83.3, 41.7, 20.8, 10.4, 5.2, 2.6.

This command reads back the signal bandwidth used for receiving.

Default: 25

Example: `radio get rxbw` // Reads back the receive signal bandwidth.

2.5.5.8 `radio get bitrate`

Response: signed decimal representing the configured bit rate, from 0 to 65535.

This command reads back the configured bit rate for FSK communications.

Default: 50000

Example: `radio get bitrate` // Reads back the current FSK bit rate setting.

2.5.5.9 `radio get fdev`

Response: signed decimal representing the frequency deviation setting, from 0 to 65535.

This command reads frequency deviation setting on the transceiver.

Default: 25000

Example: `radio get fdev` // Reads back current configured frequency deviation setting.

2.5.5.10 `radio get prlen`

Response: signed decimal representing the preamble length, from 0 to 65535.

This command reads the current preamble length used for communication.

Default: 8

Example: `radio get prlen` // Reads back the preamble length used by the transceiver.

2.5.5.11 `radio get crc`

Response: string representing the status of the CRC header, either `on` or `off`

This command reads back the status of the CRC header, to determine if it is to be included during operation.

Default: `on`

Example: `radio get crc` // Reads back if the CRC header is enabled for use.

2.5.5.12 `radio get iq`

Response: string representing the status of the Invert IQ functionality, either `on` or `off`.

This command reads back the status of the Invert IQ functionality.

Default: `off`

Example: `radio get iq` // Reads back the status of the Invert IQ functionality.

2.5.5.13 `radio get cr`

Response: string representing the current value settings used for the coding rate.

Parameter values can be: `4/5`, `4/6`, `4/7`, `4/8`.

This command reads back the current value settings used for the coding rate during communication.

Default: `4/5`

Example: `radio get cr` // Reads back the current coding rate transceiver settings.

2.5.5.14 `radio get wdt`

Response: decimal number representing the length used for the watchdog time out, from 0 to 4294967295.

This command reads back, in milliseconds, the length used for the watchdog time out.

Default: 15000

Example: `radio get wdt` // Reads back the current time-out value applied to the Watchdog Timer

2.5.5.15 `radio get bw`

Response: decimal representing the current operating radio bandwidth, in kHz.

Parameter values can be: 125, 250 or 500.

This command reads back the current operating radio bandwidth used by the transceiver.

Default: 125

Example: `radio get bw` // Reads back the current operational bandwidth applied to transmissions.

2.5.5.16 `radio get snr`

Response: signed decimal number representing the signal to noise ratio (SNR), from -128 to 127.

This command reads back the Signal Noise Ratio (SNR) for the last received packet.

Default: -128

Example: `radio get snr` // Reads back the measured SNR for the previously packet reception.

NOTES:



RN2483 LoRa™ TECHNOLOGY MODULE COMMAND REFERENCE USER'S GUIDE

Appendix A. Current Firmware Features and Fixes

Please check the product web page for the current RN2483 firmware version at www.microchip.com/lora.

A.1. Version 0.9.5

Initial release of the firmware.

Worldwide Sales and Service

AMERICAS

Corpo Office
2355 West Chandler Blvd.
Chandler, AZ 85224-6199
Tel: 480-792-7200
Fax: 480-792-7277
Technical Support:
[http://www.microchip.com/
support](http://www.microchip.com/support)
Web Address:
www.microchip.com

Atlanta
Duluth, GA
Tel: 678-957-9614
Fax: 678-957-1455

Austin, TX
Tel: 512-257-3370

Boston
Westborough, MA
Tel: 774-760-0087
Fax: 774-760-0088

Chicago
Itasca, IL
Tel: 630-285-0071
Fax: 630-285-0075

Cleveland
Independence, OH
Tel: 216-447-0464
Fax: 216-447-0643

Dallas
Addison, TX
Tel: 972-818-7423
Fax: 972-818-2924

Detroit
Novi, MI
Tel: 248-848-4000

Houston, TX
Tel: 281-894-5983

Indianapolis
Noblesville, IN
Tel: 317-773-8323
Fax: 317-773-5453

Los Angeles
Mission Viejo, CA
Tel: 949-462-9523
Fax: 949-462-9608

New York, NY
Tel: 631-435-6000

San Jose, CA
Tel: 408-735-9110

Canada - Toronto
Tel: 905-673-0699
Fax: 905-673-6509

ASIA/PACIFIC

Asia Pacific Office
Suites 3707-14, 37th Floor
Tower 6, The Gateway
Harbour City, Kowloon

Hong Kong
Tel: 852-2943-5100
Fax: 852-2401-3431

Australia - Sydney
Tel: 61-2-9868-6733
Fax: 61-2-9868-6755

China - Beijing
Tel: 86-10-8569-7000
Fax: 86-10-8528-2104

China - Chengdu
Tel: 86-28-8665-5511
Fax: 86-28-8665-7889

China - Chongqing
Tel: 86-23-8980-9588
Fax: 86-23-8980-9500

China - Dongguan
Tel: 86-769-8702-9880

China - Hangzhou
Tel: 86-571-8792-8115
Fax: 86-571-8792-8116

China - Hong Kong SAR
Tel: 852-2943-5100
Fax: 852-2401-3431

China - Nanjing
Tel: 86-25-8473-2460
Fax: 86-25-8473-2470

China - Qingdao
Tel: 86-532-8502-7355
Fax: 86-532-8502-7205

China - Shanghai
Tel: 86-21-5407-5533
Fax: 86-21-5407-5066

China - Shenyang
Tel: 86-24-2334-2829
Fax: 86-24-2334-2393

China - Shenzhen
Tel: 86-755-8864-2200
Fax: 86-755-8203-1760

China - Wuhan
Tel: 86-27-5980-5300
Fax: 86-27-5980-5118

China - Xian
Tel: 86-29-8833-7252
Fax: 86-29-8833-7256

ASIA/PACIFIC

China - Xiamen
Tel: 86-592-2388138
Fax: 86-592-2388130

China - Zhuhai
Tel: 86-756-3210040
Fax: 86-756-3210049

India - Bangalore
Tel: 91-80-3090-4444
Fax: 91-80-3090-4123

India - New Delhi
Tel: 91-11-4160-8631
Fax: 91-11-4160-8632

India - Pune
Tel: 91-20-3019-1500

Japan - Osaka
Tel: 81-6-6152-7160
Fax: 81-6-6152-9310

Japan - Tokyo
Tel: 81-3-6880-3770
Fax: 81-3-6880-3771

Korea - Daegu
Tel: 82-53-744-4301
Fax: 82-53-744-4302

Korea - Seoul
Tel: 82-2-554-7200
Fax: 82-2-558-5932 or
82-2-558-5934

Malaysia - Kuala Lumpur
Tel: 60-3-6201-9857
Fax: 60-3-6201-9859

Malaysia - Penang
Tel: 60-4-227-8870
Fax: 60-4-227-4068

Philippines - Manila
Tel: 63-2-634-9065
Fax: 63-2-634-9069

Singapore
Tel: 65-6334-8870
Fax: 65-6334-8850

Taiwan - Hsin Chu
Tel: 886-3-5778-366
Fax: 886-3-5770-955

Taiwan - Kaohsiung
Tel: 886-7-213-7828

Taiwan - Taipei
Tel: 886-2-2508-8600
Fax: 886-2-2508-0102

Thailand - Bangkok
Tel: 66-2-694-1351
Fax: 66-2-694-1350

EUROPE

Austria - Wels
Tel: 43-7242-2244-39
Fax: 43-7242-2244-393

Denmark - Copenhagen
Tel: 45-4450-2828
Fax: 45-4485-2829

France - Paris
Tel: 33-1-69-53-63-20
Fax: 33-1-69-30-90-79

Germany - Dusseldorf
Tel: 49-2129-3766400

Germany - Munich
Tel: 49-89-627-144-0
Fax: 49-89-627-144-44

Germany - Pforzheim
Tel: 49-7231-424750

Italy - Milan
Tel: 39-0331-742611
Fax: 39-0331-466781

Italy - Venice
Tel: 39-049-7625286

Netherlands - Drunen
Tel: 31-416-690399
Fax: 31-416-690340

Poland - Warsaw
Tel: 48-22-3325737

Spain - Madrid
Tel: 34-91-708-08-90
Fax: 34-91-708-08-91

Sweden - Stockholm
Tel: 46-8-5090-4654

UK - Wokingham
Tel: 44-118-921-5800
Fax: 44-118-921-5820