



A PC1-PC2 continuous geometry



B Principal-component interpretation



C Primary adjudication across candidate k values

	PAC rank	Mean sil.	Near-best sil.	Min. size	Min. cluster Jaccard	Overall Jaccard	Failed criteria	Overall decision
k=2	4	0.262	+0.020	164	0.545	0.669	3	FAIL
k=3	5	0.243	+0.000	16	0.198	0.459	5	FAIL
k=4	3	0.155	-0.087	16	0.281	0.422	6	FAIL
k=5	2	0.155	-0.087	16	0.412	0.485	5	FAIL
k=6	1	0.160	-0.082	16	0.161	0.468	5	FAIL

Criterion status Pass Fail Not available Summary

FAIL indicates that the candidate k did not satisfy all prespecified acceptance criteria.
No candidate k satisfied all prespecified acceptance criteria.

D Adjudication across non-reference sensitivity variants

	k=2	k=3	k=4	k=5	k=6
Hist. clipped, Euclidean					
Unique genes, Euclidean					
De-overlap stromal/immune-cold					
De-overlap T cell/antigen					
5 programs; omit immune-cold					
Derived exclusion phenotype					
Leave out macrophage					
Leave out T cell-inflamed					
Leave out antigen-presentation					
Leave out stromal					
Leave out immune-cold					
Leave out proliferative/cycling					
Primary PCA-whitened distance					
Shrinkage Mahalanobis-whitened					

Passing variants: 0/14 for every candidate k

Final model-form decision

k not selected | taxonomy not assigned | retained representation: six continuous program scores plus PC1 and PC2