LFH AI Agent — Production Deployment Guide

Last updated: March 10, 2026 **For:** Yannick (you) + meeting with Gwyn (WordPress developer), March 11

What This Is

You built an AI chat agent for Last Frontier Heliskiing using VoiceFlow. It has extensions (tour explorer, lodge comparison, weather, lead capture, etc.) that you've been testing on a private test page.

Now you're putting it live on the real website: **lastfrontierheli.com**

This guide walks you through everything step by step.

How It Works (The Big Picture)

```
WordPress site (lastfrontierheli.com)
  |
  |  has ONE <script> tag in its footer
  |
  v
loader.js (hosted on YOUR GitHub Pages CDN)
  |
  |  1. Detects visitor info (device, language, timezone, page type)
  |  2. Loads VoiceFlow widget from voiceflow.com
  |  3. Loads your 19 extensions from your CDN
  |  4. Starts the chat agent with all context
  |  5. Injects your custom styling
  |  6. Handles cross-page awareness
  |
  v
Chat widget appears on every page of lastfrontierheli.com
```

The key insight: WordPress only needs one line of code. Everything else lives on YOUR GitHub repo. When you want to update something, you push to GitHub — no WordPress access needed.

What Got Built

Your CDN Repository

- **GitHub:** github.com/YannickSegaar/lfh-cdn (public)
- **Live URL:** https://yannicksegaar.github.io/lfh-cdn/
- **Local folder:** ~/my_projects/lfh-cdn

What's Inside

Folder	Contents	Size
`extensions/`	19 JavaScript extension files	584 KB
`images/`	Tour photos, lodge photos, logos, backgrounds	130 MB
`fonts/`	Nexa Rust Sans Black (2 weights)	300 KB
`css/`	LFH_styles.css (widget theme)	8 KB
`styles/`	Shadow DOM inject + notification sound scripts	16 KB
`audio/`	Notification beep sound	68 KB
`voiceflow/`	Code step for cross-page awareness	1 KB
`loader.js`	The main loader script (what WordPress loads)	12 KB

The 19 Extensions

These are the interactive components the AI agent can trigger:

#	Extension	What It Does
1	Lead capture form v5	Contact form — captures name, email, message
2	Tour explorer grid	Grid of tour cards (4-day, 5-day, 7-day, safari, private)
3	Tour explorer modal v2	Full detail view when you click a tour card
4	Tour explorer modal (data)	Tour data constants used by the modal
5	Tour booking form v2	Booking inquiry form inside tour modal
6	Lodge compare widget	Side-by-side lodge comparison cards
7	Lodge compare modal	Full detail view when you click a lodge
8	Weather conditions widget	Current snow/weather conditions
9	Weather conditions modal	Detailed weather view
10	Browser self-service widget	FAQ browser with video library
11	Browser self-service modal	Full-screen FAQ/video viewer
12	Feedback v10	Thumbs up/down after agent responses
13	Welcome grid v2	Welcome screen with quick-start options
14	Snowfall	Decorative snowfall animation
15	Hub modal	Central navigation hub (tours/lodges/weather tabs)
16	Hub shared utilities	Shared code used by hub tabs
17	Hub tab: tours	Tours tab content inside hub
18	Hub tab: lodges	Lodges tab content inside hub
19	Hub tab: weather	Weather tab content inside hub

PART 1: Pre-Flight Verification Checklist

Before the meeting with Gwyn, go through this checklist to confirm everything works.

Step 1.1: Verify the CDN is live

Open each of these URLs in your browser. Each should load (not show a 404 error):

- [ ] https://yannicksegaar.github.io/lfh-cdn/loader.js
- [ ] https://yannicksegaar.github.io/lfh-cdn/css/LFH_styles.css

- [ ] https://yannicksegaar.github.io/lfh-cdn/extensions/lead-capture-form-v5-unified.js
- [ ] https://yannicksegaar.github.io/lfh-cdn/images/LFH_Logo_FullName_White.svg
- [ ] https://yannicksegaar.github.io/lfh-cdn/fonts/NexaRustSansBlack2.woff2
- [ ] https://yannicksegaar.github.io/lfh-cdn/audio/lfh_notification_beep.mp3

If any of these show a 404, run this in your terminal:

```
cd ~/my_projects/lfh-cdn
git push origin main
```

Then wait 2-3 minutes and try again.

Step 1.2: Test on your test page

You need to temporarily change your lfh-internal-testing page to load from the CDN instead of local files. This proves the CDN works end-to-end.

Option A — Quick test with a minimal HTML file:

Create a temporary file anywhere:

```
cat > /tmp/lfh-cdn-test.html << 'HTMLEOF'
<!DOCTYPE html>
<html>
<head><title>LFH CDN Test</title></head>
<body>
<h1>LFH CDN Test Page</h1>
<p>If the chat widget appears in the bottom-right corner, the CDN is working.</p>

<!-- This is the exact line Gwyn will add to WordPress -->
<script type="module" src="https://yannicksegaar.github.io/lfh-cdn/loader.js?v=1.0.0" cr
</body>
</html>
HTMLEOF
```

Then open it:

```
open /tmp/lfh-cdn-test.html
```

What you should see:

- [ ] Chat widget bubble appears in bottom-right corner (give it 5-10 seconds)
- [ ] After ~3 seconds, proactive message appears: "Curious about heliskiing in Northern BC?"
- [ ] After ~5 seconds, second message: "I can help you plan your adventure!"
- [ ] Click the bubble — chat opens with the welcome grid
- [ ] Snowfall animation plays

IMPORTANT: The local file test may not work because browsers block ES module imports from `file://` URLs. If the widget doesn't appear, you need to serve it from a local server:

```
cd /tmp && python3 -m http.server 8080
```

Then open http://localhost:8080/lfh-cdn-test.html in your browser.

Step 1.3: Test each extension

Once the widget is open, test these interactions by typing messages:

- [ ] **Tour explorer:** Type "show me your tours" — tour grid should appear
- [ ] **Lodge compare:** Type "compare the lodges" — lodge cards should appear
- [ ] **Weather:** Type "what are the snow conditions?" — weather widget should appear
- [ ] **Self-service:** Type "I have some questions about gear" — FAQ browser should appear
- [ ] **Lead capture:** Type "I want to book a trip" — after a few messages, lead form should appear
- [ ] **Feedback:** After any agent response, thumbs up/down should appear

Step 1.4: Check the browser console for errors

While testing, open the browser Developer Tools (right-click → Inspect → Console tab).

Green flags (good):

- `[LFH] Extensions loaded: 9` — all extensions loaded
- No red errors related to `lfh-cdn`

Red flags (problems to fix):

- `Failed to load module script` — an extension file URL is wrong
- `CORS error` — GitHub Pages isn't serving the file correctly
- `net::ERR_ABORTED 404` — a file is missing from the CDN

Step 1.5: Test fallback mode

Change the URL to add `&fallback=true`:

```
<script type="module" src="https://yannicksegaar.github.io/lfh-cdn/loader.js?v=1.0.0&fal
```

What you should see in fallback mode:

- [ ] Chat widget appears and works (text chat)
- [ ] Lead capture form works when triggered
- [ ] Feedback thumbs work
- [ ] Tour explorer, lodge compare, weather, hub — these should NOT appear (that's correct)

Step 1.6: Test on mobile

Open the same test page on your phone (or use browser DevTools → Toggle Device Toolbar).

- [ ] Widget bubble appears and is tappable
- [ ] Chat opens full-screen on mobile
- [ ] Extensions render correctly on small screens
- [ ] Can scroll within modals

PART 2: The Gwyn Meeting — Step by Step

Before the meeting starts

Have these ready:

1. Your test page working (from Step 1.2)
2. This document open for reference
3. The embed snippet ready to copy-paste (below)

The embed snippet to give Gwyn

```
<!-- Last Frontier AI Chat Agent — Managed by Yannick/RomAIx -->
<script type="module" src="https://yannicksegaar.github.io/lfh-cdn/loader.js?v=1.0.0" cr
```

Where it goes: In the site-wide footer, before `</body>`. It must appear on every page.

Recommended WordPress method: Use a plugin like "WPCode" (formerly "Insert Headers and Footers") or "Header Footer Code Manager" to add it to the footer. This way it survives theme updates.

Meeting script

1. Demo first (2 minutes)

Show Gwyn the agent working on your test page. Open the chat, ask a few questions, show the tour explorer opening, the lodge comparison. This builds confidence that it works.

2. Ask these 5 questions (write down the answers)

Question 1 — URL paths: "What are the exact URL slugs for these pages?"

Write the answers here:

Page	URL path (what Gwyn tells you)
Tours overview	/_____
Bell 2 Lodge	/_____
Ripley Creek	/_____
Booking / Reservations	/_____
Safety	/_____
FAQ	/_____
Contact	/_____
Gallery / Media	/_____
About / Team	/_____

You'll use these to update the `detectPageType()` function in loader.js after the meeting.

Question 2 — Staging site: "Is there a staging or development version of the site where we can test first?"

Answer: _____

If yes, deploy there first before going to production.

Question 3 — Existing chat tools: "Are there any existing chat widgets, live chat tools, or chatbots installed on the site?"

Answer: _____

If yes, those need to be disabled to avoid conflicts.

Question 4 — Caching: "Do you use a caching plugin? (WP Rocket, W3 Total Cache, WP Super Cache, etc.)"

Answer: _____

If yes, the script may need to be excluded from page caching. Gwyn will know how.

Question 5 — Theme setup: "Is this a child theme or custom theme? Will the script tag survive a theme update?"

Answer: _____

Using a header/footer plugin (recommended) means it survives theme updates automatically.

3. Deploy together

If there's a staging site:

1. Have Gwyn add the snippet to staging

2. Test together: visit home, tours, lodges, booking pages
3. Test on mobile
4. If everything works → proceed to production

If no staging site (straight to production):

1. Have Gwyn add the snippet to production
2. Test immediately on the live site
3. Have the fallback plan ready (see Emergency section below)

4. Test on production together

Visit each of these pages and verify the chat widget appears:

- [ ] Home page
- [ ] Tours page
- [ ] Lodge page (Bell 2)
- [ ] Lodge page (Ripley Creek)
- [ ] Booking/reservations page
- [ ] Contact page
- [ ] Any other major page

On each page:

- [ ] Widget bubble appears in bottom-right
- [ ] Proactive messages appear after a few seconds
- [ ] Chat opens when clicked
- [ ] Agent responds correctly
- [ ] At least one extension works (try "show me your tours")

5. Share the emergency plan with Gwyn

Read this to Gwyn (or share this page):

> "If anything goes wrong with the chat agent after today, here are 3 options:
>
> **Quick fix (30 seconds):** Add `&fallback=true` to the end of the script URL. This switches to a simple text-only chat with just the lead form.
>
> **Remove entirely (10 seconds):** Delete the script tag. The chat disappears completely, no side effects.
>
> **I'll handle code fixes:** Any code changes happen on my side by pushing to GitHub. You never need to edit code. I'll message you if a version number needs updating."

PART 3: After the Meeting — What to Update

Step 3.1: Update page type detection

Using the URL paths Gwyn gave you, update the `detectPageType()` function in loader.js.

Open the file:

```
cd ~/my_projects/lfh-cdn
code loader.js    # or: nano loader.js
```

Find the `detectPageType` function (around line 63) and update the path checks to match the actual WordPress URLs.

Example: If Gwyn says the tours page is at `/heliskiing-tours/`, change:

```
// BEFORE:
if (p.includes('/tour') || p.includes('/heli-ski')) return 'tours';

// AFTER (if needed — in this case '/heli-ski' already matches '/heliskiing-tours'):
if (p.includes('/tour') || p.includes('/heli-ski') || p.includes('/heliskiing')) return
```

Step 3.2: Push the update

```
cd ~/my_projects/lfh-cdn
git add loader.js
git commit -m "Update page type detection with actual WordPress URL paths"
git push origin main
```

Wait 2-3 minutes for GitHub Pages to update. The live site will pick up the change automatically (no WordPress change needed).

Step 3.3: Add cross-page awareness to VoiceFlow (optional, can do later)

This makes the agent aware when a user navigates between pages. It's already built into loader.js — you just need to add the receiving end in VoiceFlow.

In VoiceFlow canvas:

1. Go to the main Listen/Conversation node
2. Add an Event Trigger: `page_context_update`
3. Connect it to a new Code Step
4. Paste this code (also saved at `lfh-cdn/voiceflow/update-page-context.js`):

```
var data = (last_event && last_event.payload) ? last_event.payload : last_event;
if (data) {
  if (data.page_type) page_type = data.page_type;
  if (data.page_topic !== undefined) page_topic = data.page_topic;
  if (data.page_path) page_path = data.page_path;
}
```

5. Connect the Code Step back to the Listen node (no response sent to user)

This is not urgent — the agent works fine without it. It just means the agent won't know which page the user is currently on if they navigate after starting the chat.

PART 4: How to Make Updates After Launch

The update workflow

```
1. Edit files in ~/my_projects/lfh-cdn/
2. Test locally (open test page, check browser console)
3. Commit and push:
   cd ~/my_projects/lfh-cdn
   git add -A
   git commit -m "Description of what changed"
   git push origin main
4. Wait 2-3 minutes for GitHub Pages to deploy
5. Hard-refresh the live site (Ctrl+Shift+R or Cmd+Shift+R) to verify
```

No WordPress changes needed — the `?v=1.0.0` in the URL doesn't affect caching on the CDN side. GitHub Pages serves fresh files.

If you want explicit version control

After testing a change, bump the version:

```
cd ~/my_projects/lfh-cdn
git tag v1.1.0
git push --tags
```

Then ask Gwyn to change `?v=1.0.0` to `?v=1.1.0` in the script URL. This is optional but helpful for tracking what version is live.

Common changes you might make

What	Where to edit	Notes
Proactive message text	`loader.js` lines 202-213	Change the greeting messages
Chat widget title	`loader.js` line 189	Currently "Last Frontier"
Page type detection	`loader.js` lines 63-75	Update if WordPress URLs change
Extension styling	`css/LFH_styles.css`	Widget colors, fonts, layout
Extension behavior	`extensions/*.js`	The interactive components
Background image	`images/`	Replace the file, keep the name
Shadow DOM styling	`styles/lastfrontier-shadow-inject.js`	Chat background, header, etc.

PART 5: Emergency Procedures

Something broke — what do I do?

Symptom: Widget doesn't appear at all

1. Open browser DevTools (F12) → Console tab
2. Look for red errors
3. If you see `net::ERR_ABORTED 404` for loader.js → GitHub Pages may be down (rare). Check https://www.githubstatus.com/
4. If you see other errors → try fallback mode first, then investigate

Symptom: Widget appears but extensions don't work

1. Console should show `[LFH] Extensions loaded: 9`
2. If it shows `[LFH] Extension load error:` → one or more extensions failed to load
3. Switch to fallback mode while you debug:

Tell Gwyn:

> "Please change the script URL to: `loader.js?v=1.0.0&fallback=true`"

Symptom: Widget appears but looks wrong (no styling)

1. Check if `LFH_styles.css` loads: visit https://yannicksegaar.github.io/lfh-cdn/css/LFH_styles.css
2. Check if shadow inject loads: visit https://yannicksegaar.github.io/lfh-cdn/styles/lastfrontier-shadow-inject.js
3. If both load fine, hard-refresh the page (Ctrl+Shift+R)

How to roll back

Fastest (switch to safe mode):

Tell Gwyn: "Add `&fallback=true` to the script URL"

Result: Simple text chat + lead form + feedback. All complex extensions disabled.

Roll back code changes:

```
cd ~/my_projects/lfh-cdn
git log --oneline -5          # see recent commits
git revert HEAD               # undo the last commit
git push origin main          # push the rollback
```

Wait 2-3 minutes. The live site will serve the previous version.

Nuclear option (remove the agent entirely):

Tell Gwyn: "Delete the script tag from the footer"

Result: Chat agent disappears completely. No side effects on the website.

PART 6: Technical Reference

Architecture diagram

```
lastfrontierheli.com (WordPress)
       |
       | <script src="...lfh-cdn/loader.js">
       |
       v
yannicksegaar.github.io/lfh-cdn/
       |
       |-- loader.js .................. Main loader (detects context, loads everything)
       |-- css/LFH_styles.css ........ Widget theme (colors, fonts, layout)
       |-- styles/
       |   |-- lastfrontier-shadow-inject.js ... Background image, header fix
       |   |-- notification-sound.js .......... Beep when agent responds
       |-- extensions/ ................ 19 interactive components
       |   |-- lead-capture-form-v5-unified.js
       |   |-- lfh-tour-explorer-grid-booking-unified.js
       |   |-- lfh-tour-explorer-modal-booking-unified-v2.js
       |   |-- lfh-tour-explorer-modal.js (data)
       |   |-- lfh-tour-booking-form-v2.js (booking form)
       |   |-- lfh-lodge-compare-widget-v2-unified.js
       |   |-- lfh-lodge-compare-modal-v2-unified.js
       |   |-- lfh-weather-conditions-widget-v2-unified.js
       |   |-- lfh-weather-conditions-modal-unified.js
       |   |-- browser-self-service-v4-widget-unified.js
       |   |-- browser-self-service-v4-modal-unified.js
       |   |-- lfh-feedback-v10.js
       |   |-- welcome-grid-v2-unified.js
       |   |-- snowfall.js
       |   |-- lfh-hub-modal.js
       |   |-- lfh-hub-shared.js
       |   |-- lfh-hub-tab-tours.js
       |   |-- lfh-hub-tab-lodges.js
       |   |-- lfh-hub-tab-weather.js
       |-- fonts/ ..................... Nexa Rust Sans Black (brand font)
       |-- images/ .................... Tour photos, lodge photos, logos
       |-- audio/ ..................... Notification beep
       |-- voiceflow/ ................. Code steps for VoiceFlow canvas
```

How the loader works (step by step)

1. **Page context capture** — Detects device type (mobile/desktop), browser language, timezone, visit count, which page type the user is on, UTM parameters
2. **Load VoiceFlow widget** — Downloads the VoiceFlow chat widget from their CDN
3. **Load extensions** — Downloads all 19 extension files from your CDN (or just 2 in fallback mode)
4. **Start chat** — Initializes VoiceFlow with your project ID, session data, extensions, and stylesheet
5. **Proactive messages** — Shows greeting bubbles after 3 and 5 seconds
6. **Shadow DOM styling** — Injects custom background, header, and font styling

7. **Notification sound** — Sets up the beep sound for when the agent responds
8. **Cross-page awareness** — If the user navigated from a different page, silently tells VoiceFlow

Trace type compatibility

The VoiceFlow canvas fires "old" trace types. The extensions accept both old and new:

VoiceFlow Canvas Fires	Extension Also Accepts	Extension File
`ext_lastFrontierLeadForm_v4`	`ext_lastFrontierLeadForm_v4_unified`	lead-capture-form-v5-unified.js
`ext_tourExplorer`	`ext_tourExplorer_booking_unified`	lfh-tour-explorer-grid-booking-unified.js
`ext_lodgeCompare_v2`	`ext_lodgeCompare_v2_unified`	lfh-lodge-compare-widget-v2-unified.js
`ext_weather_conditions_v2`	`ext_weather_conditions_v2_unified`	lfh-weather-conditions-widget-v2-unified.js
`ext_browserSelfService_v4`	`ext_browserSelfService_v4_unified`	browser-self-service-v4-widget-unified.js
`ext_feedback10`	(already matches)	lfh-feedback-v10.js
`ext_hubModal`	(already matches)	lfh-hub-modal.js
`ext_welcomeGrid_v2`	(already matches)	welcome-grid-v2-unified.js
`ext_snowfall1`	(already matches)	snowfall.js

Key URLs

What	URL
CDN root	https://yannicksegaar.github.io/lfh-cdn/
Loader script	https://yannicksegaar.github.io/lfh-cdn/loader.js
GitHub repo	https://github.com/YannickSegaar/lfh-cdn
VoiceFlow project	Dashboard → Project ID: 699ffcecd1c4a9bd2986b463
GitHub Pages settings	https://github.com/YannickSegaar/lfh-cdn/settings/pages

Fallback mode comparison

Feature	Full Mode	Fallback Mode
Text chat	Yes	Yes
Knowledge base answers	Yes	Yes
Lead capture form	Yes	Yes
Feedback (thumbs)	Yes	Yes
Tour explorer	Yes	No
Lodge comparison	Yes	No
Weather conditions	Yes	No
Self-service browser	Yes	No
Welcome grid	Yes	No
Hub modal	Yes	No
Snowfall	Yes	No
Cross-page awareness	Yes	Yes

Quick Reference Card

The line for WordPress:

```
<script type="module" src="https://yannicksegaar.github.io/lfh-cdn/loader.js?v=1.0.0" cr
```

Switch to fallback:

```
<script type="module" src="https://yannicksegaar.github.io/lfh-cdn/loader.js?v=1.0.0&fal
```

Push an update:

```
cd ~/my_projects/lfh-cdn
git add -A && git commit -m "what changed" && git push origin main
```

Roll back:

```
cd ~/my_projects/lfh-cdn
git revert HEAD && git push origin main
```