

Exam NetSec-Pro (2026/5/19)

Question #1

Topic 1

Which two tools can be used to configure Cloud NGFWs for AWS? (Choose two.)

- A. Prisma Cloud management console
- B. Cortex XSIAM
- C. Cloud service provider (CSP) management console
- D. Panorama

Correct Answer: CD

Comments

Currently there are no comments in this discussion, be the first to comment!

In which two applications can Prisma Access threat logs for mobile user traffic be reviewed? (Choose two.)

- A. Prisma Cloud dashboard
- B. Strata Cloud Manager (SCM)
- C. Strata Logging Service
- D. Service connection firewall

Correct Answer: BC

Comments

Currently there are no comments in this discussion, be the first to comment!

A network security engineer needs to implement segmentation but is under strict compliance requirements to place security enforcement as close as possible to the private applications hosted in Azure.

Which deployment style is valid and meets the requirements in this scenario?

- A. On a PA-Series NGFW, configure several Layer 3 zones with Layer 3 interfaces assigned to logically segment the network.
- B. On a VM-Series NGFW, configure several Layer 3 zones with Layer 3 interfaces assigned to logically segment the network.
- C. On a VM-Series NGFW, configure several Layer 2 zones with Layer 2 interfaces assigned to logically segment the network.
- D. On a PA-Series NGFW, configure several Layer 2 zones with Layer 2 interfaces assigned to logically segment the network.

Correct Answer: B

Comments

Currently there are no comments in this discussion, be the first to comment!

When adding a Zero Touch Provisioning (ZTP) firewall to Panorama, when can the firewall be powered on?

- A. During license activation
- B. After activating registration and completing license deployment profile
- C. After all required installation and setup procedures are completed
- D. During installation

Correct Answer: B

Comments

Currently there are no comments in this discussion, be the first to comment!

Which profile can help prevent the transmission of sensitive information to internet applications?

- A. Antivirus
- B. Data Filtering
- C. Anti-spyware
- D. URL Filtering

Correct Answer: B

Comments

Currently there are no comments in this discussion, be the first to comment!

How do template stacks help manage firewall configurations in Panorama?

- A. By grouping templates across multiple firewalls
- B. By creating template variables for permanent configurations in firewalls
- C. By creating a diagram of the network for a view of all firewalls
- D. By handling firmware updates across multiple firewalls

Correct Answer: A

Comments

Currently there are no comments in this discussion, be the first to comment!

Which subscription sends non-file format-based traffic that matches Data Filtering profile criteria to a cloud service to render a verdict?

- A. SaaS Security Inline
- B. Enterprise DLP
- C. Advanced URL Filtering
- D. Advanced WildFire

Correct Answer: B

Comments

Currently there are no comments in this discussion, be the first to comment!

A cloud security architect is designing a certificate management strategy for Strata Cloud Manager (SCM) across hybrid environments.

Which practice ensures optimal security with low management overhead?

- A. Implement separate certificate authorities with independent validation rules for each cloud environment.
- B. Configure manual certificate deployment with quarterly reviews and environment-specific security protocols.
- C. Use cloud provider default certificates with scheduled synchronization and localized renewal processes.
- D. Deploy centralized certificate automation with standardized protocols and continuous monitoring.

Correct Answer: D

Comments

Currently there are no comments in this discussion, be the first to comment!

Which two prerequisites must be evaluated when decrypting internet-bound traffic? (Choose two.)

A. Incomplete certificate chains

B. RADIUS profile

C. Certificate pinning

D. SAML certificate

Correct Answer: AC

Comments

Currently there are no comments in this discussion, be the first to comment!

In which order does an NGFW process URL categories for Security policy?

- A. 1. External dynamic lists
- 2. Custom URL categories
- 3. Predefined categories

- B. 1. Custom URL categories
- 2. External dynamic lists
- 3. Predefined categories **Most Voted**

- C. 1. Custom URL categories
- 2. Predefined categories
- 3. External dynamic lists

- D. 1. Predefined categories
- 2. External dynamic lists
- 3. Custom URL categories

Correct Answer: A

Community vote distribution

B (100%)

Comments

0aaeb28 3 weeks, 1 day ago

Selected Answer: B

The correct answer is:

**B,

Custom URL categories
External dynamic lists
Predefined categories**

Why this order matters:

Custom URL categories are evaluated first because they are the most specific and explicitly defined by the administrator. They're meant to override everything else.

External Dynamic Lists (EDLs) come next, since they are still user-defined (though externally sourced) and should take precedence over vendor defaults.

Predefined categories are evaluated last, as they are the baseline provided by the firewall vendor.

This hierarchy ensures that your explicit policies take priority over external feeds, and both override default categorization, which is exactly how you maintain control in a Palo Alto NGFW environment.

upvoted 2 times

What must be configured to successfully onboard a Prisma Access remote network using Strata Cloud Manager (SCM)?

- A. Cloud Identity Engine
- B. GlobalProtect agent
- C. IPSec termination node
- D. Autonomous Digital Experience Manager (ADEM)

Correct Answer: C

Comments

Currently there are no comments in this discussion, be the first to comment!

Which zone is available for use in Prisma Access?

- A. Clientless VPN **Most Voted**
- B. DMZ
- C. Interzone
- D. Intrazone

Correct Answer: D

Community vote distribution

A (100%)

Comments

edmuffins **Highly Voted** 2 months, 1 week ago

Selected Answer: A

Prisma Access operates in 3 zones - Trust, Untrust and Clientless VPN:

<https://docs.paloaltonetworks.com/prisma-access/administration/prisma-access-setup/prisma-access-zones>

upvoted 6 times

Which firewall attribute simplifies rule creation and automatically adapts to changes in server roles or security posture based on log events?

- A. Dynamic Address Groups
- B. Dynamic User Groups
- C. Predefined IP addresses
- D. Address objects

Correct Answer: A

Comments

Currently there are no comments in this discussion, be the first to comment!

What is a necessary step for creation of a custom Prisma Access report on Strata Cloud Manager (SCM)?

- A. Open a support ticket.
- B. Configure a dashboard.
- C. Generate a PDF summary report.
- D. Set up Cloud Identity Engine.

Correct Answer: B

Comments

Currently there are no comments in this discussion, be the first to comment!

Which feature of SaaS Security will allow a firewall administrator to identify unknown SaaS applications in an environment?

- A. App-ID Cloud Engine
- B. SaaS Data Security
- C. Cloud Identity Engine
- D. App-ID

Correct Answer: A

Comments

Currently there are no comments in this discussion, be the first to comment!

When a rule has been set up to block uploading all Portable Executable (PE) files, which type of log will display blocked files that attempt to traverse the network?

- A. Traffic
- B. Data filtering
- C. URL filtering
- D. Threat

Correct Answer: B

Comments

Currently there are no comments in this discussion, be the first to comment!

A network security engineer wants to forward Strata Logging Service data to tools used by the security operations center (SOC) for further investigation.

In which best practice step of Palo Alto Networks Zero Trust does this fit?

- A. Implementation
- B. Standards and Designs
- C. Map and Verify Transactions
- D. Report and Maintenance

Correct Answer: D

Comments

Currently there are no comments in this discussion, be the first to comment!

Using Prisma Access, which solution provides the most security coverage of network protocols for the mobile workforce?

- A. Enterprise browser
- B. Explicit proxy
- C. Client-based VPN
- D. Clientless VPN

Correct Answer: C

Comments

Currently there are no comments in this discussion, be the first to comment!

Which Security policy on a data center NGFW will block intrazone traffic in Zone Colorado for the Dynamic User Group "Testers" and custom application "Payment System"?

A. Source & Destination Zone = Colorado

Users = Testers -

Application = Payment System -

Action = Deny

B. Source & Destination Zone = Colorado

Users = Testers -

Application = Any -

Action = Deny

C. Source Zone = Colorado -

Destination Zone = LA -

Users = Testers -

Application = Payment System -

Action = Deny

D. Source Zone = Colorado -

Destination Zone = LA -

Users = Testers -

Application = Any -

Action = Deny

Correct Answer: A

Comments

Currently there are no comments in this discussion, be the first to comment!

A primary firewall in a high availability (HA) pair is experiencing a current failover issue with ICMP pings to a secondary device. Which metric should be reviewed for proper ICMP pings between the firewall pair?

- A. Non-functional state
- B. Bidirectional Forwarding Detection (BFD)
- C. Link monitoring
- D. Heartbeat polling

Correct Answer: D

Comments

Currently there are no comments in this discussion, be the first to comment!

After a firewall is associated with Strata Cloud Manager (SCM), which two additional actions are required to enable management of the firewall from SCM? (Choose two.)

- A. Install a device certificate. **Most Voted**
- B. Configure a Security policy allowing "stratacloudmanager.paloaltonetworks.com" for all users.
- C. Configure NTP and DNS servers for the firewall. **Most Voted**
- D. Deploy a service connection for each branch site and connect with SCM.

Correct Answer: AC

Community vote distribution

AC (100%)

Comments

0aaeb28 3 weeks ago

Selected Answer: AC

Why these are required:

A. Device certificate → The firewall needs a valid certificate to authenticate securely with Strata Cloud Manager (SCM). Without it, management communication won't be established properly.

C. NTP and DNS → These are foundational:
DNS is required to resolve SCM endpoints.

NTP ensures correct time, which is critical for certificate validation and secure communication.

Why the others are not required:

B → You don't need a specific Security policy allowing that FQDN "for all users"; management traffic is handled by the system, not via a user-based Security policy like that.

D → Service connections are related to Prisma Access or branch connectivity, not required just to enable SCM management of a firewall.

upvoted 2 times

0b4d744 2 months ago

Selected Answer: AC

Both of these are necessary. B is not necessary because of the default rules out of the box and D is not because it applies to specific architectures (like Prisma Access), not basic SCM firewall management.

upvoted 3 times

edmuffins 2 months, 1 week ago

Selected Answer: AC

Configure NTP and DNS servers for the firewall: You must configure the firewall's DNS and NTP servers because this is required for the firewall to successfully connect to Strata Cloud Manager and to install software and content updates

upvoted 4 times

In which order is Prisma SD-WAN dynamic path selection performed?

- A. 1. Determine potential paths based on policy.
- 2. Determine link quality.
- 3. Measure application performance.
- 4. Measure link capacity.

- B. 1. Measure link capacity.
- 2. Measure application performance.
- 3. Determine link quality.
- 4. Determine potential paths based on policy.

- C. 1. Determine potential paths based on policy.
- 2. Measure application performance.
- 3. Determine link quality.
- 4. Measure link capacity.

- D. 1. Determine link quality.
- 2. Measure link capacity.
- 3. Measure application performance.
- 4. Determine potential paths based on policy.

Correct Answer: A

Comments

Currently there are no comments in this discussion, be the first to comment!

Which two frameworks are compared in the Compliance Summary dashboard of Strata Cloud Manager (SCM)? (Choose two.)

A. GDPR

B. NIST

C. PCI-DSS

D. CIS

Correct Answer: BD

Comments

Currently there are no comments in this discussion, be the first to comment!

Which NGFW tool should be reviewed when a management team wants feedback on how to reduce the attack surface of their network security deployment and how it maps to the Center for Internet Security (CIS) Critical Security Controls?

- A. Executive summary report
- B. Policy Optimizer
- C. Best Practice Assessment (BPA)
- D. Command Center

Correct Answer: C

Comments

Currently there are no comments in this discussion, be the first to comment!

A network engineer pushes specific Panorama reports of new AI URL category types to branch NGFWs.
Which two report types achieve this goal? (Choose two.)

A. AI

B. PDF summary **Most Voted**

C. Custom **Most Voted**

D. SNMP

Correct Answer: AC

Community vote distribution

BC (100%)

Comments

PA_fan 5 days, 23 hours ago

Selected Answer: BC

Here are the different types :
Custom ,Summary, Predefined, NonUser/Group Activity
upvoted 1 times

0aaeb28 3 weeks ago

Selected Answer: BC

The correct answers are:

B. PDF summary
C. Custom

Why:

To push specific Panorama-generated reports (like AI URL category usage) to branch NGFWs, you need report formats that are:

Configurable
Exportable / distributable
Supported for scheduled or forwarded delivery
B. PDF summary
Provides a portable, shareable report format
Commonly used for scheduled distribution from Panorama to firewalls or external systems
Suitable for delivering summarized AI URL category insights
C. Custom
Allows the engineer to define exactly what data is included, such as AI-based URL categories
Can be tailored to branch-specific reporting needs
Supports flexible scheduling and distribution

Why not the others:

A. AI → Not a report type; it refers to a category or data classification, not a reporting format.
D. SNMP → Used for monitoring and alerts, not for delivering structured reports like URL category summaries.
upvoted 1 times

edmuffins 2 months, 1 week ago

Selected Answer: BC


AI is not a report type.
upvoted 1 times

Which two types of logs must be forwarded to Strata Logging Service for IoT Security to function? (Choose two.)

- A. WildFire
- B. Enhanced application **Most Voted**
- C. Threat
- D. Traffic **Most Voted**

Correct Answer: CD

Community vote distribution



Comments

0aaeb28 3 weeks ago

Selected Answer: CD

You should read the whole webpage, it states:

Device Security uses Enhanced Application logs (EALs), traffic logs (which include DHCP traffic), threat logs, and wildfire logs. Make sure that your policy rules have logging enabled and are forwarding EALs and traffic logs to Strata Logging Service. Although the last two log types are not required for Device Security to function, we recommend getting licenses for threat prevention and Wildfire and forwarding their logs as well because they help improve risk assessment and malware detection.

upvoted 1 times

d624435 1 month, 1 week ago

Selected Answer: BD

The IoT- Device Security needs Enhanced Application logging enabled and at minimum Traffic logs:

<https://docs.paloaltonetworks.com/iot/getting-started/prepare-your-firewall-for-iot-security>

Threat, WF and URL logs is enhancing the device security for vulnerability evaluation.

upvoted 2 times

Which two modes should be enabled on the GlobalProtect agent to allow a subset of users to connect directly to SaaS and internal applications while allowing the remaining users to connect through third-party VPN? (Choose two.)

A. Remote desktop protocol (RDP)

B. Proxy

C. Tunnel

D. Clientless

Correct Answer: BC

Comments

Currently there are no comments in this discussion, be the first to comment!

In which security profile is credential phishing prevention implemented?

- A. URL Filtering
- B. Vulnerability Protection
- C. Antivirus
- D. Anti-spyware

Correct Answer: A

Comments

Currently there are no comments in this discussion, be the first to comment!

How does PAN-OS identify App-IDs to perform application-layer inspection?

- A. From predefined static rules based on IP addresses and ports configured by the administrator
- B. From inspection of SSL certificates, cloud-based metadata, and manual application classification by the administrator
- C. From periodic updates that categorize web traffic based on domain names, focusing on web-browsing activities
- D. From multiple classification mechanisms - application signatures, application protocol decoding, and heuristics

Correct Answer: D

Comments

Currently there are no comments in this discussion, be the first to comment!

Which GlobalProtect configuration is recommended for granular security enforcement of remote user device posture?

- A. Applying log at session end to all GlobalProtect Security policies
- B. Configuring host information profile (HIP) checks for all mobile users
- C. Configuring a rule that blocks the ability of users to disable GlobalProtect while accessing internal applications
- D. Implementing multi-factor authentication (MFA) for all users attempting to access internal applications

Correct Answer: B

Comments

Currently there are no comments in this discussion, be the first to comment!

Which two features can a network administrator use to troubleshoot the issue of a Prisma Access mobile user who is unable to access SaaS applications? (Choose two.)

- A. Autonomous Digital Experience Manager (ADEM) console
- B. Capacity Analyzer
- C. Global Protect logs
- D. SaaS Application Risk Portal

Correct Answer: AC

Comments

Currently there are no comments in this discussion, be the first to comment!

Which file type does Advanced WildFire support for inline analysis to detect advanced malware?

A. PE **Most Voted**

B. APK

C. PDF

D. JAR

Correct Answer: A

Community vote distribution

A (100%)

Comments

0aaeb28 3 weeks ago

Selected Answer: A

The correct answer is:

A. PE

Why:

Advanced WildFire inline analysis is designed to inspect and block Windows Portable Executable (PE) files in real time.

PE files (.exe, .dll) are the most common format used for Windows malware delivery, so they are a primary focus for inline deep learning and static/dynamic analysis in WildFire.

This inline capability allows immediate detection and prevention before the file is executed.

Why not the others:

B. APK → Android files are analyzed by WildFire, but not typically in inline mode.

C. PDF → Supported for analysis, but not the primary inline advanced malware enforcement type.

D. JAR → Java archives are analyzed, but again not the primary inline-supported format for Advanced WildFire detection.

upvoted 1 times

DaniSerb 2 months, 1 week ago

Selected Answer: A

<https://docs.paloaltonetworks.com/advanced-wildfire/administration/configure-advanced-wildfire-analysis/enable-advanced-wildfire-inline-cloud-analysis>

PE is available for inline analysis

upvoted 3 times

DaniSerb 2 months, 1 week ago

"Only PE (portable executable) are supported at this time."

upvoted 2 times

edmuffins 2 months, 1 week ago

Selected Answer: A

<https://docs.paloaltonetworks.com/advanced-wildfire>

upvoted 2 times


An administrator wants to implement additional Cloud-Delivered Security Services (CDSS) on a data center NGFW that already has one enabled.

What benefit does the NGFWs single-pass parallel processing (SP3) architecture provide?

- A. It allows for traffic inspection at the application level.
- B. There will be only a minor reduction in performance.
- C. There will be no additional performance degradation.
- D. It allows additional security inspection devices to be added inline.

Correct Answer: C

Community vote distribution



Comments

PA_fan 1 week ago

Selected Answer: B

The question mentions "already has one"; and when you add multiple CDSS you face only a minor performance degradation
upvoted 1 times

DaniSerb 2 months, 1 week ago

Selected Answer: C

<https://www.paloaltonetworks.com/resources/whitepapers/single-pass-parallel-processing-architecture#>

Our Single-Pass

Architecture provides:

- No additional performance overhead when enabling additional features.
- Easy management of all threat prevention aspects of security policy.
- Simplified management through fewer consoles and functional gaps for more effective security coverage.
- Significantly lower total cost of ownership.

upvoted 2 times

What is the recommended upgrade path from PAN-OS 9.1 to PAN-OS 11.2?

- A. 9.1 --> 11.2
- B. 9.1 --> 11.0 --> 11.2
- C. 9.1 --> 10.0 --> 11.0 --> 11.2
- D. 9.1 --> 10.0 --> 11.0 --> 11.1 --> 11.2

Correct Answer: C

Comments

Currently there are no comments in this discussion, be the first to comment!

By default, how often are signatures updated for firewalls with Advanced WildFire?

- A. In real time **Most Voted**
- B. Within 5-10 minutes
- C. Within 24-48 hours
- D. Once a week

Correct Answer: B

Community vote distribution

A (100%)

Comments

DaniSerb 2 months, 1 week ago

Selected Answer: A

<https://docs.paloaltonetworks.com/advanced-wildfire/administration/advanced-wildfire-overview/advanced-wildfire-concepts/advanced-wildfire-signatures>

Firewalls with an active Advanced WildFire license can retrieve the latest Advanced WildFire signatures in real-time, as soon as they become available. If you do not have an Advanced WildFire subscription, signatures are made available within 24-48 hours as part of the antivirus update for firewalls with an active Threat Prevention license.

upvoted 3 times

edmuffins 2 months, 1 week ago

Selected Answer: A

Real-Time Delivery: With the Advanced WildFire license and PAN-OS 10.0 or later, the firewall can be configured for a "Real-time" recurrence. This allows the device to pull specific signatures as soon as they are generated by the WildFire cloud, rather than waiting for a scheduled batch download.

upvoted 2 times

Which functionality does an NGFW use to determine whether new session setups are legitimate or illegitimate?

- A. SYN bit
- B. SYN flood protection
- C. SYN cookies
- D. Random Early Detection (RED)

Correct Answer: C

Comments

Currently there are no comments in this discussion, be the first to comment!

Which set of attributes is used by IoT Security to identify and classify appliances on a network when determining Device-ID?

- A. IP address, network traffic patterns, device type
- B. MAC address, device manufacturer, operating system
- C. Hostname, application usage, encryption method
- D. Device model, firmware version, user credential

Correct Answer: B

Comments

Currently there are no comments in this discussion, be the first to comment!

How does a firewall behave when SSL Inbound Inspection is enabled?

- A. It decrypts inbound and outbound SSH connections.
- B. It acts as meddler-in-the-middle between the client and the internal server.
- C. It acts transparently between the client and the internal server.
- D. It decrypts traffic between the client and the external server.

Correct Answer: B

Community vote distribution

C (100%)

Comments

edmuffins 2 months, 1 week ago

Selected Answer: C

When SSL Inbound Inspection is configured on a Palo Alto Networks firewall, it is used to inspect encrypted traffic coming from external clients directed to your internal servers.

To do this, the administrator imports a copy of the internal server's certificate and private key onto the firewall. Because the firewall has the private key, it can transparently "eavesdrop" on the SSL/TLS session, decrypt the traffic, inspect it for threats, and forward the original encrypted packets to the server. It does not act as a proxy or break the connection.

upvoted 2 times

d624435 1 month, 1 week ago

The answer C cannot be right, because it is not transparent when the firewall is encrypting traffic coming from external clients reaching internal with the SSL-Cert and Key. You can run a unencrypted HTTP server in you backend and encrypt just inbound traffic.

You can also manipulate the requests with header insertion and perform PostQuantum ciphers (PQC) between client and firewall but keep legacy ciphers internally.

Answer B is correct.

upvoted 3 times

In a service provider environment, what key advantage does implementing virtual systems provide for managing multiple customer environments?

- A. Shared threat prevention policies across all tenants
- B. Centralized authentication for all customer domains
- C. Unified logging across all virtual systems
- D. Logical separation of control and Security policy

Correct Answer: D

Comments

Currently there are no comments in this discussion, be the first to comment!

What are two indications that a packet has been processed into a fast path session? (Choose two.)

A. Content and application inspection is recognized.

B. Initial forwarding look is using a FIB.

C. Previous packets of the same session have been identified.

D. Security policy lookup is initiated.

Correct Answer: BC

Community vote distribution

AC (100%)

Comments

edmuffins 2 months, 1 week ago

Selected Answer: AC

B (Initial forwarding look is using a FIB) and D (Security policy lookup is initiated) are exclusively slow path operations. They happen only for the first packet of a new session to determine where the packet should go and whether it is permitted to establish a connection. Once these are complete, subsequent packets bypass these steps and go directly to the fast path.

upvoted 1 times

Which two content updates can be pushed to NGFWs from Panorama? (Choose two.)

- A. WildFire
- B. Applications and threats
- C. Advanced URL Filtering
- D. GlobalProtect data file

Correct Answer: BC

Community vote distribution

AB (75%)

AC (25%)

Comments

blueturtle1700 1 month, 3 weeks ago

Selected Answer: AB

Wildfire + Apps & Threats.

URL is not a content update.

<https://docs.paloaltonetworks.com/pan-os/11-1/pan-os-upgrade/software-and-content-updates/dynamic-content-updates>

upvoted 3 times

edmuffins 2 months, 1 week ago

Selected Answer: AC

Panorama allows administrators to centrally manage and deploy specific dynamic content updates to managed firewalls to ensure consistent security across the deployment. According to Palo Alto Networks documentation, the primary content updates that Panorama can push to firewalls include:

upvoted 1 times

d624435 1 month, 1 week ago

included is only: Antivirus, Application and Threats, Wildfire-Content and Wildfire

As well as GlobalProtect Agent and software packages

upvoted 1 times

An administrator is responsible for updating which component of Prisma Access?

- A. Management plane
- B. Content updates
- C. Data plane
- D. VPN client

Correct Answer: D

Comments

Currently there are no comments in this discussion, be the first to comment!

A Prisma Access administrator wants to attach the same set of Security policies to each new rule created. How can the administrator automate the profiles to be attached to new rules?

- A. Create profiles for each CDSS and name them "default."
- B. Create a security profile group and name it "default."
- C. Use AIOps to automate the security profile group attachment.
- D. Use Policy Analyzer after creating the new rules.

Correct Answer: B

Comments

Currently there are no comments in this discussion, be the first to comment!

Which two components of a Security policy, when configured, allow third-party contractors access to internal applications outside business hours? (Choose two.)

A. User-ID

B. Service

C. Schedule

D. App-ID

Correct Answer: AC

Comments

Currently there are no comments in this discussion, be the first to comment!

Which two features are supported when using traffic steering rules for remote network deployment on Prisma Access? (Choose two.)

A. Bidirectional Forwarding Detection (BFD)

B. External dynamic list

C. Remote desktop protocol (RDP)

D. Dynamic Address Group

Correct Answer: BD

Community vote distribution

BD (100%)

Comments

AjaagTain 1 month, 3 weeks ago

Selected Answer: BD

B and D

<https://docs.paloaltonetworks.com/prisma-access/administration/prisma-access-advanced-deployments/service-connection-advanced-deployments/use-traffic-forwarding-rules-with-service-connections/traffic-steering>

upvoted 2 times

Where does an administrator update the collection of infected hosts in Strata Cloud Manager (SCM) when isolating an identified endpoint from a network?

- A. Quarantined device list
- B. Quarantine devices
- C. Actions
- D. Host information profile (HIP)

Correct Answer: A

Comments

Currently there are no comments in this discussion, be the first to comment!

How does Strata Logging Service help resolve ever-increasing log retention needs for a company using Prisma Access?

- A. Log traffic using the licensed bandwidth purchased for Prisma Access reduces overhead.
- B. Automatic selection of physical data storage regions decreases adoption time.
- C. It scales to meet the capacity needs of new locations as business grows.
- D. It increases resilience due to decentralized collection and storage of logs.

Correct Answer: C

Comments

Currently there are no comments in this discussion, be the first to comment!

When physical ION devices are allocated, in which two states are they displayed on the Prisma SD-WAN web interface under "Devices"? (Choose two.)

- A. Offline
- B. Standby
- C. Unclaimed
- D. Needs attention

Correct Answer: AC

Comments

Currently there are no comments in this discussion, be the first to comment!

Which step is necessary to ensure an organization is using the inline cloud analysis features in its Advanced Threat Prevention subscription?

- A. Update or create a new Anti-spyware security profile and enable the appropriate local deep learning models.
- B. Enable SSL decryption in Security policies to inspect and analyze encrypted traffic for threats.
- C. Disable anti-spyware to avoid performance impacts and rely solely on external threat intelligence.
- D. Configure Advanced Threat Prevention profiles with default settings and only focus on high-risk traffic to avoid affecting network performance.

Correct Answer: B

Community vote distribution

A (100%)

Comments

edmuffins 2 months, 1 week ago

Selected Answer: A

A is correct because Advanced Threat Prevention (ATP) capabilities—such as inline cloud analysis and local deep learning for highly evasive command-and-control (C2) threats—are explicitly configured and enabled within the Anti-Spyware and Vulnerability Protection security profiles. To utilize these ATP features, an administrator must update or create these profiles, enable the specific machine learning/deep learning analysis engines (such as the HTTP/SSL Command and Control detectors), and attach the profile to a Security policy rule.

upvoted 2 times

How do Cloud NGFW instances get created when using AWS centralized deployments?

- A. A security VPC will be created as transit gateways to push all traffic through the area.
- B. They are placed in a vWAN with a virtual hub.
- C. Selected VPCs will have Cloud NGFW workloads added to them.
- D. They replace the internet gateway service.

Correct Answer: C

Community vote distribution

A (100%)

Comments

edmuffins 2 months, 1 week ago

Selected Answer: A

n Palo Alto Networks' Cloud NGFW for AWS, there are two primary deployment models: Centralized Deployment (Option A): A dedicated, central "Security VPC" is created. An AWS Transit Gateway (TGW) acts as a hub to route traffic from all your various spoke/application VPCs through this single Security VPC for inspection. This simplifies management because you don't have to deploy firewalls everywhere. Distributed Deployment (Option C): Cloud NGFW endpoints are added directly into the specific, selected application VPCs that need protection.

upvoted 1 times

Why would a packet be processed through the slow path on an NGFW?

- A. It does not require application identification or user identification.
- B. It is part of an already established session.
- C. It is part of a new or unestablished session.
- D. It only needs basic NAT and Security policy enforcement.

Correct Answer: C

Comments

Currently there are no comments in this discussion, be the first to comment!

A company has an ongoing initiative to monitor and control IT-sanctioned SaaS applications. To be successful, it will require configuration of decryption policies, along with data filtering and URL Filtering profiles used in Security policies. Based on the need to decrypt SaaS applications, which two steps are appropriate to ensure success? (Choose two.)

- A. Validate which certificates will be used to establish trust.
- B. Configure SSL Inbound Inspection.
- C. Create new self-signed certificates to use for decryption.
- D. Configure SSL Forward Proxy.

Correct Answer: AD

Comments

Currently there are no comments in this discussion, be the first to comment!

Which security profile provides real-time protection against threat actors who exploit the misconfigurations of DNS infrastructure and redirect traffic to malicious domains?

- A. Intelligent Run-time Memory Analysis
- B. Machine learning (ML)
- C. Dynamic analysis
- D. Static analysis

Correct Answer: B

Comments

Currently there are no comments in this discussion, be the first to comment!

Which security profile provides real-time protection against threat actors who exploit the misconfigurations of DNS infrastructure and redirect traffic to malicious domains?

- A. Anti-spyware
- B. URL Filtering
- C. Antivirus
- D. Vulnerability Protection

Correct Answer: A

Comments

Currently there are no comments in this discussion, be the first to comment!

How many places will a firewall administrator need to create and configure a custom data loss prevention (DLP) profile across Prisma Access and the NGFW?

- A. One
- B. Two
- C. Three
- D. Four

Correct Answer: B

Community vote distribution

A (100%)

Comments

edmuffins 2 months, 1 week ago

Selected Answer: A

Palo Alto Networks Enterprise DLP is a unified, cloud-delivered service designed around a "write once, apply everywhere" model. An administrator only needs to create and configure a custom DLP profile in one central management location (such as Strata Cloud Manager or Panorama).

upvoted 2 times

Within which security profile is the DNS sinkholing action enabled?

- A. File Blocking
- B. Antivirus
- C. Anti-spyware
- D. DoS Protection

Correct Answer: C

Comments

Currently there are no comments in this discussion, be the first to comment!

When a firewall acts as an application-level gateway (ALG), what does it require in order to establish a connection?

- A. Dynamic IP and Port (DIPP)
- B. Session Initiation Protocol (SIP)
- C. Payload
- D. Pinholes

Correct Answer: D

Comments

Currently there are no comments in this discussion, be the first to comment!

Which two configurations are required when creating deployment profiles to migrate a perpetual VM-Series firewall to a flexible VM? (Choose two.)

- A. Allow only the same security services as the perpetual VM.
- B. Deploy virtual Panorama for management.
- C. Choose "Fixed vCPU Models" for configuration type.
- D. Allocate the same number of vCPUs as the perpetual VM.

Correct Answer: AD

Comments

Currently there are no comments in this discussion, be the first to comment!

A firewall administrator wants to enable host information profiles (HIPs) to collect information from corporate hosts by using GlobalProtect.

Which two details will the administrator be able to collect from the host? (Choose two.)

A. WAN statistics

B. Antivirus definitions

C. Host memory consumption

D. Disk encryption

Correct Answer: BD

Comments

Currently there are no comments in this discussion, be the first to comment!

Which NGFW function can be used to enhance visibility, protect, block, and log the use of Post-quantum Cryptography (PQC)?

- A. DNS Security profile
- B. Decryption profile
- C. Security policy
- D. Decryption policy

Correct Answer: B

Comments

Currently there are no comments in this discussion, be the first to comment!