

Circle Math: Dimensional Folding.

Circle Enthusiast William Byrd

This is the Math I'm working on trying to figure out how Circular torus dimensions act. Let's start with my assumptions:

The highest circle under infinity is neutral 1. Its the flip around 0 that switches the torus into macro micro symmetry. From there, I think the $-i + i$, or interior exterior flip is also a torus, maybe? Has to help dimensions avoid collapse at the 0 junction, but for now just focus on the circular aspect: $+i + 1 -i -1$.

The -inside after 1 becomes -outside which equals +inside.

Waves are the broken down folded circular pathways of higher dimensional circle packets. Aka, everything are circles revolving around 0 & itself to maintain stable orbits, using weird folds we see as fractured dimensional shards.

Those shards are basically stuck in limbo, falling through themselves.

As they rotate, they create patterns that, when pushed to the extremes, want to split into stable dimensional fragments or unwind back into those whole dimensions as energy. Gears are a good analogy because if the smaller dimensions don't mesh well, the compressed orbits get unstable and collapses.

Next we'll establish how these circles fold.

() Brackets are Particles.

I'll use colors later but numbers make this look *professional*

$$\text{Circle's Interactions}^{\text{Spin Start}\uparrow+\text{Speed}} = \text{Outside}^{\text{Inside}}$$

$$\textit{Single} = (1)$$

$$\textit{MonoFold} = \dots$$

$$1D^{0\uparrow 0} = 1^1$$

$$\text{Single Pair} = (1, 2)$$

$$\textit{BiFold} = \dots$$

$$1D^{0\uparrow 0} = 1^1, 2^2$$

$$2D^{1\uparrow 0} = 1^2, 2^1$$

$$\textit{Triangle} = (1, 2, 3)$$

$$\textit{TriFold} = \dots$$

$$1D^{0\uparrow 0} = 1^1, 2^2, 3^3,$$

$$2D^{1\uparrow 0} = 1^2, 2^3, 3^1$$

$$2D^{2\uparrow 0} = 1^3, 2^1, 3^2$$

$$3D^{2\uparrow 0} = 1^{3,3}, 2^{1,1}, 3^{2,2} \text{ Unstable?}$$

$$3D^{0\uparrow 1} = 1^{1,2}, 2^{2,3}, 3^{3,1}$$

$$3D^{1\uparrow 1} = 1^{2,3}, 2^{3,1}, 3^{1,2}$$

$$3D^{0\uparrow 2} = 1^{1,3}, 2^{2,1}, 3^{3,2}$$

$$3D^{1\uparrow 2} = 1^{2,1}, 2^{3,2}, 3^{1,3}$$

$$3D^{1\uparrow 3} = 1^{2,2}, 2^{3,3}, 3^{1,1} \text{ Unstable?}$$

$$3D^{0\uparrow 4} = 1^{1,2}, 2^{2,3}, 3^{3,1}$$

$$Square = (1, 2, 3, 4)$$

$$Quadfold = \dots$$

$$1D^{0\uparrow 0} = 1^1, 2^2, 3^3, 4^4$$

$$2D^{0\uparrow 2} = 1^3, 2^4, 3^1, 4^2$$

$$2D^{1\uparrow 2} = 1^4, 2^1, 3^2, 4^3$$

$$2D^{0\uparrow 3} = 1^4, 2^1, 3^2, 4^3$$

$$3D^{1\uparrow 1} = 1^{2,3}, 2^{3,4}, 3^{4,1}, 4^{1,2}$$

$$4D^{1\uparrow 1} = 1^{2,3,4}, 2^{3,4,1}, 3^{4,1,2}, 4^{1,2,3}$$

...

We're 8D so there's a lot dude...

... *Pentagon* ...

... *Hexagon* ...

... *Septagon* ...

... Octagon's Universal Particles ...

... Multiversal Particles in Higher Dimensions ...



Colored Emoji Key Mostly For Later Stuff:

RGB=    ,
YMC=    ,
+i=  

12 Gears

Uses the +Micro quadrant but its all relative.

+Macro or -Micro share RGB, the alt uses YMC

Mirror and Rotations of RGB Phases

$3D^{0\uparrow 1} =$    ,    ,   

$3D^{1\uparrow 1} =$    ,    ,   

$3D^{0\uparrow 2} =$    ,    ,   

$3D^{1\uparrow 2} =$    ,    ,   

Breakdown before I made the Navigation math. That way is probably more accurate replacing phases with corresponding dimensions shown as repetition:

$$2\pi(R) = 2 * \pi/2[C^M]$$

$$2\pi(G) = 2 * \pi/2[C^Y]$$

$$2\pi(B) = 2 * \pi/2[M^Y]$$

$$2\pi(R^B) = 2 * \pi/4[C^{2M}Y]$$

$$reference : \pi/2(.5[C^M] + .5[M^Y])$$

$$2\pi(B^G) = 2 * \pi/4[C^M2Y]$$

$$2\pi(G^R) = 2 * \pi/4[2C^MY]$$

$$2\pi(R^BG) = 2 * \pi/3[C^MY]$$

12 Gears #2

-Micro+Macro or -Micro+Micro so    instead

Lets see an earlier split using +Micro's RGB. Haven't tested with the actual math just quick assumption:

$$2\pi(R,^GB) * i = 2 * \pi[C^MY]$$

$$-Macro * \pi[C^MY]by - Micro * \pi[C^MY]$$

32 Gears of our 8 Dimensions, I guess:

Using pn(pn-1) seems to help us figure out theres I think 32 combinations (12+12+8, 3D+3D+2D Gears) that work using my (Spin Start↑+Speed) navigation. Because that's similar to my earlier equation, I'll update it.

Updated Wave Equation:

$$\psi = \text{Orbit} \oplus \text{CircleDimensions} \oplus \text{Rotation}$$

$$\psi = e^{(\phi^q) \oplus (pn(pn-1)) \oplus \theta}$$

q = scale. -1 is micro, 1 macro, and 0 makes the term 1. Classical/Quantum barrier.

Pn = Prime sequence number n.

θ = radians

Circle Dimensions = Start+Speed

To summarize the equation so far, think one circle always acts like the shell thus the -1 separates that one out into directional phase and speed. Pn multiplies by pn-1 to also keep the orbit stable like how some combinations make $1^{\{1111111...\}}$ or simply mimic smaller dimensions.

Draft Concept. Not remotely like a neat chalkboard; more like a chaotic conspiracy cork board.

