“Dump my brain so it remembers for me”

An AI-Augmented External Autobiographical Memory for Aphantasia and SDAM

Yao-Hua Yang · Independent Researcher, Kansas, USA

ASSETS ’26 · C08

I supply intent. The agent owns the rest of the memory loop, because I will not pull.

My profile

Aphantasia: no voluntary imagery. **SDAM**: I cannot relive my past. Self-identified.


Episodic	**1.25**
Future	**1.17**
Spatial	**4.17**

Survey of Autobiographical Memory, out of 5. VVIQ-16: 21 of 80.

Why memory aids fail me

- **Nothing tells me what to record.**
- **I never return to read it.**
- **Visual aids form no internal image.**

The fix is not more storage but a system that elicits what to capture and returns it when it matters.



A loop I do not operate. The agent is the store’s only reader, writer, and organizer.

One month of use

29/32
days with a daily entry

46
meeting notes

174
logged AI sessions

27 / 5
filed unconfirmed / held back

One participant. Descriptive counts, not efficacy measures.

Four design principles from daily use

P1 · the linchpin

Proactive recall across sources

Before a meeting, the agent assembled context from four or five places, unasked.

P2

Language and number as the channel

Disfluent, mixed-language speech in; prose and numbers out.

P3

Closure by articulation

I recap aloud; the agent confirms or corrects.

P4

Resurfacing dispersed threads

A question reopened over weeks, rebuilt into settled, rejected, and open.

Limits and risk

- N = 1, designer as participant
- Needs a high digital footprint
- Nothing is recorded at home
- A confidently wrong output I cannot check against my own memory

Accessible poster and full text
yaohuayang.github.io/assets26