

```
yaqui@MSI MINGW64 ~
```

```
$ pwd  
/c/Users/yaqui
```

```
yaqui@MSI MINGW64 ~
```

```
$ md projects  
bash: md: command not found
```

```
yaqui@MSI MINGW64 ~
```

```
$ mkdir projects
```

```
yaqui@MSI MINGW64 ~
```

```
$ cd projects
```

```
yaqui@MSI MINGW64 ~/projects
```

```
$ pwd  
/c/Users/yaqui/projects
```

```
yaqui@MSI MINGW64 ~/projects
```

```
$ git version  
git version 2.10.0.windows.1
```

```
yaqui@MSI MINGW64 ~/projects
```

```
$ git config --global user.name "Al Wickman"
```

```
yaqui@MSI MINGW64 ~/projects
```

```
$ git config --global user.email "yaquiknow@yahoo.com"
```

```
yaqui@MSI MINGW64 ~/projects
```

```
$ git config --global --list  
user.name=Al Wickman  
user.email=yaquiknow@yahoo.com
```

```
yaqui@MSI MINGW64 ~/projects
```

```
$ git clone https://github.com/Yaquiknow/github-demo.git  
Cloning into 'github-demo'...  
remote: Counting objects: 6, done.  
remote: Total 6 (delta 0), reused 0 (delta 0), pack-reused 6  
Unpacking objects: 100% (6/6), done.
```

```
yaqui@MSI MINGW64 ~/projects
```

```
$ ls  
github-demo/
```

```
yaqui@MSI MINGW64 ~/projects
```

```
$ cd github-demo
```

```
yaqui@MSI MINGW64 ~/projects/github-demo (master)
```

```
$ ls  
README.md  start.txt
```

```
yaqui@MSI MINGW64 ~/projects/github-demo (master)
```

```
$ git status  
On branch master
```

Your branch is up-to-date with 'origin/master'.  
nothing to commit, working tree clean

```
yaqui@MSI MINGW64 ~/projects/github-demo (master)
$ echo "Test Git Quick Start Demo" >> start2.txt
```

```
yaqui@MSI MINGW64 ~/projects/github-demo (master)
$ ls
README.md  start.txt  start2.txt
```

```
yaqui@MSI MINGW64 ~/projects/github-demo (master)
$ cat start2.txt
Test Git Quick Start Demo
```

```
yaqui@MSI MINGW64 ~/projects/github-demo (master)
$ cat start.txt
Test Git Quick Start demo >> start.txt
ls
echo Test Git Quick Start demo >> start.txt
ls
ls
echo Test Git Quick Start demo
```

```
yaqui@MSI MINGW64 ~/projects/github-demo (master)
$ git status
On branch master
Your branch is up-to-date with 'origin/master'.
Untracked files:
  (use "git add <file>..." to include in what will be committed)

    start2.txt
```

nothing added to commit but untracked files present (use "git add" to track)

```
yaqui@MSI MINGW64 ~/projects/github-demo (master)
$ git add start2.txt
```

```
yaqui@MSI MINGW64 ~/projects/github-demo (master)
$ git status
On branch master
Your branch is up-to-date with 'origin/master'.
Changes to be committed:
  (use "git reset HEAD <file>..." to unstage)

    new file:   start2.txt
```

```
yaqui@MSI MINGW64 ~/projects/github-demo (master)
$ git commit -m "Adding second start text file"
[master fe1689d] Adding second start text file
1 file changed, 1 insertion(+)
create mode 100644 start2.txt
```

```
yaqui@MSI MINGW64 ~/projects/github-demo (master)
$ git status
On branch master
Your branch is ahead of 'origin/master' by 1 commit.
  (use "git push" to publish your local commits)
nothing to commit, working tree clean
```

```
yaqui@MSI MINGW64 ~/projects/github-demo (master)
$ git push origin master
Counting objects: 3, done.
Delta compression using up to 8 threads.
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 345 bytes | 0 bytes/s, done.
Total 3 (delta 0), reused 0 (delta 0)
To https://github.com/YaquiKnow/github-demo.git
```