



| Training layout and regression accuracy based on data type. | | | | | | | | | | | |
|---|-----------|---------|---------------|-----------|-----------------|---------------|-----------------|--------------|---|---|--|
| | Data type | | type | | | | | | | | |
| Layout | Coverage | float32 | float6 (ours) | | | | | | | | |
| 1 | 8.33% | 64.30% | 67.02% | Training | layout and regr | ession accura | cy based c | n data type. | | | |
| 2 | 8.33% | 67.65% | 70.50% | | | _ | float32 - float | at6 (ours) | | | |
| 3 | 12.50% | 82.75% | 83.39% | 100.00% — | | | | , , | | | |
| 4 | 12.50% | 85.21% | 88.10% | 100.00% T | | | | | | | |
| | 16.67% | 90.15% | 90.81% | 1 | | | | | | | |
| 6 | 18.75% | 92.28% | 92.51% | 75.00% | | | | | | | |
| | | | | _ | | | | | | | |
| | | | | 50.00% | | | | | | | |
| | | | | + | | | | | | | |
| | | | | | | | | | | | |
| | | | | 25.00% | | | | | | | |
| | | | | I | | | | | | | |
| | | | | 0.00% | | | | | | | |
| | | | | 1 | 2 | 2 | 3 | 4 | 5 | 6 | |
| | | | | | Layout | | | | | | |
| | | | | | | | | , | | | |