QA Assessment — Aloware.com (Landing & Public Marketing)

Prepared by: Yarlei Cruz

Related artifacts

- `Test_Cases.md` — full BDD/Gherkin-style catalogue, equivalent to **Appendix A** in this assessment.
- `cypress/e2e/` — Cypress demonstration specs in plain **JavaScript** using Mocha (`describe` / `it`).
- `README.md` — repository overview, setup, execution, reporting, and deliverables.
- `.github/workflows/cypress.yml` — CI workflow for automated execution and report artifact publishing.

---

1. Introduction

This assessment presents a practical QA approach for the public-facing Aloware marketing website.

The objective is to demonstrate strong test design, risk-based prioritization, automation thinking, and delivery structure for a conversion-focused website. The submission includes sample test cases, a test plan, daily quality recommendations, and three Cypress demonstration tests written in JavaScript.

---

2. Test Plan

2.1 Test Plan Overview

Item	Description
Project under test	Public marketing site **aloware.com** and its key public conversion pages.

Objective	Validate that the site supports reliable conversion paths, clear navigation, trustworthy content, responsive usability, and basic accessibility across common desktop and mobile experiences.
Quality goals	Reliable CTA behavior · Correct public navigation · Trustworthy pricing and content · Responsive usability · Accessibility basics for key actions · Basic technical stability

---

2.2 Scope

In scope

- Homepage and hero CTAs
- Pricing page
- Get Demo page
- AI Voice Agent page
- Apps / Download page
- Header and mobile navigation
- Footer legal/contact links
- Key public link integrity
- Basic accessibility and UI sanity checks

Out of scope

- Authenticated product areas
- Admin or billing workflows
- Full account-creation validation
- Deep SEO, performance, security, or certification-level accessibility testing

---

2.3 Test Strategy

This assessment uses a **risk-based strategy**, prioritizing the public journeys with the highest business impact.

Area	Focus

Smoke	Homepage loads · Main CTAs route correctly · Demo page loads · Pricing page loads · Key public pages reachable
Functional	CTA routing · Pricing tabs and billing behavior · Demo page and iframe visibility · Mobile menu · AI Voice Agent interactions · Apps page links
Navigation	Header · Mobile menu · Footer legal/contact · Key destination pages
Content / Trust	Pricing consistency · High-visibility headings and labels · Obvious spelling, placeholder, or mixed-language issues
Responsive & Accessibility	Desktop and mobile usability · Keyboard reachability of major CTAs · Visible focus states · H1 presence on key pages
Technical Sanity	Non-empty titles on major pages · No obvious 404s · Demo iframe not stuck · Console or third-party failures reviewed by user impact

---

2.4 Test Levels and Types

Item	Detail
Primary level	End-to-end public user journey validation
Main test types	Smoke · Functional UI · Navigation · Conversion / CTA · Content validation · Responsive · Accessibility basics · Link integrity · UI sanity
Execution split	**Smoke:** P0 critical flows · **Regression:** P0 + P1 broader coverage

2.5 Risk Analysis

Risk	Impact	Mitigation
Broken primary CTAs	Very High	Automate as P0 smoke
Pricing inconsistencies	High	Pricing regression coverage
Broken or placeholder links	High	Link integrity checks
Mobile navigation failures	High	Mobile smoke coverage
Inaccessible key actions	Medium–High	Keyboard accessibility checks
Demo form iframe failure	High	Iframe visibility and load checks
Layout regressions	High	Responsive and visual sanity checks
Client-side UX-impacting errors	Medium–High	Console and network review

2.6 Environments and Coverage

Topic	Detail
Desktop browsers	Chrome, Edge, Safari (recommended)

Mobile browsers	iOS Safari, Android Chrome
Viewports	Desktop: **1440 × 900** · Mobile: **390 × 844**
Test environment	Production public site: `https://aloware.com/`
Dependencies	External destinations such as signup pages, app stores, S3 links, and support pages are treated as third-party dependencies

Current repository automation scope:
This Cypress project currently runs against the **desktop viewport (1440 × 900)** using production `baseUrl`. Mobile coverage remains documented in `Test_Cases.md` and is recommended for future automated expansion.

2.7 Entry Criteria

Testing may begin when:

- the public site is reachable
- the selected scenarios are ready
- public flows do not require authentication
- the demo form is expected to load publicly

Automation-specific entry criteria:

- dependencies installed successfully
- runner can access `https://aloware.com`
- Node environment available
- Chrome available in CI/local execution when required

2.8 Exit Criteria

Smoke sign-off

- All **P0** scenarios pass on baseline coverage
- No P0/P1 defect blocks:

- trial CTA
- demo CTA
- pricing CTA
- demo page availability
- key public page access

Regression sign-off

- All P0 + P1 scenarios executed and triaged
- Remaining known issues documented and accepted when appropriate

Repository-specific automation target:
The three Cypress demonstration scenarios should pass or be triaged with evidence. When executed with reporting enabled, the HTML report should be generated under the configured reports path.

2.9 Test Data Strategy

- **Forms:** use safe, synthetic test data and prefer validation-focused checks over repeated real submissions whenever possible.
- **Outbound links:** validate routing and destination behavior while avoiding unnecessary downloads if link and response validation are sufficient.

2.10 Defect Management

Each defect should include:

- environment
- viewport / browser
- steps to reproduce
- expected vs actual result
- related scenario ID (`ALW-*`)
- screenshots, logs, or report evidence when relevant

Priority	Meaning
P0	Blocked conversion or critical navigation
P1	Major pricing, navigation, accessibility, or embed issues

P2/P3	Lower-impact content or visual issues

2.11 Automation Strategy

This assessment uses **Cypress with JavaScript** as the required automation technology for the demonstration deliverable.

The goal of the automated portion is to show a stable, readable, and maintainable sample of UI coverage for three high-value public scenarios.

Automated in this repository

- **ALW-LP-002** — Hero “Get a demo” navigates to the Request a demo page
- **ALW-LP-003** — Header contains core navigation items
- **ALW-LP-007** — Header “Pricing” opens the Pricing page

Best candidates for future Cypress expansion

- Homepage hero CTAs
- Pricing CTA and billing behavior
- Demo page load and iframe visibility
- Link integrity for key public pages
- Mobile menu behavior
- Apps / download link validation

Recommended manual or exploratory coverage

- Full demo form submission and scheduling flow
- Detailed visual review across breakpoints
- Editorial/content validation beyond targeted assertions
- Investigation of non-obvious console or third-party issues

Execution model

- **Smoke:** on every deploy or content push
- **Regression:** nightly or before major releases or content changes

---

2.12 Deliverables

Deliverable	Location / Notes
QA Test Plan	`Yarlei_Cruz_Aloware_QA_Assessment.pdf`
Full BDD / Gherkin suite	`Test_Cases.md`
Cypress demonstration tests (JavaScript)	`cypress/e2e/`
Execution instructions	`README.md`
Reporting output	Mochawesome HTML report generated from Cypress runs
Prepared document / presentation	This assessment document
GitHub project structure	Repository contents + `.github/workflows/cypress.yml`

2.13 Assumptions and Dependencies

- The public site is the correct validation target
- CTA labels and navigation remain reasonably stable
- The demo form depends on third-party embed availability
- External destinations may have independent uptime
- Marketing content may change frequently

2.14 Recommended Execution Order

1. **Homepage smoke** — `ALW-LP-001`, `ALW-LP-002`, `ALW-LP-003`, `ALW-LP-007`
   Validate homepage availability, hero CTAs, and core header navigation.
2. **Get Demo** — `ALW-DEMO-001A`, `ALW-DEMO-001B`
   Validate page load, iframe visibility, and no stuck loading state.
3. **Pricing** — `ALW-PRC-001`, `ALW-PRC-002`, `ALW-PRC-003`, `ALW-PRC-004`
   Validate tab behavior, billing switch, signup CTA routing, and copy quality.
4. **Mobile navigation** — `ALW-MOB-001`, `ALW-MOB-002`, `ALW-MOB-003`
5. **Link integrity** — `ALW-LNK-001`
6. **Apps / Download** — `ALW-APP-001A` to `ALW-APP-001D`, `ALW-APP-002A` to `ALW-APP-002C`
7. **Accessibility basics** — `ALW-A11Y-001A`, `ALW-A11Y-001B`
8. **AI Voice Agent** — `ALW-AI-001`, `ALW-AI-002`, `ALW-AI-003`
9. **Console quality** — `ALW-QA-001` to `ALW-QA-004`
10. **Manual exploratory** — visual stability, trust/polish, copy, and UX judgment

---

2.15 Cypress Demonstration Mapping

ID	Cypress Spec	Summary
`ALW-LP-002`	`cypress/e2e/landing-hero-get-demo.cy.js`	Hero “Get a demo” → `/get-demo` + H1
`ALW-LP-003`	`cypress/e2e/landing-header-navigation.cy.js`	Header core navigation items
`ALW-LP-007`	`cypress/e2e/landing-header-pricing.cy.js`	Header Pricing → `/pricing` + H1

2.16 Cypress Project Structure

```
cypress/
 e2e/
   landing-hero-get-demo.cy.js
   landing-header-navigation.cy.js
   landing-header-pricing.cy.js
```

```
 pages/
   GetDemoPage.js
   HomePage.js
   PricingPage.js
 support/
   commands.js
   e2e.js

.github/
 workflows/
   cypress.yml

cypress.config.js
package.json
README.md
TEST_PLAN.md
Test_Cases.md
```

This structure separates:

- **specs** for execution
- **page objects** for maintainability
- **support files** for shared setup
- **workflow configuration** for CI execution and reporting

---

3. Daily Quality Strategy

To keep the rest of **aloware.com** under continuous quality control, validation should run in layers.

Daily Smoke

Daily smoke should focus on the highest-risk public journeys:

- homepage availability
- hero CTA routing
- demo page availability
- pricing CTA routing
- key public page reachability

Priority scenarios include:

- `ALW-LP-001`
- `ALW-LP-002`
- `ALW-DEMO-001A`

- `ALW-DEMO-001B`
- `ALW-PRC-003`
- `ALW-LNK-001`

Nightly Regression

Nightly regression should expand coverage to:

- pricing behavior
- mobile navigation
- AI Voice Agent interactions
- apps/download links
- accessibility basics
- console quality checks

Examples:

- `ALW-PRC-001`, `ALW-PRC-002`
- `ALW-MOB-001`, `ALW-MOB-002`
- `ALW-AI-001` to `ALW-AI-003`
- `ALW-APP-001A` to `ALW-APP-001D`
- `ALW-APP-002A` to `ALW-APP-002C`
- `ALW-QA-001` to `ALW-QA-004`

Additional Quality Activities

- daily link integrity checks for key public URLs
- targeted visual regression for homepage, pricing, demo, and mobile menu
- accessibility checks for keyboard navigation and focus visibility
- console and network monitoring for user-visible failures
- lightweight report review and triage by severity

This layered approach balances speed, coverage, and maintainability while protecting the highest-value conversion paths.

---

4. Reporting

This repository integrates **Mochawesome reporting** as a bonus enhancement.

Expected reporting behavior:

- Cypress execution generates a structured HTML report
- failure evidence can be reviewed alongside test results
- reports support faster triage and clearer submission evidence

5. Appendix

5.1 Appendix A – Full BDD Test Suite

```
## Appendix A - Full BDD Test Suite

Feature: Homepage - Hero CTAs, header navigation, and footer
  Background:
    Given I am a public visitor

  @homepage @conversion @cta @external @desktop @p0 @ALW-LP-001
  Scenario: Hero "Start free trial" navigates to signup
    Given I am on "https://aloware.com/" on a desktop viewport
    When I click the link "Start free trial"
    Then the current URL should equal "https://app.aloware.com/signup"
    And the page title should not be empty

  @homepage @conversion @cta @desktop @p0 @ALW-LP-002
  Scenario: Hero "Get a demo" navigates to the Request a demo page
    Given I am on "https://aloware.com/" on a desktop viewport
    When I click the link "Get a demo"
    Then the current URL should equal "https://aloware.com/get-demo"
    And I should see an h1 heading "Request a demo"

  @homepage @header @navigation @desktop @p0 @ALW-LP-003
  Scenario: Header contains core navigation items
    Given I am on "https://aloware.com/" on a desktop viewport
    Then I should see the navigation item "Products"
    And I should see the navigation item "Solutions"
    And I should see the navigation item "Pricing"
    And I should see the navigation item "AI Hub"
    And I should see the navigation item "Resources"

  @homepage @header @navigation @desktop @p0 @ALW-LP-007
  Scenario: Header "Pricing" link opens the Pricing page
    Given I am on "https://aloware.com/" on a desktop viewport
    When I click the link "Pricing"
    Then the current URL should equal "https://aloware.com/pricing"
    And I should see an h1 heading "Truly unlimited agent minutes, no
hidden fees."

  @homepage @footer @legal @navigation @p1 @ALW-LP-005
```

```
  Scenario Outline: Footer legal links open successfully
    Given I am on "https://aloware.com/"
    When I scroll to the footer
    And I click the link "<linkText>"
    Then the current URL should start with "https://aloware.com/"
    And the page title should not be empty
    And I should not see the text "404"

    Examples:
      | linkText             |
      | Privacy policy       |
      | Terms and conditions |

  @homepage @footer @contact @mobile @p1 @ALW-LP-006A
  Scenario: Footer phone link uses tel:
    Given I am on "https://aloware.com/" on a mobile viewport
    When I scroll to the footer
    Then the link "(855) 256 2001" should have an href starting with
"tel:"

  @homepage @footer @contact @mobile @p1 @ALW-LP-006B
  Scenario: Footer email link uses mailto:
    Given I am on "https://aloware.com/" on a mobile viewport
    When I scroll to the footer
    Then the link "sales@aloware.com" should have an href starting with
"mailto:"

  @homepage @navigation @content @mobile @p0 @ALW-LP-004
  Scenario: "Marketing" tile is not a placeholder link
    Given I am on "https://aloware.com/" on a mobile viewport
    When I scroll to the section "Built for teams that value connection"
    Then the link "Marketing" should have an href not equal to "#"


Feature: Mobile navigation - Hamburger menu
  Background:
    Given I am a public visitor
    And I am on "https://aloware.com/" on a mobile viewport

  @mobile @navigation @menu @header @p0 @ALW-MOB-001
  Scenario: Hamburger menu opens and shows key navigation items
    When I click the button "menu"
    Then I should see the navigation item "Products"
    And I should see the navigation item "Solutions"
    And I should see the navigation item "Pricing"
    And I should see the navigation item "AI Hub"
```

```
    And I should see the navigation item "Resources"
    And I should see the navigation item "Knowledge Base"
    And I should see the navigation item "Download App"
    And I should see the navigation item "Become a Partner"
    And I should see the navigation item "Login"
    And I should see the navigation item "Get a Demo"

  @mobile @navigation @menu @p1 @ALW-MOB-002
  Scenario: Mobile "Products" expands to reveal at least one submenu
link
    Given I click the button "menu"
    When I click the button "Products"
    Then I should see at least one visible link within the mobile menu
other than "Pricing"

  @mobile @navigation @external @auth-entrypoint @p1 @ALW-MOB-003
  Scenario: Mobile "Login" opens a non-empty page without redirect loop
    Given I click the button "menu"
    When I click the link "Login"
    Then the current URL should start with "https://"
    And the page title should not be empty
    And the final URL should be stable after 5 seconds


Feature: Get Demo - Request a demo form
  Background:
    Given I am a public visitor
    And I am on "https://aloware.com/get-demo"

  @get-demo @conversion @p0 @ALW-DEMO-001A
  Scenario: Demo page shows the Request a demo heading
    Then I should see an h1 heading "Request a demo"

  @get-demo @conversion @form @iframe @p0 @ALW-DEMO-001B
  Scenario: Demo form iframe becomes visible and is not stuck loading
    When I wait up to 10 seconds
    Then I should see a visible iframe on the page
    And I should not see the text "Carregando"

  @get-demo @conversion @form @validation @p0 @ALW-DEMO-002
  Scenario: Demo form blocks submission when using a personal email
domain
    Given the demo form iframe is visible
    When I complete all required demo form fields with valid data except
email "qa_candidate@gmail.com"
    And I submit the demo form
```

```
    Then submission should be blocked
    And I should see a visible validation message indicating personal
email domains are not allowed

  @get-demo @conversion @form @submission @p0 @ALW-DEMO-003
  Scenario: Demo form submission succeeds with a valid corporate email
    Given the demo form iframe is visible
    When I complete all required demo form fields with valid values
including email "qa@acme-test.com"
    And I submit the demo form
    Then I should be redirected to the scheduling page
    And I should be able to select the country/time zone
    And I should be able to select a date and one of the available time
slots shown on the screen
    And I should be able to complete the meeting booking flow




Feature: Pricing - Plan tabs, billing options, and signup CTA
  Background:
    Given I am a public visitor
    And I am on "https://aloware.com/pricing" on a desktop viewport

  @pricing @tabs @navigation @desktop @p0 @ALW-PRC-001
  Scenario: Pricing plan tabs switch and display the selected panel
    When I select the tab "Human agents"
    Then the tab "Human agents" should be selected
    And the tab panel for "Human agents" should be visible
    When I select the tab "AI agents"
    Then the tab "AI agents" should be selected
    And the tab panel for "AI agents" should be visible
    When I select the tab "Startup plans"
    Then the tab "Startup plans" should be selected
    And the tab panel for "Startup plans" should be visible

  @pricing @billing @tabs @p0 @ALW-PRC-002
  Scenario: Switching from Quarterly to Monthly changes the displayed
price for a named plan
    Given I select the tab "Human agents"
    And I select the billing option "Quarterly"
    And I capture the displayed price text for the plan "iPro + AI"
    When I select the billing option "Monthly"
    Then the displayed price text for the plan "iPro + AI" should not
equal the previously captured price text
```

```
  @pricing @cta @conversion @external @p0 @ALW-PRC-003
  Scenario: Pricing CTA "Get your 7 days free" routes to signup
    When I click the link "Get your 7 days free"
    Then the current URL should equal "https://app.aloware.com/signup"
    And the page title should not be empty

  @pricing @content @copy @p1 @ALW-PRC-004
  Scenario: Pricing page does not contain the misspelling "quaterly"
    Then I should not see the text "quaterly"


Feature: AI Voice Agent - Demo CTA, carousel controls, and FAQ accordion
  Background:
    Given I am a public visitor
    And I am on "https://aloware.com/ai-voice-agent" on a desktop
viewport

  @ai-voice-agent @cta @conversion @p1 @ALW-AI-001
  Scenario: "Get AloAi Voice Agent demo" opens the demo page
    When I click the link "Get AloAi Voice Agent demo"
    Then the current URL should equal
"https://aloware.com/ai-voice-agent-demo"
    And the page title should not be empty

  @ai-voice-agent @carousel @ui @p1 @ALW-AI-002
  Scenario: Carousel "Next slide" and "Previous slide" buttons change
the active slide
    Given I capture the active slide label
    When I click the button "Next slide"
    Then the active slide label should not equal the previously captured
active slide label
    When I click the button "Previous slide"
    Then the active slide label should equal the initially captured
active slide label

  @ai-voice-agent @faq @accordion @content @p2 @ALW-AI-003
  Scenario: FAQ item "What are AI voice agents?" expands and collapses
    When I expand the FAQ item "What are AI voice agents?"
    Then I should see the FAQ answer for "What are AI voice agents?"
    When I collapse the FAQ item "What are AI voice agents?"
    Then I should not see the FAQ answer for "What are AI voice agents?"


Feature: Apps / Download - Platform links and content cards
  Background:
```

```
    Given I am a public visitor
    And I am on "https://aloware.com/apps"

  @apps @downloads @external @p0 @ALW-APP-001A
  Scenario: Windows download link targets the expected installer
    Then the link "Windows" should have an href containing
"Talk+Setup+Latest.exe"

  @apps @downloads @external @p0 @ALW-APP-001B
  Scenario: Android link targets Google Play
    Then the link "Android" should have an href containing
"play.google.com"


@apps @downloads @external @p0 @ALW-APP-001C
  Scenario: MacOS download link targets the expected DMG
    Then the link "MacOS" should have an href containing
"Talk-Latest.dmg"


  @apps @downloads @external @p0 @ALW-APP-001D
  Scenario: iOS link targets the Apple App Store
    Then the link "iOS" should have an href containing "apps.apple.com"

  @apps @content @navigation @links @p1 @ALW-APP-002A
  Scenario: "Cloud-based" card is not a placeholder link
    Then the link "Cloud-based" should have an href not equal to "#"

  @apps @content @navigation @links @p1 @ALW-APP-002B
  Scenario: "Smartphone App" card is not a placeholder link
    Then the link "Smartphone App" should have an href not equal to "#"

  @apps @content @navigation @links @p1 @ALW-APP-002C
  Scenario: "Remote-ready" card is not a placeholder link
    Then the link "Remote-ready" should have an href not equal to "#"


Feature: Link integrity - Key public pages load successfully
  Background:
    Given I am a public visitor

  @links @navigation @smoke @p0 @ALW-LNK-001
  Scenario Outline: Key destination pages load and show a non-empty
title
    Given I navigate to "<url>"
    Then the current URL should start with "https://aloware.com/"
```

```
    And the page title should not be empty
    And I should not see the text "404"

    Examples:
      | url                              |
      | https://aloware.com/pricing      |
      | https://aloware.com/apps         |
      | https://aloware.com/partnerships |
      | https://aloware.com/about        |
      | https://aloware.com/contact-us   |
      | https://aloware.com/blog         |
      | https://aloware.com/updates      |
      | https://aloware.com/user-hub     |
      | https://aloware.com/media        |

  @quality @console @p1 @ALW-QA-001
  Scenario: Homepage has zero console errors
    Given I navigate to "https://aloware.com/"
    Then the number of console messages with level "error" should be 0

  @quality @console @p1 @ALW-QA-002
  Scenario: Get Demo page has zero console errors
    Given I navigate to "https://aloware.com/get-demo"
    Then the number of console messages with level "error" should be 0

  @quality @console @p1 @ALW-QA-003
  Scenario: Pricing page has zero console errors
    Given I navigate to "https://aloware.com/pricing"
    Then the number of console messages with level "error" should be 0

  @quality @console @p1 @ALW-QA-004
  Scenario: AI Voice Agent page has zero console errors
    Given I navigate to "https://aloware.com/ai-voice-agent"
    Then the number of console messages with level "error" should be 0


Feature: Accessibility basics - Keyboard access to primary homepage CTAs
  Background:
    Given I am a public visitor
    And I am on "https://aloware.com/" on a desktop viewport

  @a11y @keyboard @homepage @desktop @p1 @ALW-A11Y-001A
  Scenario: "Start free trial" is reachable and activatable by keyboard
    When I press Tab until the focused element is the link "Start free
trial"
    Then the focused element should have a visible focus indicator
```

```
    When I press Enter
    Then the current URL should equal "https://app.aloware.com/signup"

  @a11y @keyboard @homepage @desktop @p1 @ALW-A11Y-001B
  Scenario: "Get a demo" is reachable and activatable by keyboard
    Given I am on "https://aloware.com/" on a desktop viewport
    When I press Tab until the focused element is the link "Get a demo"
    Then the focused element should have a visible focus indicator
    When I press Enter
    Then the current URL should equal "https://aloware.com/get-demo"
```