

T134: TC-4.1 — Sidebar Mini Calendar Tooltip — displaying the Start time without End time in 12h am/pm format after saving when hovering (single-time case)

Test Labels

Status	Type	Priority	Estimate
Failed	Functional	Low	None
References	Automation Type	Is Automated	
None	None	No	
Test Case Labels			

Preconditions

1. The user is logged into the system at https://example.medicalcrm.com with the Admin role.
2. The user is on the "Calendar" page at https://example.medicalcrm.com/calendar.
3. The user has the "Edit Provider In Calendar" modal window open with a selected provider, date, interval, visit status, and location.
4. The "Start" field contains the value "7:00 am" (the value is selected but not yet saved).

Steps

1	Click the "Save" button	The modal window closes, and the general calendar with provider cards and the sidebar is displayed
2	Find the "Sidebar Mini Calendar" and hover over the selected date	Next to the selected date, after the provider's name in the tooltip, only the single time value "7:00 am" is displayed (without a dash and without an End time)

Results

Failed

Yaroslav O.
12/10/2025 3:40 PM

Defects
BG-MG-1001.1, BG-MG-1001.2

This test was marked as 'Failed'.

Steps

1

Click the "Save" button

Expected Result

The modal window closes, and the general calendar with provider cards and the sidebar is displayed



Find the "Sidebar Mini Calendar" and hover over the selected date

Expected Result

Next to the selected date, after the provider's name in the tooltip, only the single time value "7:00 am" is displayed (without a dash and without an End time)

Actual Result

1. When hovering over the selected date, the tooltip with the provider's name and the time value "7:00 am" is not displayed (the tooltip with the provider's name and the time value "7:00 am" is displayed only after refreshing the page).

2. The time value "7:00 am" is displayed with an extra dash ("7:00 am-").

Untested

Yaroslav O.
12/10/2025 3:35 PM

Assigned To
Yaroslav O.

This test was marked as 'Untested'.