

No.	Time	Source	Destination	Protocol	Length	Info
1450	11.885587	66.6.101.171	192.168.0.104	HTTP	241	[TCP Spurious Retransmission] HTTP/1.1 301 Moved Permanently

Frame 1450: 241 bytes on wire (1928 bits), 241 bytes captured (1928 bits) on interface \Device\NPF_{5D1E1BE6-73ED-48CF-A891-02335758F009}, id 0

Ethernet II, Src: Tp-LinkT_c8:f4:6c (b0:4e:26:c8:f4:6c), Dst: IntelCor_1a:05:a9 (74:e5:f9:1a:05:a9)

Internet Protocol Version 4, Src: 66.6.101.171, Dst: 192.168.0.104

Transmission Control Protocol, Src Port: 80, Dst Port: 51142, Seq: 1, Ack: 453, Len: 187

Hypertext Transfer Protocol

HTTP/1.1 301 Moved Permanently\r\n

[Expert Info (Chat/Sequence): HTTP/1.1 301 Moved Permanently\r\n]

[HTTP/1.1 301 Moved Permanently\r\n]

[Severity level: Chat]

[Group: Sequence]

Response Version: HTTP/1.1

Status Code: 301

[Status Code Description: Moved Permanently]

Response Phrase: Moved Permanently

Content-Type: text/html\r\n

Content-length: 0\r\n

Connection: Close\r\n

Location: https://dilbert.com/dyn/str_strip/00000000/00000000/00000000/000000/70000/3000\r\n

\r\n

[HTTP response 2/2]

[Prev request in frame: 1401]

[Prev response in frame: 1405]

[Request URI: http://www.dilbert.com/dyn/str_strip/00000000/00000000/00000000/000000/70000/3000]