```
No.      Time           Source                Destination           Protocol Length Info
   327 13.725546       128.119.245.12        192.168.0.104         HTTP     540    HTTP/1.1 200 OK  (text/html)
Frame 327: 540 bytes on wire (4320 bits), 540 bytes captured (4320 bits) on interface \Device\NPF_{5D1E1BE6-73ED-48CF-A891-02335758F009}, id
0
Ethernet II, Src: Tp-LinkT_c8:f4:6c (b0:4e:26:c8:f4:6c), Dst: IntelCor_1a:05:a9 (74:e5:f9:1a:05:a9)
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.0.104
Transmission Control Protocol, Src Port: 80, Dst Port: 51011, Seq: 1, Ack: 437, Len: 486
Hypertext Transfer Protocol
    HTTP/1.1 200 OK\r\n
        [Expert Info (Chat/Sequence): HTTP/1.1 200 OK\r\n]
        Response Version: HTTP/1.1
        Status Code: 200
        [Status Code Description: OK]
        Response Phrase: OK
    Date: Thu, 14 May 2020 12:07:10 GMT\r\n
    Server: Apache/2.4.6 (CentOS) OpenSSL/1.0.2k-fips PHP/5.4.16 mod_perl/2.0.11 Perl/v5.16.3\r\n
    Last-Modified: Thu, 14 May 2020 05:59:02 GMT\r\n
    ETag: "80-5a59564be4d43"\r\n
    Accept-Ranges: bytes\r\n
    Content-Length: 128\r\n
    Keep-Alive: timeout=5, max=100\r\n
    Connection: Keep-Alive\r\n
    Content-Type: text/html; charset=UTF-8\r\n
    \r\n
    [HTTP response 1/1]
    [Time since request: 0.139784000 seconds]
    [Request in frame: 318]
    [Request URI: http://gaia.cs.umass.edu/wireshark-labs/HTTP-wireshark-file1.html]
    File Data: 128 bytes
Line-based text data: text/html (4 lines)
```