

run_on_ubuntu

Run T24/CBS Mock on Ubuntu VPS

You can run this mock on Ubuntu either with Docker or directly with Python.

Option 1 - Docker

Install Docker if needed:

```
sudo apt update
sudo apt install -y docker.io docker-compose-plugin
sudo systemctl enable --now docker
```

Copy the `cbs_mock` folder to the VPS, then:

```
cd cbs_mock
sudo docker compose up -d --build
```

Check logs:

```
sudo docker logs -f t24-cbs-mock
```

Open UI:

```
http://YOUR_VPS_IP:8780/__mock/ui
```

Stats:

```
curl http://127.0.0.1:8780/__mock/stats
```

Stop:

```
sudo docker compose down
```

Option 2 - Direct Python

Python 3 is enough; no external packages are required.

```
sudo apt update
sudo apt install -y python3
cd cbs_mock
python3 mock_t24_cbs.py --host 0.0.0.0 --port 8780
```

Open UI:

```
http://YOUR_VPS_IP:8780/___mock/ui
```

Run as systemd Service Without Docker

Copy `cbs_mock` to:

```
/opt/cbs_mock
```

Create service:

```
sudo tee /etc/systemd/system/cbs-mock.service >/dev/null <<'EOF'  
[Unit]  
Description=T24/CBS Mock Server  
After=network.target  
  
[Service]  
WorkingDirectory=/opt/cbs_mock  
ExecStart=/usr/bin/python3 /opt/cbs_mock/mock_t24_cbs.py --host 0.0.0.0 --port 8780 --config /opt/cbs_mock/mock_config.json  
Restart=always  
RestartSec=3  
User=root  
  
[Install]  
WantedBy=multi-user.target  
EOF
```

Start:

```
sudo systemctl daemon-reload  
sudo systemctl enable --now cbs-mock  
sudo systemctl status cbs-mock
```

Logs:

```
journalctl -u cbs-mock -f
```

Stop:

```
sudo systemctl stop cbs-mock
```

Firewall

If UFW is enabled:

```
sudo ufw allow 8780/tcp
```

```
sudo ufw status
```

If cloud provider firewall/security group exists, open TCP port `8780` there too.

Spider Config

When mock runs on VPS, Spider hidden service URI should use the VPS IP:

```
uri = http://YOUR_VPS_IP:8780
```

```
protocol = http
```

Do this only in dev/SIT/test configs.