

Quiz (Week 3)

- Due Sep 23 at 11:59pm
- Points 4
- Questions 4
- Available Sep 20 at 12am - Sep 23 at 11:59pm
- Time Limit None
- Allowed Attempts Unlimited

This quiz was locked Sep 23 at 11:59pm.

Attempt History

	Attempt	Time	Score
LATEST	Attempt 1	28 minutes	4 out of 4

Score for this attempt: 4 out of 4

Submitted Sep 23 at 8:13pm

This attempt took 28 minutes.



Question 1

1 / 1 pts

Given a 4-bit signed (2's complement) integer, the lowest possible number that can be represented is -8

Answer 1:

-16

Correct!

-8

-7



Question 2

1 / 1 pts

When adding two 4-bit signed integers, overflow is not possible if one integer is positive and the other is negative.

Answer 1:

Correct!

not possible

possible



Question 3

1 / 1 pts

In our MIPS instruction set, when executing the sw instruction, the 16-bit immediate value is sign-extended to 32 bits.

Answer 1:

Correct!

sign-extended

zero-extended

Answer 2:

24

28

Correct!

32

**Question 4**

1 / 1 pts

A given signed 8-bit integer is 0xC3. When computing the value of each bit by hand, what is the value given by the MSB?

☐ 2^7

☐ 2^8

Correct!

☒ -2^7

☐ 2^8

Quiz Score: 4 out of 4