







### Northe

- Use the preventible platform consider modes! to design from properties it has
- Explain the key considerations to account for when designing Conversational Age































































































Consider these two approaches for highly

W11 Multiple least hadened emissed asset

(RET A simple robbal assert



Consider these two approaches for highly

W11 Multiple least had accord sentence agen-

[82] A single global agent.



Consider these two approaches for highly

W11 Multiple least had accord sentence agen-

[82] A single global agent.



Consider these two approaches for high

X1) Multiple load-balanced regional age















# Multiple regional agents (2 of 2

Use a load balancer for a single entry point to multiple regional agent

### infrastructural complexity

nanages health checks and soutes requests to the reserver available region.

### Operational complexity

Multiple regional agents are deployed independently and have unique Agent Ds. No need to keep your agent configurations in as





# Multiple regional agents (2 of 2

Use a load balancer for a single entry point to multiple regional agent

### infrastructural complexity

nanages health checks and soutes requests to the reserver available region.

### Operational complexity

Multiple regional agents are deployed independently and have unique Agent Ds. No need to keep your agent configurations in as







## One global Conversational Agent

User agents to provide availability for your Conversational Agent

Regardless of which-Google Dioud Aft endpoin used, the request will be routed to the rearest evaluate region.

Your Convenational Agent will respond using global Agent ID.



## One global Conversational Agent

User agents to provide availability for your Conversational Agent.

Regardless of which Google Doud API endpoin used, the request will be routed to the meanut. evaluate region.

Your Convenational Agent will respond using t global Agent ID.



## One global Conversational Agent

User agents to provide availability for your Conversational Agent

A .....

Regardless of which Google Doud API endpoin used, the request will be routed to the rearest available region.

Your Conversational Agent will respond using t global Agent ID.



## Agent languages

Which have noted in one & different need to consent?

Understand which languages your customers speak and howmans languages your agent neer to support



### Agent languages

Understand which languages your customers speak and how many languages your agent nee



## Agent languages

Understand which languages your customers speak and how many languages your agent nee



### Agent channels

Which representation (suce canabilities do your fulfilments need to support?

There are many different channels customers will use to

- Chat from web
  - Chat from nucleo app
  - Voice from Hone











- Determine how to route each sharred, in
- Optimize web chat framework and webhool integrations.
- integrations.

   Plan telephony integration, along with SET &
  - Other common attributes: Conversation profile, session ID, turns, participant, or timestamp and direction of phone calls:
  - Integrate backend system with other integrations like CRM and ticketing.



- Determine how to route each channel, a
- Odramine neb chat framework and webhoo integrations.
- integrations.

   Plan telephony integration, along with SET &
  - Other common attributes: Conversation profile, session ID, turns, perfolpent, or timestamp and direction of phone calls.
  - Integrate backend system with other integrations like CRM and ticketing.



- Determine how to route each channel, a
- Determine web chat framework and webhool integrations.
- integrations.

   Plan telephony integration, along with SET &
  - Other common attributes: Conversation profile, session IS, turns, participent, on timestamp and direction of phone salts
  - Integrate backend system with other integrations like CRM and ticketing.



- Determine how to route each channel, a
- Determine web chat framework and webhor integrations.
- integrations.

   Plan telephony integration, along with SET &
  - Other common attributes: Conversation profile, session ID, turns, perfolpent, on timestamp and direction of phone calls.
  - Integrate backend system with other integrations like CRM and ticketing.



- Determine how to route each channel, a
- Determine web chat framework and webhor integrations.
- integrations.

   Plan telephony integration, along with SET &
  - Other common attributes: Convenzation profile, session ID, tume, participant, on timestamp and direction of phone calls.
  - Integrate backend system with other integrations like CRM and ticketing.



Owni channel lets your contact center design use more than one channel at a time.

If supporting multiple channels, consider a mechanism to manage user data and conversational history in a control location to facilitate a consistent removimental execution.



Owni channel lets your contact center design use more than one channel at a time.

If supporting multiple channels, consider a mechanism to manage user disks and conversational history in a central location to facilitate a consistent omnichannel experience







#### User input (1 of 2)

....

- · Consider house of the black considerate
- Will you need to use user input subject to considered the RCL or RM short
- There are many examples of sensitive of data, like contact, healthcare and financial











# User input (2 of 2)

How will user input be validated?

Cloud DEP API to guard sensitive clate.

Use instead from this clate intervents with other all.

