

Quality Hill Climbing process for testing Conversational Agents



Quality Hill Climbing process for testing Conversational Agents



Quality Hill Climbing process for testing Conversational Agents



Quality Hill Climbing process for your test cases



Quality Hill Climbing process for your test cases



Quality Hill Climbing process for your test cases

- 1 Build a “golden” evaluation dataset



Quality Hill Climbing process for your test cases

- 1 Build a “golden” evaluation dataset



Quality Hill Climbing process for your test cases

- 1 Build a “golden” evaluation dataset
- 2 Establish a baseline



Quality Hill Climbing process for your test cases

- 1 Build a “golden” evaluation dataset
- 2 Establish a baseline



Quality Hill Climbing process for your test cases

- 1 Build a “golden” evaluation dataset
- 2 Establish a baseline
- 3 Identify losses and perform root cause analysis



Quality Hill Climbing process for your test cases

- 1 Build a “golden” evaluation dataset
- 2 Establish a baseline
- 3 Identify losses and perform root cause analysis



Quality Hill Climbing process for your test cases

- 1 Build a “golden” evaluation dataset
- 2 Establish a baseline
- 3 Identify losses and perform root cause analysis
- 4 Fix identified root causes



Quality Hill Climbing process for your test cases

- 1 Build a “golden” evaluation dataset
- 2 Establish a baseline
- 3 Identify losses and perform root cause analysis
- 4 Fix identified root causes



Quality Hill Climbing process for your test cases

- 1 Build a “golden” evaluation dataset
- 2 Establish a baseline
- 3 Identify losses and perform root cause analysis
- 4 Fix identified root causes
- 5 Retest, validate and establish a new baseline



Quality Hill Climbing process for your test cases

- 1 Build a “golden” evaluation dataset
- 2 Establish a baseline
- 3 Identify losses and perform root cause analysis
- 4 Fix identified root causes
- 5 Retest, validate and establish a new baseline



Google Cloud