SYN-GLUC-101 | Clinical Study Protocol v1

FICTITIOUS RESEARCH STUDY - Not for medical use, participant care, or regulatory reporting.

1 Study Overview

A synthetic, randomized, 12-week study assessing a fictional investigational glucose-management product. All study identifiers, rules, subject IDs and timelines in this document are fabricated for software demonstration.

4.1 Inclusion Criteria

Participants must be 18 to 65 years old, have a documented type 2 diabetes diagnosis, and have screening HbA1c between 7.0% and 10.0%. Written informed consent is required before screening procedures.

4.2 Exclusion Criteria

Exclusion conditions include pregnancy, estimated glomerular filtration rate (eGFR) below 30 mL/min/1.73m2, and any severe hypoglycemic episode within 30 days before screening.

6.1 Visit Schedule

Visits: Screening Day -14 through Day -1; Baseline Day 1; Week 4; Week 8; Week 12 end-of-study. At each visit, the investigator records vital signs, reported symptoms, and adverse-event status.

6.2 Glucose Safety Monitoring

At Baseline and Week 4, the site must measure glucose before dosing and 2 hours after dosing. Any missed required 2-hour measurement must be documented as a protocol deviation and reviewed by the site investigator.

7.1 Serious Adverse Event (SAE) Reporting

For this fictional study only, the investigator reports any serious adverse event to the sponsor safety contact within 24 hours of first awareness and records the event and follow-up information in the trial safety record. Follow local requirements and the authorized study protocol in real operations.

8.0 Deviations and Corrective Actions

Each protocol deviation must be entered in the deviation log, assessed for possible subject-safety impact, and reviewed by the site investigator. The review records corrective and preventive actions where applicable.