Yash Raj [25k-0878]

Task – 1.4

```cpp
#include<iostream>
using namespace std;

class Employee{
    private:
        int id;
        float salary;
    public:
        Employee(){
            id =0;
            salary = 0;
        }
    void PrintDetails(){
        cout<<"Id: "<<id<<endl<<"Salary: "<<salary<<endl;
    }
};
int main(){
    Employee E1,E2,E3;
    E1.PrintDetails();
    E2.PrintDetails();
    E3.PrintDetails();
}
```

```
Id: 0
Salary: 0
Id: 0
Salary: 0
Id: 0
Salary: 0
```

Task – 2.5

```cpp
#include<iostream>
using namespace std;
class account{
    private:
        string accNumber;
        float balance;
    public:
        // Default constructor : It is called when no parameter are passed from main
        account(){
            accNumber = "00";
            balance = 0.0;
            cout<<"I am Default constructor"<<endl;
        }
        // Parameterized constructor : It is called when parameter are passed from main
    account(string accNumber,float balance){
        cout<<"I am Parameterized constructor"<<endl;
        this->accNumber = accNumber;
        this->balance = balance;
    }
    // Copy Constructor: It is called when objects are copied;
    account(const account & acc){
        cout<<"I am Copy Constructor"<<endl;
        this->accNumber = acc.accNumber;
        this->balance =acc.balance;
    }
    // It is a method for printing data
        void print(){
        cout<<"Account Number: "<<accNumber<<endl;
        cout<<"Balance: "<<balance<<endl;
        }

};
int main(){
    account a1;
    a1.print();// It will call default constructor
    account a2("PBZ100008798",9888.9);
    a2.print();// It will call parameterized constructor
    account a3(a2);
    a3.print();// It will call copy constructor



}
```

Yash Raj [25k-0878]

```
I am Default constructor
Account Number: 00
Balance: 0
I am Parameterized constructor
Account Number: PBZ100008798
Balance: 9888.9
I am Copy Constructor
Account Number: PBZ100008798
Balance: 9888.9
```

Task- 3.4

```cpp
#include<iostream>
using namespace std;
class student{
    private:
    string name;
    int id;
    float gpa;
    public:
    student(string name,int id,float gpa){
        // This Pointer provide clarity between parameters and attributes which have same name.
        //In this name,id,gpa are same as attributes. So, It can create confusion for compiler
        // we use this which always points toward the member attributes
        this->name = name;
        this->id = id;
        this->gpa = gpa;
    }
    void print(){
        cout<<name<<endl<<id<<endl<<gpa;
    }
};
int main(){
    student s1("Harshit",234,3.5);
    s1.print();
}
```

```
Harshit
234
3.5
```