

Task – 1-2 (As Both Tasks Were Linked so I have done these in One)

```
1 #include<iostream>
2 using namespace std;
3 int main(){
4     int a = 15;
5     int *ptr = &a;
6     cout<< ptr<<endl; // address
7     cout<< *ptr<<endl; // Value stored at a pointed by ptr
8     *ptr = 12; // modifying the value at pointer
9     cout<<*ptr;
10
11 }
```

```
0x6ffe44
15
12
```

Task -3

```
1 #include<iostream>
2 using namespace std;
3
4 void Square(int *num){
5     *num *= *num;
6 }
7 int main(){
8     int num = 10;
9     Square(&num);
10     cout<<"Square is "<<num
11 }
```

```
Square is 100
```

Task -4

```
1 #include<iostream>
2 using namespace std;
3 int main(){
4     int x;
5     cout<<"Enter a Number: ";
6     cin>>x;
7     int *Number = new int(x);
8     cout<<*Number;
9     delete Number;
10
11 }
```

```
Enter a Number: 75884
75884
```

Task – 5

```
1  #include<iostream>
2  using namespace std;
3  int main(){
4      int n;
5      cout<<"Enter The Number of Element in Array: ";
6      cin>>n;
7      int *Narr = new int[n];
8      for(int i=0;i<n;i++){
9          cout<<"Enter Element "<<i+1<<" ";
10         cin>>Narr[i];
11     }
12     // Maximum and Minimum
13     int max = Narr[0];
14     int min = Narr[0];
15     for(int i=0;i<n;i++){
16         if(Narr[i] > max){
17             max = Narr[i];
18         }
19         if(Narr[i]<min){
20             min = Narr[i];
21         }
22     }
23     cout<<"Minimum: "<<min<<endl<<"Maximum: "<<max;
24     delete[] Narr;
25     Narr = nullptr;
26 }
```

```
Enter The Number of Element in Array: 5
Enter Element 1: 75
Enter Element 2: 44
Enter Element 3: 1
Enter Element 4: 25
Enter Element 5: 333
Minimum: 1
Maximum: 333
```

Task – 6

```
1  #include<iostream>
2  using namespace std;
3  struct book{
4      string title;
5      string author;
6      float price;
7  };
8  int main(){
9      book b1;
10     cout<<"Enter Book Title: ";
11     getline(cin,b1.title);
12     cout<<"Enter Book Author: ";
13     getline(cin,b1.author);
14     cout<<"Enter Price Of Book: ";
15     cin>>b1.price;
16     cout<<"-----"<<endl;
17     cout<<"Book 1"<<endl;
18     cout<<"Title: "<<b1.title<<endl;
19     cout<<"Author: "<<b1.author<<endl;
20     cout<<"Price: "<<b1.price<<endl;
21     cout<<"-----"<<endl;
22 }
```

```
Enter Book Title: Animal Farm
Enter Book Author: George Orwell
Enter Price Of Book: 350
-----
Book 1
Title: Animal Farm
Author: George Orwell
Price: 350
-----
```