











```
Pinging 192.168.2.2 with 32 bytes of data:
```

```
Reply from 192.168.2.2: bytes=32 time<1ms TTL=128
Reply from 192.168.2.2: bytes=32 time<1ms TTL=128
Reply from 192.168.2.2: bytes=32 time=1ms TTL=128
Reply from 192.168.2.2: bytes=32 time=14ms TTL=128
```

```
Ping statistics for 192.168.2.2:
```

```
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 14ms, Average = 3ms
```

```
C:\>ping 192.168.2.3
```

```
Pinging 192.168.2.3 with 32 bytes of data:
```

```
Reply from 192.168.2.3: bytes=32 time<1ms TTL=128
```

```
Ping statistics for 192.168.2.3:
```

```
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms
```

```
C:\>ping 192.168.2.4
```

```
Pinging 192.168.2.4 with 32 bytes of data:
```

```
Reply from 192.168.2.4: bytes=32 time=4ms TTL=128
Reply from 192.168.2.4: bytes=32 time=8ms TTL=128
Reply from 192.168.2.4: bytes=32 time=1ms TTL=128
Reply from 192.168.2.4: bytes=32 time=3ms TTL=128
```

```
Ping statistics for 192.168.2.4:
```

```
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 8ms, Average = 4ms
```

```
C:\>ping 192.168.2.5
```

```
Pinging 192.168.2.5 with 32 bytes of data:
```

```
Reply from 192.168.2.5: bytes=32 time<1ms TTL=128
Reply from 192.168.2.5: bytes=32 time<1ms TTL=128
Reply from 192.168.2.5: bytes=32 time=1ms TTL=128
Reply from 192.168.2.5: bytes=32 time=1ms TTL=128
```

```
Ping statistics for 192.168.2.5:
```

```
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 1ms, Average = 0ms
```

```
Pinging 192.168.15.2 with 32 bytes of data:
```

```
Reply from 192.168.15.2: bytes=32 time=3ms TTL=128
Reply from 192.168.15.2: bytes=32 time<1ms TTL=128
Reply from 192.168.15.2: bytes=32 time=8ms TTL=128
Reply from 192.168.15.2: bytes=32 time<1ms TTL=128
```

```
Ping statistics for 192.168.15.2:
```

```
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 8ms, Average = 2ms
```

```
C:\>ping 192.168.15.3
```

```
Pinging 192.168.15.3 with 32 bytes of data:
```

```
Reply from 192.168.15.3: bytes=32 time<1ms TTL=128
```

```
Ping statistics for 192.168.15.3:
```

```
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms
```

```
C:\>ping 192.168.15.4
```

```
Pinging 192.168.15.4 with 32 bytes of data:
```

```
Reply from 192.168.15.4: bytes=32 time<1ms TTL=128
Reply from 192.168.15.4: bytes=32 time=1ms TTL=128
Reply from 192.168.15.4: bytes=32 time=1ms TTL=128
Reply from 192.168.15.4: bytes=32 time=2ms TTL=128
```

```
Ping statistics for 192.168.15.4:
```

```
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 2ms, Average = 1ms
```

```
C:\>ping 192.168.15.5
```

```
Pinging 192.168.15.5 with 32 bytes of data:
```

```
Reply from 192.168.15.5: bytes=32 time=1ms TTL=128
Reply from 192.168.15.5: bytes=32 time=1ms TTL=128
Reply from 192.168.15.5: bytes=32 time<1ms TTL=128
Reply from 192.168.15.5: bytes=32 time<1ms TTL=128
```

```
Ping statistics for 192.168.15.5:
```

```
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 1ms, Average = 0ms
```

```
C:\>ping 192.168.15.6
```

```
Pinging 192.168.15.6 with 32 bytes of data:
```

```
Reply from 192.168.15.6: bytes=32 time<1ms TTL=128
Reply from 192.168.15.6: bytes=32 time=1ms TTL=128
Reply from 192.168.15.6: bytes=32 time=3ms TTL=128
Reply from 192.168.15.6: bytes=32 time<1ms TTL=128
```

```
Pinging 192.168.1.1 with 32 bytes of data:
```

```
Reply from 192.168.1.1: bytes=32 time=3ms TTL=128
Reply from 192.168.1.1: bytes=32 time=6ms TTL=128
Reply from 192.168.1.1: bytes=32 time=6ms TTL=128
Reply from 192.168.1.1: bytes=32 time=1ms TTL=128
```

```
Ping statistics for 192.168.1.1:
```

```
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss)
Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 6ms, Average = 4ms
```

```
C:\>ping 192.168.1.2
```

```
Pinging 192.168.1.2 with 32 bytes of data:
```

```
Reply from 192.168.1.2: bytes=32 time<1ms TTL=128
```

```
Ping statistics for 192.168.1.2:
```

```
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss)
Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms
```

```
C:\>ping 192.168.1.3
```

```
Pinging 192.168.1.3 with 32 bytes of data:
```

```
Reply from 192.168.1.3: bytes=32 time<1ms TTL=128
```

```
Ping statistics for 192.168.1.3:
```

```
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss)
Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms
```

```
C:\>ping 192.168.1.4
```

```
Pinging 192.168.1.4 with 32 bytes of data:
```

```
Reply from 192.168.1.4: bytes=32 time<1ms TTL=128
Reply from 192.168.1.4: bytes=32 time=1ms TTL=128
Reply from 192.168.1.4: bytes=32 time=1ms TTL=128
Reply from 192.168.1.4: bytes=32 time<1ms TTL=128
```

```
Ping statistics for 192.168.1.4:
```

```
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss)
Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 1ms, Average = 0ms
```

```
C:\>ping 192.168.1.5
```

```
Pinging 192.168.1.5 with 32 bytes of data:
```

```
Reply from 192.168.1.5: bytes=32 time<1ms TTL=128
Reply from 192.168.1.5: bytes=32 time<1ms TTL=128
Reply from 192.168.1.5: bytes=32 time=1ms TTL=128
Reply from 192.168.1.5: bytes=32 time<1ms TTL=128
```

Cisco Packet Tracer PC Command Line 1.0

C:\>ping 192.168.25.1

Pinging 192.168.25.1 with 32 bytes of data:

Reply from 192.168.25.1: bytes=32 time=4ms TTL=128
Reply from 192.168.25.1: bytes=32 time=15ms TTL=128
Reply from 192.168.25.1: bytes=32 time=1ms TTL=128
Reply from 192.168.25.1: bytes=32 time=3ms TTL=128

Ping statistics for 192.168.25.1:

 Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
 Approximate round trip times in milli-seconds:
 Minimum = 1ms, Maximum = 15ms, Average = 5ms

C:\>ping 192.168.25.2

Pinging 192.168.25.2 with 32 bytes of data:

Reply from 192.168.25.2: bytes=32 time=1ms TTL=128
Reply from 192.168.25.2: bytes=32 time<1ms TTL=128
Reply from 192.168.25.2: bytes=32 time<1ms TTL=128
Reply from 192.168.25.2: bytes=32 time=10ms TTL=128

Ping statistics for 192.168.25.2:

 Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
 Approximate round trip times in milli-seconds:
 Minimum = 0ms, Maximum = 10ms, Average = 2ms

C:\>ping 192.168.25.3

Pinging 192.168.25.3 with 32 bytes of data:

Reply from 192.168.25.3: bytes=32 time<1ms TTL=128
Reply from 192.168.25.3: bytes=32 time=1ms TTL=128
Reply from 192.168.25.3: bytes=32 time<1ms TTL=128
Reply from 192.168.25.3: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.25.3:

 Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
 Approximate round trip times in milli-seconds:
 Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\>ping 192.168.25.4

Pinging 192.168.25.4 with 32 bytes of data:

Reply from 192.168.25.4: bytes=32 time=1ms TTL=128
Reply from 192.168.25.4: bytes=32 time<1ms TTL=128
Reply from 192.168.25.4: bytes=32 time<1ms TTL=128
Reply from 192.168.25.4: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.25.4:

 Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
 Approximate round trip times in milli-seconds:
 Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\>

```
C:\>ping 192.168.35.1
```

```
Pinging 192.168.35.1 with 32 bytes of data:
```

```
Reply from 192.168.35.1: bytes=32 time<1ms TTL=128  
Reply from 192.168.35.1: bytes=32 time=3ms TTL=128  
Reply from 192.168.35.1: bytes=32 time=2ms TTL=128  
Reply from 192.168.35.1: bytes=32 time<1ms TTL=128
```

```
Ping statistics for 192.168.35.1:
```

```
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),  
Approximate round trip times in milli-seconds:  
        Minimum = 0ms, Maximum = 3ms, Average = 1ms
```

```
C:\>ping 192.168.35.2
```

```
Pinging 192.168.35.2 with 32 bytes of data:
```

```
Reply from 192.168.35.2: bytes=32 time<1ms TTL=128  
Reply from 192.168.35.2: bytes=32 time<1ms TTL=128  
Reply from 192.168.35.2: bytes=32 time<1ms TTL=128  
Reply from 192.168.35.2: bytes=32 time<1ms TTL=128
```

```
Ping statistics for 192.168.35.2:
```

```
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),  
Approximate round trip times in milli-seconds:  
        Minimum = 0ms, Maximum = 0ms, Average = 0ms
```

```
C:\>ping 192.168.35.3
```

```
Pinging 192.168.35.3 with 32 bytes of data:■
```

```
Reply from 192.168.35.3: bytes=32 time<1ms TTL=128  
Reply from 192.168.35.3: bytes=32 time=1ms TTL=128  
Reply from 192.168.35.3: bytes=32 time=1ms TTL=128  
Reply from 192.168.35.3: bytes=32 time<1ms TTL=128
```

```
Ping statistics for 192.168.35.3:
```

```
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),  
Approximate round trip times in milli-seconds:  
        Minimum = 0ms, Maximum = 1ms, Average = 0ms
```

```
C:\>ping 192.168.35.4
```

```
Pinging 192.168.35.4 with 32 bytes of data:
```

```
Reply from 192.168.35.4: bytes=32 time<1ms TTL=128  
Reply from 192.168.35.4: bytes=32 time=1ms TTL=128  
Reply from 192.168.35.4: bytes=32 time=1ms TTL=128  
Reply from 192.168.35.4: bytes=32 time<1ms TTL=128
```

```
Ping statistics for 192.168.35.4:
```

```
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),  
Approximate round trip times in milli-seconds:  
        Minimum = 0ms, Maximum = 1ms, Average = 0ms
```

```
C:\>ping 192.168.35.5
```

```
Pinging 192.168.35.5 with 32 bytes of data:
```

```
Reply from 192.168.35.5: bytes=32 time<1ms TTL=128  
Reply from 192.168.35.5: bytes=32 time=1ms TTL=128  
Reply from 192.168.35.5: bytes=32 time=1ms TTL=128
```

```
Reply from 192.168.35.5: bytes=32 time=1ms TTL=128
Reply from 192.168.35.5: bytes=32 time<1ms TTL=128
```

Ping statistics for 192.168.35.5:

```
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 1ms, Average = 0ms
```

```
C:\>ping 192.168.35.6
```

Pinging 192.168.35.6 with 32 bytes of data:

```
Reply from 192.168.35.6: bytes=32 time<1ms TTL=128
```

Ping statistics for 192.168.35.6:

```
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 0ms, Average = 0ms
```