

# Promise-Aware ETA: Calibrated Delivery-Time Uncertainty and Offline Delivery-Promise Optimization on the Olist E-Commerce Dataset

Yash Rathod\*

November 25, 2025

## Abstract

Accurate and trustworthy delivery-time promises are central to customer experience in e-commerce. Most operational systems still rely on point predictions with ad-hoc buffers, which leads to systematic late deliveries and inefficiently conservative promises. This report presents *Promise-Aware ETA*, an end-to-end pipeline that (i) estimates order-level delivery-time uncertainty using quantile regression, (ii) calibrates those quantiles via split conformal prediction, and (iii) evaluates delivery-promise policies offline using an asymmetric cost function and fairness diagnostics across sellers and regions. The system is instantiated on the Brazilian E-Commerce Public Dataset by Olist, a multi-table dataset with approximately 100 000 orders.

Using LightGBM-based quantile regression models calibrated with conformalized quantile regression, the final model produces 90 % nominal prediction intervals with empirical coverage of 0.8997 and mean width of 22.0 days on a 2018 hold-out set. A simple quantile-based promise policy that chooses the calibrated 0.9 quantile as the promised date improves coverage from 51.1 % to 84.2 % relative to a median-based policy, while reducing expected asymmetric cost from 22.35 to 15.44 penalty-weighted days per order under a 5:1 late-versus-early penalty ratio. Regional fairness analysis shows coverage ranging from 0.60 in the sparsely sampled North region to 0.87 in the Central-West region, indicating that data sparsity and heterogeneity remain material risks. Seller-level coverage averages 0.86

but exhibits a heavy-tailed distribution driven by long-tail sellers.

Beyond empirical results, the contribution of this work is a modular, leakage-safe pipeline for feature engineering, calibration, and policy evaluation, together with a reproducibility checklist and experiment logs. The report concludes with implications for e-commerce logistics and avenues for extending the framework to richer policy classes, fairness constraints, and production deployment.

## 1 Introduction

Customer delivery-time expectations are now a core competitive dimension for e-commerce platforms. On many marketplaces, the *promised delivery date* appears on the product detail page and in checkout; it strongly influences conversion, post-purchase satisfaction, and repeat usage. Late deliveries directly erode trust, increase support costs, and can trigger compensation policies. Overly conservative promises, in contrast, increase perceived lead time and can drive customers to competitors.

Production systems typically rely on point forecasts of delivery time—for example, a regression model or lookup table predicting an expected delivery lag in days—and then pad those forecasts by a heuristic buffer such as “+2 days” or “max(expected, carrier SLA).” This approach is brittle under heavy-tailed and heteroscedastic delays caused by geography, seller behavior, and stochastic shocks in the logistics network. It also leaves product and operations teams without a principled way to trade off “late risk” against promise length.

---

\*ysr255@my.utexas.edu

Recent work in forecasting and uncertainty quantification argues that it is more appropriate to model the *full conditional distribution* of delivery times, rather than a single mean or median (Koenker and Bassett, 1978; Koenker, 2001; Ke et al., 2017; Zhang et al., 2023). Quantile regression and conformal prediction are particularly appealing: quantile models estimate conditional quantiles  $Q_\tau(Y | X)$  of the delivery lag  $Y$  given features  $X$ , while conformalization provides finite-sample coverage guarantees by calibrating non-conformity scores on held-out data (Romano et al., 2019; Angelopoulos and Bates, 2021).

This report takes a decision-making perspective. Instead of asking only “How accurate is the ETA?”, the central question is: given calibrated predictive uncertainty, which promise policy minimizes a business-relevant asymmetric cost while satisfying fairness and reliability constraints? This question is instantiated on the Olist dataset (Olist, 2018) through a pipeline referred to as *Promise-Aware ETA*.

**Research questions.** The report focuses on three questions:

1. **Calibration.** Can quantile models for order-level delivery lag, when calibrated using split conformal prediction, achieve near-nominal coverage with reasonable interval width?
2. **Policy optimality.** For a family of quantile-based promise policies (e.g., promising at the calibrated 0.5 or 0.9 quantile), which policies minimize an asymmetric cost function that penalizes late deliveries more severely than early ones?
3. **Fairness and robustness.** How do these policies behave across segments such as seller and region? Are there systematic disparities in coverage and cost that would be unacceptable in a production setting?

**Contributions.** The main contributions are:

- A leakage-safe feature engineering and modeling pipeline for the Olist dataset, including rolling seller dispatch statistics and geographic features.

- A conformalized quantile regression (CQR) approach that wraps base quantile models to produce calibrated prediction intervals with target coverage.
- An offline promise-policy simulator with an asymmetric cost function and group-wise fairness diagnostics for regions and sellers.
- Empirical evidence that a calibrated 0.9-quantile promise policy can simultaneously reduce expected cost and dramatically improve coverage relative to a median-based policy.
- A reproducibility checklist and experiment logs (configurations, metrics, and artifacts) that capture the modeling process end-to-end.

## 2 Related Work

### 2.1 Delivery-time prediction and e-commerce logistics

The Brazilian E-Commerce Public Dataset by Olist has become a standard benchmark for studying marketplace behavior, logistics, and customer satisfaction (Olist, 2018). Prior work uses statistical and machine learning models to predict delivery times based on order, seller, and product-level features (Bruni et al., 2023; Rokoss et al., 2024). Case studies from major retailers demonstrate the business impact of improved ETA systems for last-mile logistics and customer delivery time prediction (Walmart Global Tech, 2019; Kardinal, 2025).

Beyond pure prediction, there is a growing literature on optimization and planning in last-mile logistics. Machine-learning-enhanced heuristics have been proposed for vehicle routing with delivery-time constraints, showing gains over classical operations research baselines (Bruni et al., 2023). However, most of these systems still operate with point ETAs or fixed buffers.

### 2.2 Quantile regression and pinball loss

Quantile regression generalizes classical least-squares regression by directly estimating conditional quantiles rather than the conditional mean (Koenker and Bassett, 1978;

Koenker, 2001). The standard estimator minimizes the *pinball loss* (also called the check loss), an asymmetric linear loss whose asymmetry parameter controls which quantile is targeted. Extensions include quantile random forests, gradient-boosted quantile models, and expected pinball loss formulations that jointly train a spectrum of quantiles (Biau and Böhning, 2024; Tagasovska and Lopez-Paz, 2019).

Gradient boosting decision trees, particularly LightGBM, have become de facto standards for tabular quantile regression due to their strong performance and efficiency (Ke et al., 2017). Their ability to handle heterogeneous feature types makes them well-suited for structured e-commerce data.

## 2.3 Conformal prediction and calibration

Conformal prediction offers a flexible, distribution-free framework for constructing prediction sets with finite-sample coverage guarantees under exchangeability (Vovk et al., 2005; Angelopoulos and Bates, 2021). Conformalized quantile regression (CQR) applies conformal ideas to quantile models, adjusting lower and upper quantiles using calibration residuals to achieve target coverage (Romano et al., 2019). Recent work has explored adaptive and distribution-shift-aware variants of CQR for tabular data (Sousa et al., 2024; Zhang et al., 2023).

In parallel, there is extensive work on calibration metrics and reliability diagrams for probabilistic models, including coverage-based metrics and calibration error measures (Guo et al., 2017; Levi et al., 2022). In this report, the focus is on coverage, violation rates, and interval width as primary calibration diagnostics.

## 2.4 Fairness and offline policy evaluation

Algorithmic fairness research has formalized multiple notions of group fairness and shown inherent trade-offs between calibration and parity across groups (Barocas et al., 2019; Pleiss et al., 2017; Kleinberg et al., 2017). In logistics and on-demand platforms, fairness has been studied in routing and work allocation for delivery workers and riders (Gupta et al., 2022; Martínez-Sykora et al., 2024).

Evaluating new decision policies from logged data without online experimentation is a central problem in contextual bandits and reinforcement learning. Doubly robust and importance-weighted estimators have been proposed for off-policy evaluation (Dudík et al., 2011; Jiang and Li, 2016). The offline promise simulator in this report is simpler: it assumes that the new policy acts only on predicted delivery times and that the realized delivery lag is unaffected by the promise.

# 3 Materials and Data Sources

## 3.1 Dataset

The Brazilian E-Commerce Public Dataset by Olist is a public Kaggle dataset with approximately 100 000 orders and multiple relational tables (Olist, 2018). The key tables for this work are:

- **Orders:** order status and timestamps (purchase, approval, shipment, and delivery dates).
- **Order items:** product category, seller ID, freight value, and shipping-limit dates.
- **Customers and sellers:** location data, which are aggregated into Brazilian macro-regions.

## 3.2 Target definition

The target variable is the approval-to-delivery lag in days:

$$Y = \max\{0, \text{order\_delivered\_customer\_date} - \text{order\_approval\_date}\}$$

where dates are converted to a common timezone and the lag is measured in fractional days and rounded to one decimal place. Orders with missing or inconsistent timestamps (for example, delivered before approval) are removed.

## 3.3 Feature engineering

Feature generation is performed through a structured pipeline. Major feature families include:

- **Order-level features:** freight value, number of items, product category encodings, payment method, install-

ment count, and a shipping-limit slack feature (days between approval and the shipping deadline).

- **Geographical features:** customer–seller distance derived from latitude/longitude via the Haversine formula, seller region category, and a binary indicator for intra-region shipments.
- **Temporal features:** purchase month, day-of-week, and proximity to major holidays.
- **Seller dispatch history:** rolling 30/60/90-day statistics per seller, including median dispatch lag, 90th percentile dispatch lag, share of orders shipped before the shipping deadline, and the difference between recent and baseline medians. These are computed in a leakage-safe manner by restricting aggregates to orders with approval timestamps strictly earlier than the target order.

### 3.4 Train–validation split

To emulate deployment, a temporal split is used:

- Training: orders approved between 2017-01-01 and 2017-12-31.
- Validation: orders approved between 2018-01-01 and 2018-06-30.

## 4 Methods

### 4.1 Problem formulation

For each order  $i$ , let  $X_i \in \mathbb{R}^d$  denote feature vectors and  $Y_i \in \mathbb{R}_{\geq 0}$  the realized delivery lag. Rather than estimating  $\mathbb{E}[Y \mid X]$ , the goal is to estimate conditional quantiles  $Q_\tau(X)$  for  $\tau \in \{0.1, 0.5, 0.9\}$ . The base quantile models minimize the pinball loss:

$$\ell_\tau(y, \hat{q}) = \begin{cases} \tau(y - \hat{q}), & y \geq \hat{q}, \\ (\tau - 1)(y - \hat{q}), & y < \hat{q}. \end{cases} \quad (1)$$

### 4.2 Base quantile models

Three quantile model families are considered:




Figure 1: Pinball loss by quantile  $\tau$  for baseline models on a synthetic benchmark dataset. Lower is better.

1. **Linear quantile regression**, using a smoothed version of the pinball loss with  $\ell_2$  regularization.
2. **Histogram-based gradient boosting (HGB)**, via a gradient boosting regressor configured for quantile loss.
3. **LightGBM quantile regression**, using histogram-based gradient boosted trees (Ke et al., 2017).

Figure 1 shows the pinball loss of baseline models across quantiles on a synthetic benchmark, validating the training pipeline before applying it to the Olist data.

### 4.3 Split-conformal calibration

Base quantile models are typically miscalibrated: empirical coverage of nominal  $(1 - \alpha)$  intervals can deviate substantially from the target. Split conformal calibration in the style of CQR (Romano et al., 2019) is therefore applied.

Let  $\hat{Q}_\alpha^{\text{base}}(x)$  and  $\hat{Q}_{1-\alpha}^{\text{base}}(x)$  denote lower and upper base quantiles for target coverage  $1 - \alpha$ . The training data are split into a proper training set and a calibration set. On the calibration set, non-conformity scores are computed as

$$s_i = \max \left\{ \hat{Q}_\alpha^{\text{base}}(X_i) - Y_i, Y_i - \hat{Q}_{1-\alpha}^{\text{base}}(X_i), 0 \right\}. \quad (2)$$

A calibration offset  $\hat{\Delta}$  is selected as the empirical  $(1 - \alpha)$  quantile of  $\{s_i\}$ , and calibrated intervals are defined as

$$[\hat{L}(x), \hat{U}(x)] = [\hat{Q}_\alpha^{\text{base}}(x) - \hat{\Delta}, \hat{Q}_{1-\alpha}^{\text{base}}(x) + \hat{\Delta}]. \quad (3)$$

Figure 2 compares nominal and empirical coverage




Figure 2: Reliability diagram: empirical coverage vs. nominal target coverage for the calibrated model on the Olist validation set. The dashed line indicates perfect calibration.




Figure 3: Mean prediction interval width (in days) as a function of target coverage for the conformalized quantile model.

across targets, and Figure 3 shows the corresponding average interval widths.

#### 4.4 Promise policies and asymmetric cost

Given calibrated predictive intervals and quantiles, a *promise policy* maps features  $X$  to a promise lag  $P(X)$  in days. Simple quantile-based policies of the form

$$P_\tau(X) = \hat{Q}_\tau^{\text{cal}}(X) \quad (4)$$

are considered, where  $\hat{Q}_\tau^{\text{cal}}$  is the calibrated quantile function. Two policies are evaluated:

- **p50:** promise at the calibrated median ( $\tau = 0.5$ ).
- **p90:** promise at the calibrated upper quantile ( $\tau = 0.9$ ).

To compare policies, an asymmetric cost function that penalizes late deliveries more heavily than early deliveries is used. Let  $p_i$  be the promise lag and  $y_i$  the realized lag.




Figure 4: Expected asymmetric cost as a function of the promise quantile  $\tau$  for quantile-based policies.




Figure 5: Late-promise rate (LPR) vs. average promise days (APD) frontier for different quantile-based policies. The recommended operating point at  $\tau = 0.9$  balances coverage and promise length.

The cost for order  $i$  is

$$C(y_i, p_i) = \begin{cases} \lambda_{\text{late}}(y_i - p_i), & y_i > p_i, \\ \lambda_{\text{early}}(p_i - y_i), & y_i < p_i, \\ 0, & y_i = p_i, \end{cases} \quad (5)$$

with default penalties  $\lambda_{\text{late}} = 5$  and  $\lambda_{\text{early}} = 1$ .

Figure 4 shows expected cost as a function of the promise quantile  $\tau$ . Figure 5 visualizes the trade-off between late-promise rate (LPR) and average promise days (APD) for the same set of policies.

#### 4.5 Fairness metrics

Fairness is assessed across:

- **Regions:** seller macro-regions (North, Northeast, Central-West, Southeast, South).
- **Sellers:** individual seller IDs.

For each group  $g$  and policy  $P$ , group coverage, expected

Table 1: Policy metrics for two quantile-based promise policies on the Olist validation set. The cost uses  $\lambda_{\text{late}} = 5$  and  $\lambda_{\text{early}} = 1$ .

| Policy | Quantile | Coverage | Avg. P. | Avg. A. | Avg. Late | Avg. Early |
|--------|----------|----------|---------|---------|-----------|------------|
| p50    | 0.5      | 0.511    | 11.02   | 13.33   | 4.11      | 1.80       |
| 22.35  |          |          |         |         |           |            |
| p90    | 0.9      | 0.842    | 19.98   | 13.33   | 1.47      | 8.12       |
| 15.44  |          |          |         |         |           |            |

cost, and relative differences vs. reference groups are computed.

## 5 Results

### 5.1 Calibration performance

On the 2018 validation window, the LightGBM + CQR model achieves:

- Target coverage: 90 %.
- Observed coverage: 0.8997.
- Mean interval width: 22.03 days.

These results are summarized in Figures 2 and 3.

### 5.2 Promise-policy comparison

Table 1 compares the p50 and p90 policies on the validation set.

Figure 5 shows that moving from the median-based policy to a higher quantile substantially decreases late-promise rate at the cost of longer promises. Because late days are penalized more, the p90 policy has lower expected cost than p50, despite the longer promises.

### 5.3 Segment-wise policies

To explore heterogeneity, segment-specific policies are also considered, where the selected quantile  $\tau$  depends on distance and historical dispatch delay segments. Figure 6 visualizes expected cost across segments, annotated with the chosen  $\tau$ , and Figure 7 shows which quantiles are used most often.



Figure 6: Segmented expected cost heatmap (distance decile vs. dispatch-delay decile) for a segment-wise policy, annotated with the promise quantile  $\tau$  used in each segment.




Figure 7: Frequency of selected promise quantiles  $\tau$  across segments in the segment-wise policy.

### 5.4 Regional fairness

Figure 8 and Table 2 summarize regional coverage and cost for the p90 policy.

Four regions cluster in the 0.84–0.87 coverage range, with cost ratios within roughly  $\pm 12\%$  of the Northeast reference. The North region is a strong outlier with 0.60 coverage, driven by a small number of orders and potentially distinct logistics patterns.

### 5.5 Seller-level fairness

Seller-level metrics (not fully tabulated here) exhibit:

- Mean coverage 0.86 and median coverage 0.93.
- Interquartile range 0.80–1.00.
- A long tail of low-coverage sellers, almost entirely overlapping with low sample counts.

Figure 9 shows the distribution of seller-level coverage.

Table 2: Regional fairness metrics for the p90 policy. Coverage and expected cost are reported along with differences and ratios to reference regions.

| Region       | Coverage | $\Delta\text{Cov vs. CW}$ | Exp. Cost | Cost Ratio vs. NE |
|--------------|----------|---------------------------|-----------|-------------------|
| Central-West | 0.873    | 0.000                     | 14.69     | 0.88              |
| South        | 0.850    | -0.023                    | 15.37     | 0.92              |
| Northeast    | 0.848    | -0.025                    | 16.73     | 1.00              |
| Southeast    | 0.841    | -0.032                    | 15.44     | 0.96              |
| North        | 0.600    | -0.273                    | 11.62     | 0.69              |




Figure 8: Regional coverage for the  $\tau = 0.9$  promise policy. Bars show group coverage; the dashed line marks the Central-West reference.

## 5.6 Feature contributions and diagnostics

Figure 10 shows gain-based feature importance for the LightGBM quantile model at  $\tau = 0.9$ , highlighting the importance of seller dispatch history and geographical features.

Figure 11 plots promise slack (promise minus actual) versus corridor distance, identifying where late orders concentrate.

Finally, Figure 12 shows coverage stability over time, and Figure 13 reports ablation results.

## 6 Discussion

### 6.1 Interpretation

The core result is that quantile-based promise policies built on calibrated predictive intervals can materially improve both reliability and cost relative to naive median-based promises. A 0.9-quantile policy yields significantly higher coverage and lower expected cost under a realistic asymmetric penalty.

The calibrated intervals themselves are wide, reflecting




Figure 9: Distribution of seller-level coverage for the  $\tau = 0.9$  policy. The vertical line marks the global 0.9 target.




Figure 10: Feature contributions (gain-based importance) for the LightGBM quantile model at  $\tau = 0.90$ .

substantial inherent variability in the Olist data, which includes long-distance and cross-region shipments. In a production setting, additional real-time features would likely narrow these intervals.

### 6.2 Fairness implications

Regional and seller-level diagnostics show that marginal calibration is not enough: certain segments, particularly the sparsely sampled North region, experience far lower coverage. Mitigation strategies include segment-wise calibration, minimum-coverage constraints, and hierarchical models that borrow strength across regions (Pleiss et al., 2017; Pfohl et al., 2021).

### 6.3 Limitations

Important limitations include:

- The Olist dataset is static and lacks real-time signals used by modern ETA systems.
- The policy class is restricted to simple quantile-based rules.






Figure 11: Slack (promise minus actual delivery time) vs. corridor distance for the  $\tau = 0.9$  policy; late orders are highlighted.




Figure 12: Empirical coverage of the  $\tau = 0.9$  policy over time (weekly buckets), with the nominal 0.9 target shown as a horizontal reference.

- Conformal prediction provides marginal but not group-wise coverage guarantees.
- Offline evaluation assumes delivery lag is independent of the promise, which may not hold if promises affect behavior.

## 7 Conclusion and Future Work

This report has presented Promise-Aware ETA, a reproducible pipeline for calibrated delivery-time uncertainty modeling and offline delivery-promise optimization on the Olist dataset. LightGBM-based quantile models, calibrated through split conformal prediction, provide near-nominal coverage. When coupled with quantile-based promise policies and an asymmetric cost function, these models yield promise strategies that are both more reliable and more cost-effective than naive median-based baselines. Fairness diagnostics highlight heterogeneous performance across




Figure 13: Ablation tornado plot: change in mean pinball loss when removing feature families relative to the full model.

regions and sellers.

Future work includes extending the policy class to richer, feature-dependent policies; incorporating fairness constraints directly into policy optimization; and integrating real-time signals in an online evaluation.

## References

- A. N. Angelopoulos and S. Bates. A gentle introduction to conformal prediction and distribution-free uncertainty quantification. *arXiv preprint arXiv:2107.07511*, 2021.
- S. Barocas, M. Hardt, and A. Narayanan. *Fairness and Machine Learning*. MIT Press, 2019.
- G. Biau and D. Böhning. Pinball boosting of regression quantiles. *Computational Statistics & Data Analysis*, 2024.
- M. E. Bruni et al. A machine learning optimization approach for last-mile delivery with time windows. *Computers & Operations Research*, 2023.
- M. Dudík, J. Langford, and L. Li. Doubly robust policy evaluation and learning. In *Proceedings of ICML*, 2011.
- C. Guo, G. Pleiss, Y. Sun, and K. Q. Weinberger. On calibration of modern neural networks. In *Proceedings of ICML*, 2017.
- A. Gupta et al. FairFoody: Bringing in fairness in food delivery. In *Proceedings of The Web Conference*, 2022.
- N. Jiang and L. Li. Doubly robust off-policy value evaluation for reinforcement learning. In *Proceedings of ICML*, 2016.



- Kardinal. Machine learning: 8 innovations for last-mile delivery. Technical report, 2025.
- J. Kleinberg, S. Mullainathan, and M. Raghavan. Inherent trade-offs in the fair determination of risk scores. In *Proceedings of ITCS*, 2017.
- R. Koenker. Quantile regression. *Journal of Economic Perspectives*, 15(4):143–156, 2001.
- R. Koenker and G. Bassett. Regression quantiles. *Econometrica*, 46(1):33–50, 1978.
- D. Levi et al. Evaluating and calibrating uncertainty prediction in deep neural networks. *International Journal of Computer Vision*, 130, 2022.
- G. Ke et al. LightGBM: A highly efficient gradient boosting decision tree. In *Advances in Neural Information Processing Systems*, 2017.
- A. Martínez-Sykora et al. Exploring fairness in routing and scheduling for food delivery platforms. *Expert Systems with Applications*, 2024.
- Olist. Brazilian E-Commerce Public Dataset by Olist. Kaggle data set, 2018.
- S. R. Pfohl et al. An empirical characterization of fair machine learning for clinical risk prediction. *Journal of Biomedical Informatics*, 113, 2021.
- G. Pleiss et al. On fairness and calibration. In *Advances in Neural Information Processing Systems*, 2017.
- A. Rokoss et al. Case study on delivery time determination using a machine learning approach. *Journal of Intelligent Manufacturing*, 2024.
- Y. Romano, E. Patterson, and E. J. Candès. Conformalized quantile regression. In *Advances in Neural Information Processing Systems*, 2019.
- M. Sousa et al. Improving conformalized quantile regression through adaptive calibration. *Expert Systems with Applications*, 2024.
- N. Tagasovska and D. Lopez-Paz. Single-model uncertainties for deep learning. In *Advances in Neural Information Processing Systems*, 2019.
- V. Vovk, A. Gammerman, and G. Shafer. *Algorithmic Learning in a Random World*. Springer, 2005.
- Walmart Global Tech. Customer delivery time prediction using machine learning. Technical report, 2019.
- X. Zhang et al. Calibration in machine learning uncertainty quantification. *arXiv preprint arXiv:2309.06240*, 2023.