

Amora QA

Testing Report

Comprehensive frontend verification, automation review, build evidence and production release assessment

RELEASE DECISION

NOT READY

Document	Value
Project	Amora AI Flutter Application
Report version	1.0
Assessment date	27 July 2026
Prepared for	Submission and production-readiness review
Evidence basis	Inspected source, automated tests, builds and rendered widgets
Classification	Internal QA / Submission

Outcome at a glance

Static analysis, web compilation and the Android debug APK succeeded. The full test suite did not pass, the project is frontend/local-data led, and production auth, backend, payment, notification and release-signing readiness are not established.

Document Control

Control	Detail
Document ID	AMORA-QA-2026-07-27
Owner	Amora QA
Version	1.0
Status	Final assessment artifact
Review cadence	Update after blocking defects and integrations are resolved
Source boundary	D:\Projects\amora_ai (no Git/GitHub used)

Revision History

Version	Date	Author	Change
1.0	27 Jul 2026	Amora QA	Initial comprehensive QA submission report

Approval Record

Role	Name	Decision	Date
QA	Amora QA	Assessment completed	27 Jul 2026
Engineering	Pending	Open defects require review	—
Product / Release	Pending	Release decision is Not Ready	—

Table of Contents

Document Control.....	2
Revision History	2
Approval Record	2
Table of Contents	3
Contents Guide	6
1. Executive Summary	7
1.1 Major strengths	7
1.2 Primary limitations	7
2. Project Understanding	8
2.1 Architecture observed	8
2.2 Product surface reviewed	8
3. Testing Scope	9
3.1 In scope	9
3.2 Out of scope or unavailable	9
3.3 Assumptions	9
4. Test Strategy	10
4.1 Entry and exit criteria	10
5. Test Environment	11
6. Requirement Traceability Matrix	12
6.1 Traceability interpretation	12
7. Test Case Design	13
7.1 Catalogue accounting	13
8. Authentication Testing	14
8.1 Coverage assessed	14
8.2 Observed result	14
9. Onboarding Testing	16
9.1 Coverage assessed	16
9.2 Observed result	16
10. Discover Page Testing	17
10.1 Coverage assessed	17
10.2 Observed result	17
11. Filters Testing	19
11.1 Coverage assessed	19
11.2 Observed result	19
12. Profile Detail Testing	20

12.1 Coverage assessed	20
12.2 Observed result	20
13. User Profile Testing	21
13.1 Coverage assessed	21
13.2 Observed result	21
14. Edit Profile Testing	23
14.1 Coverage assessed	23
14.2 Observed result	23
15. Profile Preview Testing.....	24
15.1 Coverage assessed	24
15.2 Observed result	24
16. AI Matches Testing	25
16.1 Coverage assessed	25
16.2 Observed result	25
17. Chat Testing	26
17.1 Coverage assessed	26
17.2 Observed result	26
18. Events Page Testing.....	27
18.1 Coverage assessed	27
18.2 Observed result	27
19. Event Details Testing	30
19.1 Coverage assessed	30
19.2 Observed result	30
20. Notifications Testing	32
20.1 Coverage assessed	32
20.2 Observed result	32
21. Subscription Testing.....	33
21.1 Coverage assessed	33
21.2 Observed result	33
22. Payment Testing	34
22.1 Coverage assessed	34
22.2 Observed result	34
23. FAQ & Support Testing.....	35
23.1 Coverage assessed	35
23.2 Observed result	35
24. Settings and Account Testing.....	37
24.1 Coverage assessed	37

24.2 Observed result	37
25. UI and Visual Testing	38
26. Responsive Testing	39
26.1 Responsive conclusion	39
27. Accessibility Testing	40
28. Performance Testing	41
29. Security and Privacy Validation	42
30. Compatibility Testing	43
31. Build and Static Analysis	44
31.1 APK evidence	44
32. Automation Test Review	45
32.1 Test-maintenance findings	45
32.2 Recommended automated additions	45
33. Defect Management	46
33.1 Severity model	46
34. Test Execution Summary	47
34.1 Module-wise result	47
34.2 Confirmed defects by severity	47
35. Risk Assessment	48
35.1 Highest release risks	48
36. Release Readiness	49
36.1 Minimum release conditions	49
37. Recommendations	50
38. Final Conclusion	51
39. Appendices	52
Appendix A — Complete Test Case Catalogue	53
Appendix B — Requirement Traceability Matrix	73
Appendix C — Defect Log	74
BUG-UI-001 — Secondary pink with white text fails the tested AA threshold	74
BUG-UI-002 — Secondary action resolves to the primary color	74
BUG-EVT-001 — Featured event card overflows with scaled text on a narrow screen	74
BUG-EVT-002 — Waitlist route violates ListTile Material painting contract	74
BUG-TST-001 — Legacy Discover and Events-gate tests contradict current requirements	75
BUG-TST-002 — Legacy onboarding journey tests use ambiguous text locators	75
BUG-BLD-001 — Release configuration retains template identity and debug signing	75
BUG-SEC-001 — Demo OTP is exposed in the UI	76
Appendix D — Build Logs Summary	76

Appendix E — Test Environment.....	76
Appendix F — Screenshots and Evidence	77
Appendix G — Route Inventory	83
Appendix H — Screen Inventory	85
Appendix I — Dependency Review.....	87
Appendix J — Recommended Automated Tests	87

This document contains an automatic Word TOC field covering Heading levels 1–3. Word updates page references when fields are refreshed.

Contents Guide

Core assessment	Quality and evidence
1 Executive Summary	21 Subscription Testing
2 Project Understanding	22 Payment Testing
3 Testing Scope	23 FAQ & Support Testing
4 Test Strategy	24 Settings and Account Testing
5 Test Environment	25 UI and Visual Testing
6 Requirement Traceability Matrix	26 Responsive Testing
7 Test Case Design	27 Accessibility Testing
8 Authentication Testing	28 Performance Testing
9 Onboarding Testing	29 Security and Privacy Validation
10 Discover Page Testing	30 Compatibility Testing
11 Filters Testing	31 Build and Static Analysis
12 Profile Detail Testing	32 Automation Test Review
13 User Profile Testing	33 Defect Management
14 Edit Profile Testing	34 Test Execution Summary
15 Profile Preview Testing	35 Risk Assessment
16 AI Matches Testing	36 Release Readiness
17 Chat Testing	37 Recommendations
18 Events Page Testing	38 Final Conclusion
19 Event Details Testing	39 Appendices
20 Notifications Testing	

1. Executive Summary

Release decision — NOT READY

The application compiles for web and Android debug and has meaningful widget coverage, but production release criteria are not met. The full suite reports 23 failures, eight confirmed defects remain open, the Android release configuration uses template identity/debug signing, and core product flows are local simulations without production services.

Metric	Observed	Interpretation
Source reviewed	137 Dart files / 49,921 lines	Large presentation-led prototype
Catalogue	180 cases	125 pass; 26 fail; 10 blocked; 16 not run; 3 N/A
Automated suite	143 invocations	115 pass; 23 fail; 5 skipped
Analyzer	Pass	No analyzer issues
Web build	Pass	68,034,713-byte output
Debug APK	Pass	172,299,833 bytes; minSdk 24 / targetSdk 36
Confirmed defects	8 open	Includes two P1 release/security blockers
Backend readiness	Not established	No production backend/network SDK declared

1.1 Major strengths

- Feature-oriented Flutter presentation structure with a centralized design system.
- Strong widget coverage for current Discover, Events, FAQ Support, Chats, Profile, Notifications and onboarding flows.
- Analyzer-clean source, successful web build and successful Android debug packaging.
- Local assets are bundled and testable; Events uses five distinct local images.
- FAQ Support enforces the intended email-only direct support presentation.

1.2 Primary limitations

- Authentication, data, chat, RSVP, subscription and notifications are frontend/local-state simulations.
- No integration_test suite, coverage baseline, physical Android execution or assistive-technology session was available.
- The complete suite fails; obsolete regression contracts coexist with genuine UI/runtime defects.
- Release package identity/signing is not production safe and a release APK was intentionally not produced.

2. Project Understanding

Amora AI is a Flutter dating-product prototype with named-route navigation, a five-destination main shell, shared Amora design primitives and extensive presentation screens. The inspected state is not a production-connected application: profiles, matches, chats, events, onboarding and session state are driven by local repositories, dummy datasets or in-memory notifiers.

2.1 Architecture observed

Layer / concern	Observed implementation	QA implication
App shell	MaterialApp named routes and MainShell IndexedStack	Route-build and tab-state tests applicable
Presentation	36 feature directories; 66 screen files	Broad UI surface, high regression cost
Shared UI	Core theme, spacing, widgets, navigation	Semantic tests can detect cross-app drift
State	ChangeNotifier/local ValueNotifier patterns	Deterministic widget tests; no persistence guarantee
Data	Dummy/static data and asset repositories	Frontend behavior only; no server correctness claim
External integration	url_launcher for email	Native client behavior requires device test
Backend/payment	No production SDK declared	End-to-end cases blocked

2.2 Product surface reviewed

- Auth and profile onboarding, Discover and filters, profile detail and identity editing.
- AI Matches, chat inbox/detail, Notifications, Events/detail/My Events.
- Subscription/payment test isolation, FAQ email support, settings, safety and privacy presentation.
- Cross-cutting navigation, responsive behavior, accessibility-oriented assertions and build configuration.

3. Testing Scope

3.1 In scope

- Complete Flutter frontend source, routes, assets, tests and Android/web build configuration.
- Non-invasive static security/privacy review and dependency inventory.
- Automated unit/source and widget tests, including responsive golden evidence.
- Buildability for Chrome web and Android debug APK.
- Test-case catalogue, RTM, defect log, risk register and release recommendation.

3.2 Out of scope or unavailable

- Production backend, APIs, database rules, Firebase, socket transport or payment processing.
- Real OTP/SMS/email delivery, real financial transactions and production credentials.
- Penetration testing, destructive security activity and production-data modification.
- Physical Android/iOS device testing, store signing and stakeholder UAT.

3.3 Assumptions

- Local fixtures are intentionally fictional prototype data.
- AMORA_MEMBERSHIP_TEST must remain disabled unless the isolated test journey is explicitly requested.
- Named route strings are treated as compatibility contracts even where screens are presentation-only.
- A build success does not imply production service readiness.

4. Test Strategy

Test type	Disposition	Evidence / boundary
Code/source review	Performed	Routes, dependencies, local/mock boundaries, assets, signing and sensitive behavior
Static analysis	Performed	flutter analyze
Unit/source tests	Performed	Controller, design-system and repository calculations
Widget tests	Performed	Complete test folder; 143 invocations
Responsive rendering	Performed (targeted)	Golden evidence at 390x844 and Events at 1280x900
Regression	Performed	Full suite; obsolete tests and genuine defects separated
Smoke/build	Performed	Analyzer, web build, Chrome launch and debug APK
Manual Chrome journey	Partially performed	Debug service connected; browser control isolation prevented a completed manual pass
Integration/device	Not performed	No integration_test suite or Android device
Accessibility manual	Not performed	No screen reader session
Performance profiling	Not performed	No profiling-mode timing/memory evidence
Security validation	Review only	No penetration or destructive testing
UAT	Not performed	Requires stakeholders

4.1 Entry and exit criteria

- Entry: dependencies resolve, source parses and requested build targets are available.
- Exit for this assessment: evidence captured, all commands attempted honestly, defects/risks traced and artifacts validated.
- Production exit is not met while P1 defects, failing tests and integration blockers remain.

5. Test Environment

Property	Observed value
Operating system	Windows 11 Home Single Language 64-bit, 25H2
Flutter	3.44.6 stable
Dart / DevTools	3.12.2 / 2.57.0
Android SDK	36.1.0; platform/build-tools 36.1.0
Built APK SDK	minSdk 24; targetSdk 36
Java	OpenJDK 21.0.8 via Android Studio; shell Java 22.0.1
Chrome	150.0.7871.182
Connected targets	Windows, Chrome, Edge; no Android device/emulator
Build modes	Web release bundle; Android debug APK
Internet	Flutter doctor network resources passed
Backend environment	None declared; frontend/local fixtures
IDE/tooling	Android Studio detected; Codex desktop QA workflow

Environment limitation

Windows desktop doctor reports an incomplete C++ workload. This did not block requested Android/web work, but Windows release support is not validated.

6. Requirement Traceability Matrix

Twenty consolidated requirements were derived from the QA brief and mapped to current source/test evidence. The companion workbook contains the full editable RTM; Appendix B reproduces it in this report.

Requirement	Module	Implementation	Test status
REQ-AUTH-001	Authentication	Implemented locally	Pass: 8, Blocked: 3
REQ-ONB-001	Onboarding	Implemented locally	Pass: 10
REQ-DIS-001	Discover	Implemented locally	Pass: 24, Fail: 15
REQ-FLT-001	Filters	Implemented locally	Pass: 4
REQ-PDT-001	Profile Detail	Implemented locally	Pass: 8
REQ-PRO-001	User Profile	Implemented locally	Pass: 3
REQ-EDT-001	Edit Profile	Implemented locally	Pass: 2
REQ-PRV-001	Profile Preview	Implemented locally	No direct case; covered by broader review
REQ-MAT-001	AI Matches	Frontend fixture	Pass: 6
REQ-CHT-001	Chats	Frontend fixture	Pass: 9, Blocked: 2
REQ-EVT-001	Events	Frontend fixture	Pass: 11, Fail: 1, Blocked: 1
REQ-EVD-001	Event Detail & My Events	Frontend fixture	Pass: 4, Not Run: 1
REQ-NOT-001	Notifications	Frontend fixture	Pass: 7, Blocked: 1
REQ-SUB-001	Subscription & Payment	Test mode only	Not Run: 5, Blocked: 1
REQ-SUP-001	FAQ & Support	Implemented locally	Pass: 5, Blocked: 1
REQ-SET-001	Settings & Account	Implemented locally	Pass: 1
REQ-SAF-001	Safety & Privacy	Implemented locally	Pass: 2
REQ-UI-001	Design System	Partial	Pass: 8, Fail: 2, Not Run: 6
REQ-BLD-001	Build & Compatibility	Implemented	Pass: 6, Fail: 1, Not Run: 4, Not Applicable: 3
REQ-SEC-001	Security Review	Not production ready	Pass: 1, Fail: 1, Blocked: 1

6.1 Traceability interpretation

- Implemented locally means presentation/local-state behavior exists; it does not imply server integration.
- Frontend fixture identifies screens backed by static or dummy data.
- Not production ready denotes security/integration requirements with blocking evidence.

7. Test Case Design

Field	Definition
ID	Stable AUT/BLD/REV/MAN/NA identifier
Module and scenario	Product surface and behavior under assessment
Objective and preconditions	Why the check exists and what must be true first
Test data	Safe fictional/local data only
Execution steps	Reproducible command or interaction sequence
Expected / actual	Desired contract versus observed evidence
Status	Pass, Fail, Blocked, Not Run or Not Applicable
Priority / severity	Business importance and P0–P4 impact if failed
Environment / evidence / remarks	Trace to the host, artifact and interpretation

7.1 Catalogue accounting

Status	Count	Rule
Pass	125	Observed expected result
Fail	26	Observed deviation; not all map one-to-one to product defects
Blocked	10	External service/device unavailable
Not Run	16	No execution claim
Not Applicable	3	Platform/signing precondition intentionally absent
Total	180	Formula-backed in companion workbook

8. Authentication Testing

8.1 Coverage assessed

- App launch and unauthenticated routing
- Login, signup, phone/country code and password visibility
- Six-cell OTP input, paste/backspace, empty/incomplete/invalid states
- Loading, button state, keyboard inset, logout and guarded actions

8.2 Observed result

Current auth widgets are responsive and well tested, but verification and session state are local simulations. A demo OTP is exposed in the UI.

Module	Total	Pass	Fail	Blocked	Not Run	N/A
Authentication	11	8	0	3	0	0




Figure 1: Authentication Entry — Mobile Widget Render

9. Onboarding Testing

9.1 Coverage assessed

- Name, gender, interests, relationship goal and Gujarat city catalogue
- Birth-date day/month/year wheels, keyboard input and minimum-age boundary
- Progress, back/resume behavior, completion and returning users
- Photo/prompt/permission behavior where implemented

9.2 Observed result

Age calculation and minimum-age inline validation have dedicated passing tests. Three legacy end-to-end widget locators are ambiguous after redesign.

Module	Total	Pass	Fail	Blocked	Not Run	N/A
Onboarding	10	10	0	0	0	0

10. Discover Page Testing

10.1 Coverage assessed

- Single profile card, multiple local images and gallery progress
- Horizontal swipes, thresholds, cancellation and vertical-gesture rejection
- Like, pass, undo, Super Like, filters, empty/restart and detail route
- Five-tab bottom navigation, mobile/desktop constraints and keyboard shortcuts

10.2 Observed result

The current Discover suite passes broad gesture and responsive assertions. A separate obsolete four-tab suite causes fifteen failures and must be retired or updated.

Module	Total	Pass	Fail	Blocked	Not Run	N/A
Discover	39	24	15	0	0	0




Figure 2: Discover Page — Mobile Widget Render

11. Filters Testing

11.1 Coverage assessed

- Open/close, search, age/distance and supported preference sections
- Selection, reset, apply, active indicator and route return
- Compact and desktop overflow checks

11.2 Observed result

All four focused filter tests pass. Server-side result correctness is not testable because filtering uses local profile data.

Module	Total	Pass	Fail	Blocked	Not Run	N/A
Filters	4	4	0	0	0	0

12. Profile Detail Testing

12.1 Coverage assessed

- Gallery de-duplication, swipe, full-screen zoom and image tap
- Name, age, location, occupation, zodiac, prompts, interests and intentions
- Like, message, Super Like, report/block and sticky actions
- Compact and desktop presentation

12.2 Observed result

Focused profile-detail tests pass. Actions route or mutate local callbacks only; server persistence and safety escalation are blocked.

Module	Total	Pass	Fail	Blocked	Not Run	N/A
Profile Detail	8	8	0	0	0	0

13. User Profile Testing

13.1 Coverage assessed

- Identity-first hero, photo, name/age, zodiac, city and occupation
- Completion, missing items, gallery, prompts, voice intro and About Me
- Dating intentions, interests, personality and verification presentation
- Membership, settings, legal, logout and delete-account exposure

13.2 Observed result

The identity screen passes compact/desktop and local-save tests. Profile data is a singleton local draft and is not persisted across a process restart.

Module	Total	Pass	Fail	Blocked	Not Run	N/A
User Profile	3	3	0	0	0	0



Figure 3: Premium Profile Identity — Mobile Widget Render

14. Edit Profile Testing

14.1 Coverage assessed

- Existing values, basic data, occupation/city/education and lifestyle
- Prompts, photos, interests, intentions and local save
- Validation, cancel/unsaved warning, double save and preview update

14.2 Observed result

Local save behavior is covered by passing profile tests. Network error, remote persistence, media upload and true concurrent save behavior are blocked.

Module	Total	Pass	Fail	Blocked	Not Run	N/A
User Profile	3	3	0	0	0	0

15. Profile Preview Testing

15.1 Coverage assessed

- Public-profile photo order and identity data
- Prompts, interests, voice, intentions, verification and About
- No Like, Message, Super Like or Gift actions
- Responsive rendering and return to editor

15.2 Observed result

Preview routing is exercised by regression/profile tests, but no dedicated device-level golden journey exists.

Module	Total	Pass	Fail	Blocked	Not Run	N/A
User Profile	3	3	0	0	0	0

16. AI Matches Testing

16.1 Coverage assessed

- Featured match, compatibility score and available reasons
- Shared interests, filtering, profile/message routes and empty/error states
- Static/mock identification and unsupported-claim review
- Compact/desktop performance-oriented layout

16.2 Observed result

Six focused tests pass. The feature is fixture-driven and must not be represented as a validated AI recommendation service.

Module	Total	Pass	Fail	Blocked	Not Run	N/A
AI Matches	6	6	0	0	0	0

17. Chat Testing

17.1 Coverage assessed

- Conversation list, active users, search, unread counts and ordering
- Conversation route, text send, empty/long text and emoji
- Read/typing/online presentation and supported management actions
- Keyboard, scrolling, accessible icon targets and desktop layout

17.2 Observed result

Nine focused frontend tests pass and two real-delivery cases are blocked. No socket/Firebase/API transport or attachment backend is declared.

Module	Total	Pass	Fail	Blocked	Not Run	N/A
Chats	11	9	0	2	0	0

18. Events Page Testing

18.1 Coverage assessed

- Direct Events access without subscription/payment redirect
- Featured event, category filters, recommended/This Week/Near You/Circles
- My Events, local unique images, host/attendee presentation and RSVP states
- Loading, empty/error, one bottom navigation and responsive layout

18.2 Observed result

Current Events tests pass direct access, local assets and desktop layout. A 35 px overflow occurs at 320x700 with 1.3x text scaling; server-backed RSVP is blocked.

Module	Total	Pass	Fail	Blocked	Not Run	N/A
Events	13	11	1	1	0	0




Figure 4: Events Discovery — Mobile Widget Render




Figure 7: Events Discovery — 1280×900 Responsive Widget Render

19. Event Details Testing

19.1 Coverage assessed

- Immersive hero, back/save/share, identity and category
- Date/time, location, host, description and expectation content
- Attendee/safety presentation, join/leave/waitlist state and sticky CTA
- SafeArea, transition and desktop rendering

19.2 Observed result

Focused detail tests pass. The separate waitlist route fails Flutter's Material/ListTile contract and all RSVP state is local.

Module	Total	Pass	Fail	Blocked	Not Run	N/A
Events	13	11	1	1	0	0




Figure 5: Event Detail — Mobile Widget Render

20. Notifications Testing

20.1 Coverage assessed

- Timeline, grouping, read/unread filters and badge presentation
- Swipe read/delete, long-press selection and related-route navigation
- Empty/error and desktop layout
- Deep-link and missing-target behavior where available

20.2 Observed result

Seven focused presentation tests pass. Push delivery and external deep links are blocked because no notification provider is configured.

Module	Total	Pass	Fail	Blocked	Not Run	N/A
Notifications	8	7	0	1	0	0

21. Subscription Testing

21.1 Coverage assessed

- Plan presentation, monthly/annual selection and benefits
- Current membership, upgrade/manage/restore where supported
- Events not gated by subscription
- Test-mode isolation and unavailable-plan/error behavior

21.2 Observed result

Five membership journey invocations are intentionally skipped with AMORA_MEMBERSHIP_TEST disabled. No production entitlement behavior was claimed.

Module	Total	Pass	Fail	Blocked	Not Run	N/A
Subscription & Payment	6	0	0	1	5	0

22. Payment Testing

22.1 Coverage assessed

- Selected plan/amount, simulated success/failure/cancel/pending
- Loading, retry, duplicate-tap prevention and confirmation
- Sensitive-data handling and external SDK boundary

22.2 Observed result

The payment screen is an isolated test fixture. No real or sandbox financial transaction was executed and no payment SDK is declared.

Module	Total	Pass	Fail	Blocked	Not Run	N/A
Subscription & Payment	6	0	0	1	5	0

23. FAQ & Support Testing

23.1 Coverage assessed

- FAQ opening, local search, categories, accordion and empty results
- Email Support address, subject/body generation and launcher callback
- Absence of WhatsApp, call, support ticket, status and My Tickets
- Safety/legal links and desktop responsiveness

23.2 Observed result

Five support tests plus source review pass. Native email-client launch remains blocked without an Android device.

Module	Total	Pass	Fail	Blocked	Not Run	N/A
FAQ & Support	6	5	0	1	0	0




Figure 6: FAQ & Email Support — Mobile Widget Render

24. Settings and Account Testing

24.1 Coverage assessed

- Account, privacy, notifications and blocked users
- Safety Center, guidelines, Terms and Privacy Policy
- Logout, delete confirmation/cancel and restricted routes

24.2 Observed result

Routes build through broad tests, but production session clearing, remote deletion and authorization enforcement are unavailable.

Module	Total	Pass	Fail	Blocked	Not Run	N/A
Cross-functional	9	3	5	0	1	0

25. UI and Visual Testing

Area	Observation	Disposition
Palette	Central palette matches the six requested colors	Pass with one contrast defect
Typography	Consistent native/platform text system	Code-review pass; device font rendering not certified
Icons	Bundled Material icon system	Focused tests pass
Spacing/radius	Shared tokens plus feature-local values	Visually coherent in evidence
Images	Local profile/event assets render in golden evidence	Pass for sampled screens
Overflow	Events scaled-text overflow confirmed	Fail — BUG-EVT-001
Navigation	Five tabs and single Events bottom bar tested	Current tests pass; legacy suite stale
States	Loading/empty/error widgets exist across core areas	Targeted coverage; not every route manually viewed

Contrast finding

White text on #EC5FA8 measured 3.10:1 in the project test. This does not meet the test's 4.5:1 normal-text threshold. Use #3D0B3F text on pink, or reserve white-on-pink for typography that meets the applicable large-text criterion.

26. Responsive Testing

Viewport	Evidence	Result
320×568	Automated route/compact tests; Events overflow at related 320×700 + 1.3x	Partial / Fail
360×640	Covered indirectly by compact widget ranges	Partial
375×667	Chat focused widget case	Pass (targeted)
390×844	Seven evidence renders include core mobile screens	Pass (sampled)
412×915	Not manually executed	Not Run
600×960	No dedicated rendered evidence	Not Run
768×1024	No tablet device	Not Run
1024×768	No full manual landscape journey	Not Run
1280×900	Events desktop golden	Pass (sampled)
1366×768	Chrome process launched; interaction not completed	Not Run
1440×900	Desktop constraints covered in selected widget tests	Partial
1920×1080	Not manually executed	Not Run

26.1 Responsive conclusion

Responsive confidence is moderate for sampled Flutter widget layouts, but low for full-device coverage. The confirmed scaled-text Events overflow prevents a clean responsive sign-off.

27. Accessibility Testing

Check	Evidence	Status
Semantic labels/tooltips	Used throughout core screens; targeted assertions	Partial pass
48 dp touch targets	Shared controls and chat icon tests	Pass (targeted)
Text scaling	Targeted tests; Events failure at 1.3x	Fail / incomplete
Contrast	Automated contrast utility	Fail for white on secondary
Keyboard support	OTP and Discover shortcuts tested	Partial pass
Focus visibility	Code review only	Not fully verified
Screen reader	No TalkBack/NVDA/VoiceOver session	Not Run
Reduced motion	No comprehensive runtime verification	Not Run

These observations are WCAG-oriented engineering checks, not an official accessibility certification.

28. Performance Testing

Signal	Observed	Interpretation
Web compilation	81.7 seconds	Build-time measurement only
Debug APK build	54.5 seconds	Build-time measurement only
Web output size	68,034,713 bytes	Large, includes CanvasKit variants
Debug APK size	172,299,833 bytes	High; measure release split/AAB after signing
Asset payload	24,408,115 bytes / 163 files	Image optimization opportunity
Scrolling/animation	Widget tests complete without timing metrics	Functional only
CPU/memory/startup	No profiler evidence	Not Run
Network/offline	No production network stack	Blocked

No 120 FPS, startup-time, frame-time, CPU or memory claim is made. A profiling-mode run on representative Android hardware is required.

29. Security and Privacy Validation

Area	Observation	Result
Hardcoded secrets	No API keys/tokens found in the inspected Dart dependency surface	No confirmed secret
OTP	Locally generated demo OTP is displayed	Fail — BUG-SEC-001
Password fields	Visibility controls and local validation exist	Frontend pass
Auth state	In-memory ValueNotifier	Production blocker
Route protection	Frontend guard sheets/named routing	Not server authorization
Payment data	No real gateway/credentials	Blocked / no financial test
External links	url_launcher mailto for support	Device verification required
Delete/logout	Presentation/local session behavior	Remote enforcement blocked
Private data in evidence	No passwords, real OTPs, messages, tokens or payment data included	Pass

Security boundary

This was a non-invasive source/configuration review. No penetration testing, credential probing, backend authorization test or destructive action was attempted.

30. Compatibility Testing

Platform/input	Configuration	Tested status
Android	minSdk 24; targetSdk 36; debug APK	Build passed; install not run
Chrome Web	Chrome 150	Build passed; debug process started; manual pass incomplete
Edge Web	Detected	Not Run
Windows	Flutter target detected; C++ workload incomplete	Not Applicable for this release
iOS	Project support theoretical on Windows	Not Applicable on host
Portrait/touch	Widget test surface	Targeted pass
Landscape/tablet	No physical device	Not Run
Mouse/keyboard	Selected web/widget interactions	Partial
Dark mode	No project-wide dark theme validation	Not Run

31. Build and Static Analysis

Command	Result	Duration	Output / warning
flutter clean	Pass	3.8 s	Generated outputs removed
flutter pub get	Pass	4.5 s	Four newer incompatible versions noted
dart format lib	Pass	3.23 s	137 files; 0 changed
flutter analyze	Pass	3.0 s	No issues found
flutter test	Fail	Full run	115 pass; 23 fail; 5 skipped
flutter build web	Pass	81.7 s	build\web; 68,034,713 bytes
flutter run -d chrome	Started	50.3 s	Debug service connected; interaction incomplete
flutter build apk --debug	Pass	54.5 s	app-debug.apk; 172,299,833 bytes
flutter build apk --release	Not attempted	—	Debug signing/template ID; unsafe to claim release

31.1 APK evidence

- Path: D:\Projects\amora_ai\build\app\outputs\flutter-apk\app-debug.apk
- Size: 172,299,833 bytes (164.3 MiB).
- SHA-256: A006530443D7EC2BFFCE01DA0DACBDBA5DE2ACD10E3212FB662EF5F1133A1988.
- Manifest: com.example.amora_ai; version 1.0.0 (1); minSdk 24; targetSdk 36.

32. Automation Test Review

Type	Observed	Assessment
Test files	23 after QA evidence addition	Broad presentation coverage
Widget test sources	123 declarations	Primary automation layer
Unit/source test sources	18 declarations	Controller/theme/calculation checks
Runtime invocations	143	115 pass; 23 fail; 5 skipped
Integration tests	0	Critical gap
Golden evidence	7 QA captures	Generated from real widgets
Coverage report	Not configured	No percentage claim
Mocks/fixtures	Local repositories and dummy data	Deterministic but not end-to-end

32.1 Test-maintenance findings

- `four_tab_discover_test.dart` conflicts with the current five-tab shell and newer Discover suite.
- The Events locked-state test targets deliberately removed premium-gate copy.
- Legacy onboarding journeys use ambiguous text locators after UI redesign.
- All-routes tests correctly expose the current `/event-waitlist` Material assertion.

32.2 Recommended automated additions

- `integration_test/auth_onboarding_journey_test.dart` with a fake service contract.
- `integration_test/discover_to_chat_journey_test.dart`.
- `integration_test/events_rsvp_journey_test.dart` with a fake repository.
- `test/accessibility/text_scale_route_matrix_test.dart`.
- `test/security/demo_behavior_compile_flag_test.dart`.
- CI coverage generation and thresholds after obsolete tests are removed.

33. Defect Management

Eight confirmed defects are logged. Related automated failures are grouped where one root cause produces many assertions; risks and unexecuted areas remain separate.

ID	Module	Title	Severity	Priority	Status
BUG-UI-001	Design System	Secondary pink with white text fails the tested AA threshold	P2	High	Open
BUG-UI-002	Design System	Secondary action resolves to the primary color	P3	Medium	Open
BUG-EVT-001	Events	Featured event card overflows with scaled text on a narrow screen	P2	High	Open
BUG-EVT-002	Event Waitlist	Waitlist route violates ListTile Material painting contract	P2	High	Open
BUG-TST-001	Regression Tests	Legacy Discover and Events-gate tests contradict current requirements	P2	High	Open
BUG-TST-002	Regression Tests	Legacy onboarding journey tests use ambiguous text locators	P3	Medium	Open
BUG-BLD-001	Android Release	Release configuration retains template identity and debug signing	P1	Critical	Open
BUG-SEC-001	Authentication	Demo OTP is exposed in the UI	P1	Critical	Open

33.1 Severity model

Level	Definition
P0 / Blocker	Application cannot be used or built
P1 / Critical	Core feature unavailable, crash, data/security or release risk
P2 / Major	Important feature works incorrectly
P3 / Minor	Limited functional/usability impact
P4 / Cosmetic	Visual or copy issue

34. Test Execution Summary

Metric	Value
Catalogue total	180
Passed	125
Failed	26
Blocked	10
Not Run	16
Not Applicable	3
Executed denominator	151
Executed pass percentage	82.8%
Executed fail percentage	17.2%

34.1 Module-wise result

Module	Total	Pass	Fail	Blocked	Not Run	N/A
AI Matches	6	6	0	0	0	0
Authentication	11	8	0	3	0	0
Build & Compatibility	14	6	1	0	4	3
Chats	11	9	0	2	0	0
Cross-functional	9	3	5	0	1	0
Design System	16	8	2	0	6	0
Discover	39	24	15	0	0	0
Events	13	11	1	1	0	0
FAQ & Support	6	5	0	1	0	0
Filters	4	4	0	0	0	0
Notifications	8	7	0	1	0	0
Onboarding	10	10	0	0	0	0
Profile Detail	8	8	0	0	0	0
Regression	6	5	1	0	0	0
Security Review	3	1	1	1	0	0
Subscription & Payment	6	0	0	1	5	0
User Profile	3	3	0	0	0	0
Visual Evidence	7	7	0	0	0	0

34.2 Confirmed defects by severity

Severity	Count
P1	2
P2	4
P3	2

35. Risk Assessment

ID	Risk	Probability	Impact	Level	Module	Owner	Status
RISK-001	No production backend/network SDK is declared	High	Critical	Critical	Cross-functional	Engineering	Open
RISK-002	Authentication/session state is memory-only	High	Critical	Critical	Authentication	Security	Open
RISK-003	Profiles, chats, matches and events use local/dummy data	High	High	High	Core product	Engineering	Open
RISK-004	Static event dates may become stale	High	Medium	High	Events	Product	Open
RISK-005	Payment simulation is disabled and no payment SDK is declared	High	Critical	Critical	Payments	Payments	Open
RISK-006	Push/deep-link delivery is not integrated	High	High	High	Notifications	Engineering	Open
RISK-007	No integration_test suite exists	High	High	High	Automation	QA	Open
RISK-008	No coverage report/baseline is configured	Medium	Medium	Medium	Automation	QA	Open
RISK-009	No Android physical device was available	Medium	High	High	Compatibility	QA	Open
RISK-010	Debug APK is 164.3 MiB	High	Medium	High	Performance	Engineering	Open
RISK-011	Release identity/signing is not production ready	High	Critical	Critical	Android Release	Release	Open
RISK-012	Email launch depends on an external client	Medium	Medium	Medium	Support	Product	Open
RISK-013	Accessibility is assertion-led, not assistive-tech verified	High	High	High	Accessibility	QA	Open
RISK-014	Windows desktop toolchain is incomplete	Low	Low	Low	Compatibility	Engineering	Accepted

35.1 Highest release risks

- No production backend/auth/payment integration.
- Template Android identity and debug signing.
- Demo OTP exposure and memory-only session state.
- No integration-test/device/accessibility validation.
- Large debug binary and static product data.

36. Release Readiness

Dimension	Status	Basis
Functional stability	Not Ready	Full suite fails; core flows are local
UI consistency	Conditional	Strong sampled UI; contrast/overflow defects
Build success	Conditional	Web/debug APK pass; release artifact not safe
Automated coverage	Conditional	Broad widgets; no integration suite/coverage baseline
Security/privacy	Not Ready	Demo OTP and no server authorization
Backend/data	Not Ready	No production integration declared
Payment/entitlement	Not Ready	Test-only disabled simulation
Notifications	Not Ready	Local presentation only
Accessibility	Not Ready	Contrast/scale defects; no screen reader session
Performance	Not Ready	No profiling evidence; large debug APK
Documentation	Ready for current assessment	QA report/evidence/workbook produced

Decision

NOT READY for production or store submission. A development/demo build is available for controlled frontend review only.

36.1 Minimum release conditions

- Close both P1 defects and the major Events/UI runtime issues.
- Return the full automated suite to green after removing obsolete contracts.
- Integrate test-environment auth, backend data, chat, RSVP, notifications and sandbox payment.
- Configure approved Android identity and secure release signing.
- Add integration tests, physical-device compatibility, screen reader/text-scale and profiling evidence.

37. Recommendations

Priority	Horizon	Recommendation
Critical	Immediate	Isolate/remove demo OTP from production builds; integrate server verification.
Critical	Before production	Replace template application ID and debug release signing.
Critical	Before production	Integrate authenticated backend, authorization and persisted session handling.
High	Immediate	Fix Events scaled-text overflow and /event-waitlist Material hierarchy.
High	Immediate	Resolve secondary contrast and semantic button color mapping.
High	Automation	Remove obsolete four-tab/locked-Events tests; repair onboarding locators.
High	Automation	Add integration_test journeys and coverage thresholds.
High	Accessibility	Run 200% scaling plus TalkBack/NVDA/VoiceOver audits.
High	Performance	Profile representative Android hardware and optimize images/binary size.
Medium	Before production	Replace static event dates/fixtures with time-zone-aware service data.
Medium	Documentation	Publish API contracts, environment setup, test accounts and release runbook.
Low	Future	Install Windows desktop workload only if Windows becomes a supported target.

38. Final Conclusion

Amora demonstrates a substantial, visually cohesive Flutter frontend with good current-widget coverage and successful web/debug Android builds. The strongest areas are Discover interaction tests, Events asset/detail presentation, identity-focused Profile UI, FAQ email-only support and shared design primitives.

The assessment also establishes that this state is a prototype rather than a production-complete dating platform. Service-backed authentication, data, real-time chat, RSVP, notifications and payment are not integrated; the complete suite is red; release signing/identity is unsafe; and accessibility/performance/device evidence is incomplete.

Recommended next action

Treat the generated debug APK as an internal frontend-review artifact. Prioritize P1 fixes, restore a green suite, integrate a controlled backend test environment, then repeat device, accessibility, performance and release validation.

39. Appendices

The appendices provide the traceable records behind the assessment. The companion XLSX is the editable source for filtering and formula-backed summaries.

Appendix A — Complete Test Case Catalogue

Each catalogue record contains the complete required field set. Multiple automated assertions may map to a shared confirmed defect when they have one root cause.

Control	Scenario / objective / setup	Execution	Expected / actual / trace
Test Case ID: AUT-001 Module: Filters Status: Pass Priority: Medium Severity if failed: —	Test Scenario: compact layout keeps header and sticky actions readable Test Objective: Verify the automated contract: compact layout keeps header and sticky actions readable. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/advanced_filters_screen_test.dart. 2. Execute the testWidgets case named 'compact layout keeps header and sticky actions readable'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-002 Module: Filters Status: Pass Priority: Medium Severity if failed: —	Test Scenario: filter search reveals and highlights matching section Test Objective: Verify the automated contract: filter search reveals and highlights matching section. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/advanced_filters_screen_test.dart. 2. Execute the testWidgets case named 'filter search reveals and highlights matching section'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-003 Module: Filters Status: Pass Priority: Medium Severity if failed: —	Test Scenario: expand, reset, and apply retain the existing callbacks Test Objective: Verify the automated contract: expand, reset, and apply retain the existing callbacks. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/advanced_filters_screen_test.dart. 2. Execute the testWidgets case named 'expand, reset, and apply retain the existing callbacks'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-004 Module: Filters Status: Pass Priority: Medium Severity if failed: —	Test Scenario: desktop layout remains centered and overflow-free Test Objective: Verify the automated contract: desktop layout remains centered and overflow-free. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/advanced_filters_screen_test.dart. 2. Execute the testWidgets case named 'desktop layout remains centered and overflow-free'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-005 Module: Authentication Status: Pass Priority: High Severity if failed: —	Test Scenario: all auth screens render without overflow at 320px Test Objective: Verify the automated contract: all auth screens render without overflow at 320px. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/auth_experience_test.dart. 2. Execute the testWidgets case named 'all auth screens render without overflow at 320px'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-001; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-006 Module: Authentication Status: Pass Priority: High Severity if failed: —	Test Scenario: auth shell stays centered and constrained on desktop Test Objective: Verify the automated contract: auth shell stays centered and constrained on desktop. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/auth_experience_test.dart. 2. Execute the testWidgets case named 'auth shell stays centered and constrained on desktop'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-001; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-007 Module: Authentication Status: Pass Priority: High Severity if failed: —	Test Scenario: phone flow transitions to one responsive OTP state Test Objective: Verify the automated contract: phone flow transitions to one responsive OTP state. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/auth_experience_test.dart. 2. Execute the testWidgets case named 'phone flow transitions to one responsive OTP state'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-001; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-008 Module: Authentication Status: Pass Priority: High Severity if failed: —	Test Scenario: responsive OTP supports four digits, paste, and backspace Test Objective: Verify the automated contract: responsive OTP supports four digits, paste, and backspace. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/auth_experience_test.dart. 2. Execute the testWidgets case named 'responsive OTP supports four digits, paste, and backspace'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-001; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-009 Module: Authentication Status: Pass Priority: High Severity if failed: —	Test Scenario: six OTP cells stay contained at intermediate widths Test Objective: Verify the automated contract: six OTP cells stay contained at intermediate widths. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/auth_experience_test.dart. 2. Execute the testWidgets case named 'six OTP cells stay contained at intermediate widths'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-001; EV-TEST-001 Remarks: Executed in the complete Flutter test run.

AMORA • QA TESTING REPORT			RELEASE DECISION: NOT READY
Control	Scenario / objective / setup	Execution	Expected / actual / trace
Test Case ID: AUT-010 Module: Authentication Status: Pass Priority: High Severity if failed: —	Test Scenario: focused auth fields remain overflow-free with keyboard inset Test Objective: Verify the automated contract: focused auth fields remain overflow-free with keyboard inset. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/auth_experience_test.dart. 2. Execute the testWidgets case named 'focused auth fields remain overflow-free with keyboard inset'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-001; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-011 Module: Design System Status: Pass Priority: Medium Severity if failed: —	Test Scenario: approved AMORA_AI 2027 brand colors remain exact Test Objective: Verify the automated contract: approved AMORA_AI 2027 brand colors remain exact. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/brand_theme_test.dart. 2. Execute the test case named 'approved AMORA_AI 2027 brand colors remain exact'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-012 Module: Design System Status: Pass Priority: Medium Severity if failed: —	Test Scenario: Material states use the semantic brand hierarchy Test Objective: Verify the automated contract: Material states use the semantic brand hierarchy. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/brand_theme_test.dart. 2. Execute the test case named 'Material states use the semantic brand hierarchy'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-013 Module: Design System Status: Fail Priority: Medium Severity if failed: P3	Test Scenario: secondary action, badges, and compact navigation stay on-brand Test Objective: Verify the automated contract: secondary action, badges, and compact navigation stay on-brand. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/brand_theme_test.dart. 2. Execute the testWidgets case named 'secondary action, badges, and compact navigation stay on-brand'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: The tested FilledButton resolved to #3D0B3F instead of the expected secondary #EC5FA8. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-TEST-001 Remarks: Mapped to BUG-UI-002.
Test Case ID: AUT-014 Module: Design System Status: Fail Priority: Medium Severity if failed: P2	Test Scenario: core text combinations meet WCAG AA contrast Test Objective: Verify the automated contract: core text combinations meet WCAG AA contrast. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/brand_theme_test.dart. 2. Execute the test case named 'core text combinations meet WCAG AA contrast'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: AppColors.onSecondary on AppColors.secondary measured 3.10;1; the automated threshold was >4.5;1. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-TEST-001 Remarks: Mapped to BUG-UI-001.
Test Case ID: AUT-015 Module: Design System Status: Pass Priority: Medium Severity if failed: —	Test Scenario: feature code contains no raw Flutter color literals Test Objective: Verify the automated contract: feature code contains no raw Flutter color literals. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/brand_theme_test.dart. 2. Execute the test case named 'feature code contains no raw Flutter color literals'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-016 Module: Chats Status: Pass Priority: High Severity if failed: —	Test Scenario: chat preserves accessible icon targets at 320px Test Objective: Verify the automated contract: chat preserves accessible icon targets at 320px. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/chat_icon_layout_test.dart. 2. Execute the testWidgets case named 'chat preserves accessible icon targets at 320px'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-017 Module: Chats Status: Pass Priority: High Severity if failed: —	Test Scenario: chat detail remains overflow-free at 375px Test Objective: Verify the automated contract: chat detail remains overflow-free at 375px. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/chat_icon_layout_test.dart. 2. Execute the testWidgets case named 'chat detail remains overflow-free at 375px'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-018 Module: Chats Status: Pass Priority: High Severity if failed: —	Test Scenario: renders a compact real-data inbox at 320px Test Objective: Verify the automated contract: renders a compact real-data inbox at 320px. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/chat_list_screen_test.dart. 2. Execute the testWidgets case named 'renders a compact real-data inbox at 320px'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-019 Module: Chats Status: Pass Priority: High Severity if failed: —	Test Scenario: searches existing names and message content and clears Test Objective: Verify the automated contract: searches existing names and message content and clears. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/chat_list_screen_test.dart. 2. Execute the testWidgets case named 'searches existing names and message content and clears'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-TEST-001 Remarks: Executed in the complete Flutter test run.

AMORA • QA TESTING REPORT			RELEASE DECISION: NOT READY
Control	Scenario / objective / setup	Execution	Expected / actual / trace
Test Case ID: AUT-020 Module: Chats Status: Pass Priority: High Severity if failed: —	Test Scenario: unread filter uses existing unread counts Test Objective: Verify the automated contract: unread filter uses existing unread counts. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/chat_list_screen_test.dart. 2. Execute the testWidgets case named 'unread filter uses existing unread counts'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-021 Module: Chats Status: Pass Priority: High Severity if failed: —	Test Scenario: conversation tap preserves the existing chat-detail route Test Objective: Verify the automated contract: conversation tap preserves the existing chat-detail route. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/chat_list_screen_test.dart. 2. Execute the testWidgets case named 'conversation tap preserves the existing chat-detail route'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-022 Module: Chats Status: Pass Priority: High Severity if failed: —	Test Scenario: compose and long press expose supported conversation actions Test Objective: Verify the automated contract: compose and long press expose supported conversation actions. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/chat_list_screen_test.dart. 2. Execute the testWidgets case named 'compose and long press expose supported conversation actions'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-006; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-023 Module: Chats Status: Pass Priority: High Severity if failed: —	Test Scenario: desktop inbox remains centred and constrained Test Objective: Verify the automated contract: desktop inbox remains centred and constrained. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/chat_list_screen_test.dart. 2. Execute the testWidgets case named 'desktop inbox remains centred and constrained'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-024 Module: Chats Status: Pass Priority: High Severity if failed: —	Test Scenario: chat exposes only text messaging controls and sends text Test Objective: Verify the automated contract: chat exposes only text messaging controls and sends text. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/chat_text_only_test.dart. 2. Execute the testWidgets case named 'chat exposes only text messaging controls and sends text'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-025 Module: Design System Status: Pass Priority: Medium Severity if failed: —	Test Scenario: semantic colors map directly into the Material 3 color scheme Test Objective: Verify the automated contract: semantic colors map directly into the Material 3 color scheme. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/design_system_test.dart. 2. Execute the test case named 'semantic colors map directly into the Material 3 color scheme'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-026 Module: Design System Status: Pass Priority: Medium Severity if failed: —	Test Scenario: shared controls preserve accessible touch targets Test Objective: Verify the automated contract: shared controls preserve accessible touch targets. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/design_system_test.dart. 2. Execute the testWidgets case named 'shared controls preserve accessible touch targets'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-027 Module: Discover Status: Pass Priority: High Severity if failed: —	Test Scenario: pass advances and rewind restores profile and image index Test Objective: Verify the automated contract: pass advances and rewind restores profile and image index. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/discover_action_controller_test.dart. 2. Execute the test case named 'pass advances and rewind restores profile and image index'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-028 Module: Discover Status: Pass Priority: High Severity if failed: —	Test Scenario: like records local state and exposes deterministic mutual match Test Objective: Verify the automated contract: like records local state and exposes deterministic mutual match. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/discover_action_controller_test.dart. 2. Execute the test case named 'like records local state and exposes deterministic mutual match'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.

AMORA • QA TESTING REPORT		RELEASE DECISION: NOT READY	
Control	Scenario / objective / setup	Execution	Expected / actual / trace
Test Case ID: AUT-029 Module: Discover Status: Pass Priority: High Severity if failed: —	Test Scenario: super like advances and rapid repeated actions are guarded Test Objective: Verify the automated contract: super like advances and rapid repeated actions are guarded. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/discover_action_controller_test.dart. 2. Execute the test case named 'super like advances and rapid repeated actions are guarded'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-030 Module: Discover Status: Pass Priority: High Severity if failed: —	Test Scenario: boost requests a preview without changing the deck Test Objective: Verify the automated contract: boost requests a preview without changing the deck. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/discover_action_controller_test.dart. 2. Execute the test case named 'boost requests a preview without changing the deck'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-031 Module: Discover Status: Pass Priority: High Severity if failed: —	Test Scenario: deck exposes a polished empty state condition Test Objective: Verify the automated contract: deck exposes a polished empty state condition. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/discover_action_controller_test.dart. 2. Execute the test case named 'deck exposes a polished empty state condition'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-032 Module: Discover Status: Pass Priority: High Severity if failed: —	Test Scenario: photo cleaning preserves order, removes blanks and duplicates Test Objective: Verify the automated contract: photo cleaning preserves order, removes blanks and duplicates. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/discover_screen_test.dart. 2. Execute the test case named 'photo cleaning preserves order, removes blanks and duplicates'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-033 Module: Discover Status: Pass Priority: High Severity if failed: —	Test Scenario: renders the premium single-card hierarchy at 320px Test Objective: Verify the automated contract: renders the premium single-card hierarchy at 320px. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/discover_screen_test.dart. 2. Execute the testWidgets case named 'renders the premium single-card hierarchy at 320px'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-034 Module: Discover Status: Pass Priority: High Severity if failed: —	Test Scenario: centres and constrains the portrait experience on desktop Test Objective: Verify the automated contract: centres and constrains the portrait experience on desktop. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/discover_screen_test.dart. 2. Execute the testWidgets case named 'centres and constrains the portrait experience on desktop'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-035 Module: Discover Status: Pass Priority: High Severity if failed: —	Test Scenario: bottom navigation has exactly five tabs and no Home Test Objective: Verify the automated contract: bottom navigation has exactly five tabs and no Home. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/discover_screen_test.dart. 2. Execute the testWidgets case named 'bottom navigation has exactly five tabs and no Home'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-036 Module: Discover Status: Pass Priority: High Severity if failed: —	Test Scenario: search and notification controls are absent from Discover Test Objective: Verify the automated contract: search and notification controls are absent from Discover. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/discover_screen_test.dart. 2. Execute the testWidgets case named 'search and notification controls are absent from Discover'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-037 Module: Discover Status: Pass Priority: High Severity if failed: —	Test Scenario: filter rail is horizontal and selection filters local data Test Objective: Verify the automated contract: filter rail is horizontal and selection filters local data. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/discover_screen_test.dart. 2. Execute the testWidgets case named 'filter rail is horizontal and selection filters local data'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-038 Module: Discover Status: Pass Priority: High Severity if failed: —	Test Scenario: visible Filters control opens the existing route Test Objective: Verify the automated contract: visible Filters control opens the existing route. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/discover_screen_test.dart. 2. Execute the testWidgets case named 'visible Filters control opens the existing route'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.

AMORA • QA TESTING REPORT		RELEASE DECISION: NOT READY	
Control	Scenario / objective / setup	Execution	Expected / actual / trace
Test Case ID: AUT-039 Module: Discover Status: Pass Priority: High Severity if failed: —	Test Scenario: Profile notification control opens the existing route Test Objective: Verify the automated contract: Profile notification control opens the existing route. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/discover_screen_test.dart. 2. Execute the testWidgets case named 'Profile notification control opens the existing route'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-040 Module: Discover Status: Pass Priority: High Severity if failed: —	Test Scenario: card opens profile detail with a named Hero route Test Objective: Verify the automated contract: card opens profile detail with a named Hero route. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/discover_screen_test.dart. 2. Execute the testWidgets case named 'card opens profile detail with a named Hero route'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-041 Module: Discover Status: Pass Priority: High Severity if failed: —	Test Scenario: gallery uses unique photos, tap zones, and progress segments Test Objective: Verify the automated contract: gallery uses unique photos, tap zones, and progress segments. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/discover_screen_test.dart. 2. Execute the testWidgets case named 'gallery uses unique photos, tap zones, and progress segments'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-042 Module: Discover Status: Pass Priority: High Severity if failed: —	Test Scenario: vertical and vertical-dominant drags never move or dismiss Test Objective: Verify the automated contract: vertical and vertical-dominant drags never move or dismiss. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/discover_screen_test.dart. 2. Execute the testWidgets case named 'vertical and vertical-dominant drags never move or dismiss'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-043 Module: Discover Status: Pass Priority: High Severity if failed: —	Test Scenario: horizontal-dominant diagonal drag remains X-only Test Objective: Verify the automated contract: horizontal-dominant diagonal drag remains X-only. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/discover_screen_test.dart. 2. Execute the testWidgets case named 'horizontal-dominant diagonal drag remains X-only'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-044 Module: Discover Status: Pass Priority: High Severity if failed: —	Test Scenario: small drags spring back and left swipes advance once Test Objective: Verify the automated contract: small drags spring back and left swipes advance once. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/discover_screen_test.dart. 2. Execute the testWidgets case named 'small drags spring back and left swipes advance once'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-045 Module: Discover Status: Pass Priority: High Severity if failed: —	Test Scenario: fast short horizontal flings dismiss in either direction Test Objective: Verify the automated contract: fast short horizontal flings dismiss in either direction. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/discover_screen_test.dart. 2. Execute the testWidgets case named 'fast short horizontal flings dismiss in either direction'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-046 Module: Discover Status: Pass Priority: High Severity if failed: —	Test Scenario: slow right drag and Pass button use the existing actions Test Objective: Verify the automated contract: slow right drag and Pass button use the existing actions. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/discover_screen_test.dart. 2. Execute the testWidgets case named 'slow right drag and Pass button use the existing actions'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-047 Module: Discover Status: Pass Priority: High Severity if failed: —	Test Scenario: floating Like and Undo actions reuse the swipe sequence Test Objective: Verify the automated contract: floating Like and Undo actions reuse the swipe sequence. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/discover_screen_test.dart. 2. Execute the testWidgets case named 'floating Like and Undo actions reuse the swipe sequence'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-048 Module: Discover Status: Pass Priority: High Severity if failed: —	Test Scenario: Super Like sends directly without opening a route Test Objective: Verify the automated contract: Super Like sends directly without opening a route. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/discover_screen_test.dart. 2. Execute the testWidgets case named 'Super Like sends directly without opening a route'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.

AMORA • QA TESTING REPORT			RELEASE DECISION: NOT READY
Control	Scenario / objective / setup	Execution	Expected / actual / trace
Test Case ID: AUT-049 Module: Discover Status: Pass Priority: High Severity if failed: —	Test Scenario: filtered profiles reach and restart the end state safely Test Objective: Verify the automated contract: filtered profiles reach and restart the end state safely. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/discover_screen_test.dart. 2. Execute the testWidgets case named 'filtered profiles reach and restart the end state safely'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-050 Module: Events Status: Pass Priority: High Severity if failed: —	Test Scenario: all local event assets load and core events map uniquely Test Objective: Verify the automated contract: all local event assets load and core events map uniquely. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/events_experience_test.dart. 2. Execute the testWidgets case named 'all local event assets load and core events map uniquely'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-003; EV-UI-007; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-051 Module: Events Status: Pass Priority: High Severity if failed: —	Test Scenario: events render directly without a membership purchase gate Test Objective: Verify the automated contract: events render directly without a membership purchase gate. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/events_experience_test.dart. 2. Execute the testWidgets case named 'events render directly without a membership purchase gate'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-003; EV-UI-007; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-052 Module: Events Status: Pass Priority: High Severity if failed: —	Test Scenario: member feed renders discovery and supported RSVP states Test Objective: Verify the automated contract: member feed renders discovery and supported RSVP states. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/events_experience_test.dart. 2. Execute the testWidgets case named 'member feed renders discovery and supported RSVP states'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-053 Module: Events Status: Pass Priority: High Severity if failed: —	Test Scenario: category selection updates with animated selected state Test Objective: Verify the automated contract: category selection updates with animated selected state. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/events_experience_test.dart. 2. Execute the testWidgets case named 'category selection updates with animated selected state'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-003; EV-UI-007; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-054 Module: Events Status: Pass Priority: High Severity if failed: —	Test Scenario: event detail opens directly without membership access UI Test Objective: Verify the automated contract: event detail opens directly without membership access UI. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/events_experience_test.dart. 2. Execute the testWidgets case named 'event detail opens directly without membership access UI'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-004; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-055 Module: Events Status: Pass Priority: High Severity if failed: —	Test Scenario: event detail transitions from skeleton to immersive sections Test Objective: Verify the automated contract: event detail transitions from skeleton to immersive sections. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/events_experience_test.dart. 2. Execute the testWidgets case named 'event detail transitions from skeleton to immersive sections'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-004; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-056 Module: Events Status: Pass Priority: High Severity if failed: —	Test Scenario: member feed uses a two-column grid on desktop Test Objective: Verify the automated contract: member feed uses a two-column grid on desktop. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/events_experience_test.dart. 2. Execute the testWidgets case named 'member feed uses a two-column grid on desktop'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-003; EV-UI-007; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-057 Module: Events Status: Pass Priority: High Severity if failed: —	Test Scenario: event detail is responsive and has no bottom navigation Test Objective: Verify the automated contract: event detail is responsive and has no bottom navigation. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/events_experience_test.dart. 2. Execute the testWidgets case named 'event detail is responsive and has no bottom navigation'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-004; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-058 Module: Events Status: Pass Priority: High Severity if failed: —	Test Scenario: main navigation opens Events directly with one bottom bar Test Objective: Verify the automated contract: main navigation opens Events directly with one bottom bar. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/events_experience_test.dart. 2. Execute the testWidgets case named 'main navigation opens Events directly with one bottom bar'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-003; EV-UI-007; EV-TEST-001 Remarks: Executed in the complete Flutter test run.

AMORA • QA TESTING REPORT		RELEASE DECISION: NOT READY	
Control	Scenario / objective / setup	Execution	Expected / actual / trace
Test Case ID: AUT-059 Module: FAQ & Support Status: Pass Priority: Medium Severity if failed: —	Test Scenario: FAQ support exposes email as the only direct support method Test Objective: Verify the automated contract: FAQ support exposes email as the only direct support method. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/faq_support_screen_test.dart. 2. Execute the testWidgets case named 'FAQ support exposes email as the only direct support method'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-006; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-060 Module: FAQ & Support Status: Pass Priority: Medium Severity if failed: —	Test Scenario: FAQ search matches question, answer, and category text Test Objective: Verify the automated contract: FAQ search matches question, answer, and category text. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/faq_support_screen_test.dart. 2. Execute the testWidgets case named 'FAQ search matches question, answer, and category text'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-006; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-061 Module: FAQ & Support Status: Pass Priority: Medium Severity if failed: —	Test Scenario: FAQ accordion expands accessibly without overflow Test Objective: Verify the automated contract: FAQ accordion expands accessibly without overflow. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/faq_support_screen_test.dart. 2. Execute the testWidgets case named 'FAQ accordion expands accessibly without overflow'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-006; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-062 Module: FAQ & Support Status: Pass Priority: Medium Severity if failed: —	Test Scenario: FAQ support remains responsive on desktop Test Objective: Verify the automated contract: FAQ support remains responsive on desktop. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/faq_support_screen_test.dart. 2. Execute the testWidgets case named 'FAQ support remains responsive on desktop'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-006; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-063 Module: Discover Status: Fail Priority: High Severity if failed: P3	Test Scenario: primary navigation exposes exactly the four approved destinations Test Objective: Verify the automated contract: primary navigation exposes exactly the four approved destinations. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/four_tab_discover_test.dart. 2. Execute the test case named 'primary navigation exposes exactly the four approved destinations'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: The legacy four-tab/old Discover widget contract no longer matches the current five-tab canonical Discover implementation; newer Discover tests pass against the current UI. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Mapped to BUG-TST-001.
Test Case ID: AUT-064 Module: Discover Status: Fail Priority: High Severity if failed: P3	Test Scenario: IndexedStack preserves the active Discover profile Test Objective: Verify the automated contract: IndexedStack preserves the active Discover profile. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/four_tab_discover_test.dart. 2. Execute the testWidgets case named 'IndexedStack preserves the active Discover profile'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: The legacy four-tab/old Discover widget contract no longer matches the current five-tab canonical Discover implementation; newer Discover tests pass against the current UI. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Mapped to BUG-TST-001.
Test Case ID: AUT-065 Module: Discover Status: Fail Priority: High Severity if failed: P3	Test Scenario: Discover is single-card, single-image, and search-free Test Objective: Verify the automated contract: Discover is single-card, single-image, and search-free. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/four_tab_discover_test.dart. 2. Execute the testWidgets case named 'Discover is single-card, single-image, and search-free'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: The legacy four-tab/old Discover widget contract no longer matches the current five-tab canonical Discover implementation; newer Discover tests pass against the current UI. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Mapped to BUG-TST-001.
Test Case ID: AUT-066 Module: Discover Status: Fail Priority: High Severity if failed: P3	Test Scenario: Discover photo tap zones change only the visible photo Test Objective: Verify the automated contract: Discover photo tap zones change only the visible photo. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/four_tab_discover_test.dart. 2. Execute the testWidgets case named 'Discover photo tap zones change only the visible photo'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: The legacy four-tab/old Discover widget contract no longer matches the current five-tab canonical Discover implementation; newer Discover tests pass against the current UI. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Mapped to BUG-TST-001.

AMORA • QA TESTING REPORT			RELEASE DECISION: NOT READY
Control	Scenario / objective / setup	Execution	Expected / actual / trace
Test Case ID: AUT-067 Module: Discover Status: Fail Priority: High Severity if failed: P3	Test Scenario: Discover shows a live compact completion line below 100% Test Objective: Verify the automated contract: Discover shows a live compact completion line below 100%. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/four_tab_discover_test.dart. 2. Execute the testWidgets case named 'Discover shows a live compact completion line below 100%'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: The legacy four-tab/old Discover widget contract no longer matches the current five-tab canonical Discover implementation; newer Discover tests pass against the current UI. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Mapped to BUG-TST-001.
Test Case ID: AUT-068 Module: Discover Status: Fail Priority: High Severity if failed: P3	Test Scenario: completion line updates and hides when profile reaches 100% Test Objective: Verify the automated contract: completion line updates and hides when profile reaches 100%. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/four_tab_discover_test.dart. 2. Execute the testWidgets case named 'completion line updates and hides when profile reaches 100%'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: The legacy four-tab/old Discover widget contract no longer matches the current five-tab canonical Discover implementation; newer Discover tests pass against the current UI. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Mapped to BUG-TST-001.
Test Case ID: AUT-069 Module: Discover Status: Fail Priority: High Severity if failed: P3	Test Scenario: right and left gestures use Like and Reject controller actions Test Objective: Verify the automated contract: right and left gestures use Like and Reject controller actions. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/four_tab_discover_test.dart. 2. Execute the testWidgets case named 'right and left gestures use Like and Reject controller actions'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: The legacy four-tab/old Discover widget contract no longer matches the current five-tab canonical Discover implementation; newer Discover tests pass against the current UI. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Mapped to BUG-TST-001.
Test Case ID: AUT-070 Module: Discover Status: Fail Priority: High Severity if failed: P3	Test Scenario: vertical and short horizontal drags do not advance the profile Test Objective: Verify the automated contract: vertical and short horizontal drags do not advance the profile. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/four_tab_discover_test.dart. 2. Execute the testWidgets case named 'vertical and short horizontal drags do not advance the profile'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: The legacy four-tab/old Discover widget contract no longer matches the current five-tab canonical Discover implementation; newer Discover tests pass against the current UI. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Mapped to BUG-TST-001.
Test Case ID: AUT-071 Module: Discover Status: Fail Priority: High Severity if failed: P3	Test Scenario: buttons and Chrome keyboard shortcuts use the same actions Test Objective: Verify the automated contract: buttons and Chrome keyboard shortcuts use the same actions. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/four_tab_discover_test.dart. 2. Execute the testWidgets case named 'buttons and Chrome keyboard shortcuts use the same actions'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: The legacy four-tab/old Discover widget contract no longer matches the current five-tab canonical Discover implementation; newer Discover tests pass against the current UI. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Mapped to BUG-TST-001.
Test Case ID: AUT-072 Module: Discover Status: Fail Priority: High Severity if failed: P3	Test Scenario: empty state appears and can explicitly refresh the local deck Test Objective: Verify the automated contract: empty state appears and can explicitly refresh the local deck. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/four_tab_discover_test.dart. 2. Execute the testWidgets case named 'empty state appears and can explicitly refresh the local deck'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: The legacy four-tab/old Discover widget contract no longer matches the current five-tab canonical Discover implementation; newer Discover tests pass against the current UI. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Mapped to BUG-TST-001.
Test Case ID: AUT-073 Module: Discover Status: Fail Priority: High Severity if failed: P3	Test Scenario: actions stay guarded while the exit animation is running Test Objective: Verify the automated contract: actions stay guarded while the exit animation is running. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/four_tab_discover_test.dart. 2. Execute the testWidgets case named 'actions stay guarded while the exit animation is running'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: The legacy four-tab/old Discover widget contract no longer matches the current five-tab canonical Discover implementation; newer Discover tests pass against the current UI. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Mapped to BUG-TST-001.

AMORA • QA TESTING REPORT			RELEASE DECISION: NOT READY
Control	Scenario / objective / setup	Execution	Expected / actual / trace
Test Case ID: AUT-074 Module: Discover Status: Fail Priority: High Severity if failed: P3	Test Scenario: applying a non-default filter shows the active indicator Test Objective: Verify the automated contract: applying a non-default filter shows the active indicator. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/four_tab_discover_test.dart. 2. Execute the testWidgets case named 'applying a non-default filter shows the active indicator'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: The legacy four-tab/old Discover widget contract no longer matches the current five-tab canonical Discover implementation; newer Discover tests pass against the current UI. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Mapped to BUG-TST-001.
Test Case ID: AUT-075 Module: Discover Status: Fail Priority: High Severity if failed: P3	Test Scenario: image tap opens the existing scrollable profile details route Test Objective: Verify the automated contract: image tap opens the existing scrollable profile details route. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/four_tab_discover_test.dart. 2. Execute the testWidgets case named 'image tap opens the existing scrollable profile details route'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: The legacy four-tab/old Discover widget contract no longer matches the current five-tab canonical Discover implementation; newer Discover tests pass against the current UI. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Mapped to BUG-TST-001.
Test Case ID: AUT-076 Module: Discover Status: Fail Priority: High Severity if failed: P3	Test Scenario: sticky detail actions return through the Discover controller Test Objective: Verify the automated contract: sticky detail actions return through the Discover controller. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/four_tab_discover_test.dart. 2. Execute the testWidgets case named 'sticky detail actions return through the Discover controller'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: The legacy four-tab/old Discover widget contract no longer matches the current five-tab canonical Discover implementation; newer Discover tests pass against the current UI. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Mapped to BUG-TST-001.
Test Case ID: AUT-077 Module: Discover Status: Fail Priority: High Severity if failed: P3	Test Scenario: profile details expose the complete editorial image sequence Test Objective: Verify the automated contract: profile details expose the complete editorial image sequence. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/four_tab_discover_test.dart. 2. Execute the testWidgets case named 'profile details expose the complete editorial image sequence'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: The legacy four-tab/old Discover widget contract no longer matches the current five-tab canonical Discover implementation; newer Discover tests pass against the current UI. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Mapped to BUG-TST-001.
Test Case ID: AUT-078 Module: Discover Status: Pass Priority: High Severity if failed: —	Test Scenario: Discover and details remain overflow-free across key sizes Test Objective: Verify the automated contract: Discover and details remain overflow-free across key sizes. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/four_tab_discover_test.dart. 2. Execute the testWidgets case named 'Discover and details remain overflow-free across key sizes'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-079 Module: Design System Status: Pass Priority: Medium Severity if failed: —	Test Scenario: Material icon assets are enabled Test Objective: Verify the automated contract: Material icon assets are enabled. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/icon_system_test.dart. 2. Execute the test case named 'Material icon assets are enabled'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-080 Module: Design System Status: Pass Priority: Medium Severity if failed: —	Test Scenario: source does not depend on undeclared or raw icon fonts Test Objective: Verify the automated contract: source does not depend on undeclared or raw icon fonts. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/icon_system_test.dart. 2. Execute the test case named 'source does not depend on undeclared or raw icon fonts'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-081 Module: Design System Status: Pass Priority: Medium Severity if failed: —	Test Scenario: Amora semantic icons use the bundled Material icon font Test Objective: Verify the automated contract: Amora semantic icons use the bundled Material icon font. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/icon_system_test.dart. 2. Execute the test case named 'Amora semantic icons use the bundled Material icon font'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-TEST-001 Remarks: Executed in the complete Flutter test run.

AMORA • QA TESTING REPORT			RELEASE DECISION: NOT READY
Control	Scenario / objective / setup	Execution	Expected / actual / trace
Test Case ID: AUT-082 Module: AI Matches Status: Pass Priority: Medium Severity if failed: —	Test Scenario: renders the premium AI hierarchy without overflow at 320px Test Objective: Verify the automated contract: renders the premium AI hierarchy without overflow at 320px. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/matches_screen_test.dart. 2. Execute the testWidgets case named 'renders the premium AI hierarchy without overflow at 320px'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-083 Module: AI Matches Status: Pass Priority: Medium Severity if failed: —	Test Scenario: featured profile is the highest supplied score and not repeated Test Objective: Verify the automated contract: featured profile is the highest supplied score and not repeated. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/matches_screen_test.dart. 2. Execute the testWidgets case named 'featured profile is the highest supplied score and not repeated'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-005; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-084 Module: AI Matches Status: Pass Priority: Medium Severity if failed: —	Test Scenario: supported filters use existing profile fields Test Objective: Verify the automated contract: supported filters use existing profile fields. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/matches_screen_test.dart. 2. Execute the testWidgets case named 'supported filters use existing profile fields'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-085 Module: AI Matches Status: Pass Priority: Medium Severity if failed: —	Test Scenario: profile and message actions preserve existing routes Test Objective: Verify the automated contract: profile and message actions preserve existing routes. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/matches_screen_test.dart. 2. Execute the testWidgets case named 'profile and message actions preserve existing routes'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-005; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-086 Module: AI Matches Status: Pass Priority: Medium Severity if failed: —	Test Scenario: why recommendation sheet shows only available factors Test Objective: Verify the automated contract: why recommendation sheet shows only available factors. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/matches_screen_test.dart. 2. Execute the testWidgets case named 'why recommendation sheet shows only available factors'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-087 Module: AI Matches Status: Pass Priority: Medium Severity if failed: —	Test Scenario: desktop uses a centred featured card and two-column feed Test Objective: Verify the automated contract: desktop uses a centred featured card and two-column feed. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/matches_screen_test.dart. 2. Execute the testWidgets case named 'desktop uses a centred featured card and two-column feed'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-088 Module: Subscription & Payment Status: Not Run Priority: Medium Severity if failed: —	Test Scenario: monthly and annual test plans update the selected CTA Test Objective: Verify the automated contract: monthly and annual test plans update the selected CTA. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/membership_test_flow_test.dart. 2. Execute the testWidgets case named 'monthly and annual test plans update the selected CTA'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Skipped because AMORA_MEMBERSHIP_TEST was not enabled for the production-mode QA run. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-TEST-001 Remarks: Test-only payment journey remains isolated by design.
Test Case ID: AUT-089 Module: Subscription & Payment Status: Not Run Priority: Medium Severity if failed: —	Test Scenario: simulated success remains isolated and joined event appears in My Events Test Objective: Verify the automated contract: simulated success remains isolated and joined event appears in My Events. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/membership_test_flow_test.dart. 2. Execute the testWidgets case named 'simulated success remains isolated and joined event appears in My Events'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Skipped because AMORA_MEMBERSHIP_TEST was not enabled for the production-mode QA run. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-003; EV-UI-007; EV-TEST-001 Remarks: Test-only payment journey remains isolated by design.
Test Case ID: AUT-090 Module: Subscription & Payment Status: Not Run Priority: Medium Severity if failed: —	Test Scenario: failure preserves inactive membership state Test Objective: Verify the automated contract: failure preserves inactive membership state. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/membership_test_flow_test.dart. 2. Execute the testWidgets case named 'failure preserves inactive membership state'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Skipped because AMORA_MEMBERSHIP_TEST was not enabled for the production-mode QA run. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-TEST-001 Remarks: Test-only payment journey remains isolated by design.

AMORA • QA TESTING REPORT		RELEASE DECISION: NOT READY	
Control	Scenario / objective / setup	Execution	Expected / actual / trace
Test Case ID: AUT-091 Module: Subscription & Payment Status: Not Run Priority: Medium Severity if failed: —	Test Scenario: cancelled preserves inactive membership state Test Objective: Verify the automated contract: cancelled preserves inactive membership state. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/membership_test_flow_test.dart. 2. Execute the testWidgets case named 'cancelled preserves inactive membership state'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Skipped because AMORA_MEMBERSHIP_TEST was not enabled for the production-mode QA run. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-TEST-001 Remarks: Test-only payment journey remains isolated by design.
Test Case ID: AUT-092 Module: Subscription & Payment Status: Not Run Priority: Medium Severity if failed: —	Test Scenario: pending preserves inactive membership state Test Objective: Verify the automated contract: pending preserves inactive membership state. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/membership_test_flow_test.dart. 2. Execute the testWidgets case named 'pending preserves inactive membership state'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Skipped because AMORA_MEMBERSHIP_TEST was not enabled for the production-mode QA run. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-TEST-001 Remarks: Test-only payment journey remains isolated by design.
Test Case ID: AUT-093 Module: Notifications Status: Pass Priority: Medium Severity if failed: —	Test Scenario: renders the premium notification timeline at 320px Test Objective: Verify the automated contract: renders the premium notification timeline at 320px. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/notifications_screen_test.dart. 2. Execute the testWidgets case named 'renders the premium notification timeline at 320px'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-094 Module: Notifications Status: Pass Priority: Medium Severity if failed: —	Test Scenario: settings opens existing notification preferences route Test Objective: Verify the automated contract: settings opens existing notification preferences route. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/notifications_screen_test.dart. 2. Execute the testWidgets case named 'settings opens existing notification preferences route'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-095 Module: Notifications Status: Pass Priority: Medium Severity if failed: —	Test Scenario: filters are horizontal and Unread updates the local feed Test Objective: Verify the automated contract: filters are horizontal and Unread updates the local feed. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/notifications_screen_test.dart. 2. Execute the testWidgets case named 'filters are horizontal and Unread updates the local feed'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-096 Module: Notifications Status: Pass Priority: Medium Severity if failed: —	Test Scenario: swipe right marks read and swipe left deletes Test Objective: Verify the automated contract: swipe right marks read and swipe left deletes. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/notifications_screen_test.dart. 2. Execute the testWidgets case named 'swipe right marks read and swipe left deletes'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-097 Module: Notifications Status: Pass Priority: Medium Severity if failed: —	Test Scenario: long press enters multi-select mode Test Objective: Verify the automated contract: long press enters multi-select mode. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/notifications_screen_test.dart. 2. Execute the testWidgets case named 'long press enters multi-select mode'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-098 Module: Notifications Status: Pass Priority: Medium Severity if failed: —	Test Scenario: notification tap opens its existing related route Test Objective: Verify the automated contract: notification tap opens its existing related route. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/notifications_screen_test.dart. 2. Execute the testWidgets case named 'notification tap opens its existing related route'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-099 Module: Notifications Status: Pass Priority: Medium Severity if failed: —	Test Scenario: desktop notification center remains centred and constrained Test Objective: Verify the automated contract: desktop notification center remains centred and constrained. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/notifications_screen_test.dart. 2. Execute the testWidgets case named 'desktop notification center remains centred and constrained'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-100 Module: Onboarding Status: Pass Priority: High Severity if failed: —	Test Scenario: successful sign in resumes an incomplete saved question Test Objective: Verify the automated contract: successful sign in resumes an incomplete saved question. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/onboarding_profile_flow_test.dart. 2. Execute the testWidgets case named 'successful sign in resumes an incomplete saved question'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-TEST-001 Remarks: Executed in the complete Flutter test run.

AMORA • QA TESTING REPORT			RELEASE DECISION: NOT READY
Control	Scenario / objective / setup	Execution	Expected / actual / trace
Test Case ID: AUT-101 Module: Onboarding Status: Pass Priority: High Severity if failed: —	Test Scenario: completed onboarding routes returning users to Discover Test Objective: Verify the automated contract: completed onboarding routes returning users to Discover. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/onboarding_profile_flow_test.dart. 2. Execute the testWidgets case named 'completed onboarding routes returning users to Discover'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-102 Module: Onboarding Status: Pass Priority: High Severity if failed: —	Test Scenario: authentication entry exposes Sign In and Create Account Test Objective: Verify the automated contract: authentication entry exposes Sign In and Create Account. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/onboarding_profile_flow_test.dart. 2. Execute the testWidgets case named 'authentication entry exposes Sign In and Create Account'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-001; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-103 Module: Onboarding Status: Pass Priority: High Severity if failed: —	Test Scenario: quick onboarding includes birth date and opens Discover Test Objective: Verify the automated contract: quick onboarding includes birth date and opens Discover. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/onboarding_profile_flow_test.dart. 2. Execute the testWidgets case named 'quick onboarding includes birth date and opens Discover'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-104 Module: Onboarding Status: Pass Priority: High Severity if failed: —	Test Scenario: birth date question shows inline minimum-age validation Test Objective: Verify the automated contract: birth date question shows inline minimum-age validation. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/onboarding_profile_flow_test.dart. 2. Execute the testWidgets case named 'birth date question shows inline minimum-age validation'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-105 Module: Onboarding Status: Pass Priority: High Severity if failed: —	Test Scenario: birth date wheels support keyboard selection Test Objective: Verify the automated contract: birth date wheels support keyboard selection. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/onboarding_profile_flow_test.dart. 2. Execute the testWidgets case named 'birth date wheels support keyboard selection'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-006; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-106 Module: Onboarding Status: Pass Priority: High Severity if failed: —	Test Scenario: saved onboarding step and answers resume Test Objective: Verify the automated contract: saved onboarding step and answers resume. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/onboarding_profile_flow_test.dart. 2. Execute the testWidgets case named 'saved onboarding step and answers resume'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-107 Module: Onboarding Status: Pass Priority: High Severity if failed: —	Test Scenario: completion percentage uses transparent weighted sections Test Objective: Verify the automated contract: completion percentage uses transparent weighted sections. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/onboarding_profile_flow_test.dart. 2. Execute the test case named 'completion percentage uses transparent weighted sections'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-108 Module: Onboarding Status: Pass Priority: High Severity if failed: —	Test Scenario: profile completion never blocks returning to Discover Test Objective: Verify the automated contract: profile completion never blocks returning to Discover. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/onboarding_profile_flow_test.dart. 2. Execute the testWidgets case named 'profile completion never blocks returning to Discover'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-109 Module: Onboarding Status: Pass Priority: High Severity if failed: —	Test Scenario: Gujarat city catalogue is unique and alphabetically sorted Test Objective: Verify the automated contract: Gujarat city catalogue is unique and alphabetically sorted. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/onboarding_profile_flow_test.dart. 2. Execute the test case named 'Gujarat city catalogue is unique and alphabetically sorted'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-110 Module: Profile Detail Status: Pass Priority: Medium Severity if failed: —	Test Scenario: renders immersive profile hierarchy at 320px Test Objective: Verify the automated contract: renders immersive profile hierarchy at 320px. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/profile_detail_screen_test.dart. 2. Execute the testWidgets case named 'renders immersive profile hierarchy at 320px'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.

AMORA • QA TESTING REPORT			RELEASE DECISION: NOT READY
Control	Scenario / objective / setup	Execution	Expected / actual / trace
Test Case ID: AUT-111 Module: Profile Detail Status: Pass Priority: Medium Severity if failed: —	Test Scenario: gallery de-duplicates photos and swipes horizontally Test Objective: Verify the automated contract: gallery de-duplicates photos and swipes horizontally. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/profile_detail_screen_test.dart. 2. Execute the testWidgets case named 'gallery de-duplicates photos and swipes horizontally'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-112 Module: Profile Detail Status: Pass Priority: Medium Severity if failed: —	Test Scenario: image tap opens zoomable full-screen gallery Test Objective: Verify the automated contract: image tap opens zoomable full-screen gallery. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/profile_detail_screen_test.dart. 2. Execute the testWidgets case named 'image tap opens zoomable full-screen gallery'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-113 Module: Profile Detail Status: Pass Priority: Medium Severity if failed: —	Test Scenario: double tap invokes the existing like action Test Objective: Verify the automated contract: double tap invokes the existing like action. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/profile_detail_screen_test.dart. 2. Execute the testWidgets case named 'double tap invokes the existing like action'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-114 Module: Profile Detail Status: Pass Priority: Medium Severity if failed: —	Test Scenario: message action preserves its existing route Test Objective: Verify the automated contract: message action preserves its existing route. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/profile_detail_screen_test.dart. 2. Execute the testWidgets case named 'message action preserves its existing route'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-115 Module: Profile Detail Status: Pass Priority: Medium Severity if failed: —	Test Scenario: Super Like sends through the supplied callback without routing Test Objective: Verify the automated contract: Super Like sends through the supplied callback without routing. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/profile_detail_screen_test.dart. 2. Execute the testWidgets case named 'Super Like sends through the supplied callback without routing'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-116 Module: Profile Detail Status: Pass Priority: Medium Severity if failed: —	Test Scenario: more control exposes existing report and block actions Test Objective: Verify the automated contract: more control exposes existing report and block actions. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/profile_detail_screen_test.dart. 2. Execute the testWidgets case named 'more control exposes existing report and block actions'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-117 Module: Profile Detail Status: Pass Priority: Medium Severity if failed: —	Test Scenario: desktop uses centred two-column presentation Test Objective: Verify the automated contract: desktop uses centred two-column presentation. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/profile_detail_screen_test.dart. 2. Execute the testWidgets case named 'desktop uses centred two-column presentation'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-118 Module: User Profile Status: Pass Priority: Medium Severity if failed: —	Test Scenario: profile is an identity-first story at compact phone width Test Objective: Verify the automated contract: profile is an identity-first story at compact phone width. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/profile_identity_screen_test.dart. 2. Execute the testWidgets case named 'profile is an identity-first story at compact phone width'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-005; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-119 Module: User Profile Status: Pass Priority: Medium Severity if failed: —	Test Scenario: profile uses a centred responsive identity canvas on desktop Test Objective: Verify the automated contract: profile uses a centred responsive identity canvas on desktop. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/profile_identity_screen_test.dart. 2. Execute the testWidgets case named 'profile uses a centred responsive identity canvas on desktop'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-005; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-120 Module: User Profile Status: Pass Priority: Medium Severity if failed: —	Test Scenario: edit profile saves through the existing local repository Test Objective: Verify the automated contract: edit profile saves through the existing local repository. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/profile_identity_screen_test.dart. 2. Execute the testWidgets case named 'edit profile saves through the existing local repository'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-005; EV-TEST-001 Remarks: Executed in the complete Flutter test run.

AMORA • QA TESTING REPORT		RELEASE DECISION: NOT READY	
Control	Scenario / objective / setup	Execution	Expected / actual / trace
Test Case ID: AUT-121 Module: Visual Evidence Status: Pass Priority: Medium Severity if failed: —	Test Scenario: capture authentication mobile evidence Test Objective: Verify the automated contract: capture authentication mobile evidence. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/qa_evidence_capture_test.dart. 2. Execute the testWidgets case named 'capture authentication mobile evidence'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-001; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-122 Module: Visual Evidence Status: Pass Priority: Medium Severity if failed: —	Test Scenario: capture discover mobile evidence Test Objective: Verify the automated contract: capture discover mobile evidence. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/qa_evidence_capture_test.dart. 2. Execute the testWidgets case named 'capture discover mobile evidence'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-123 Module: Visual Evidence Status: Pass Priority: Medium Severity if failed: —	Test Scenario: capture events mobile evidence Test Objective: Verify the automated contract: capture events mobile evidence. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/qa_evidence_capture_test.dart. 2. Execute the testWidgets case named 'capture events mobile evidence'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-003; EV-UI-007; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-124 Module: Visual Evidence Status: Pass Priority: Medium Severity if failed: —	Test Scenario: capture event detail mobile evidence Test Objective: Verify the automated contract: capture event detail mobile evidence. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/qa_evidence_capture_test.dart. 2. Execute the testWidgets case named 'capture event detail mobile evidence'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-004; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-125 Module: Visual Evidence Status: Pass Priority: Medium Severity if failed: —	Test Scenario: capture profile mobile evidence Test Objective: Verify the automated contract: capture profile mobile evidence. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/qa_evidence_capture_test.dart. 2. Execute the testWidgets case named 'capture profile mobile evidence'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-005; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-126 Module: Visual Evidence Status: Pass Priority: Medium Severity if failed: —	Test Scenario: capture FAQ support mobile evidence Test Objective: Verify the automated contract: capture FAQ support mobile evidence. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/qa_evidence_capture_test.dart. 2. Execute the testWidgets case named 'capture FAQ support mobile evidence'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-006; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-127 Module: Visual Evidence Status: Pass Priority: Medium Severity if failed: —	Test Scenario: capture events desktop evidence Test Objective: Verify the automated contract: capture events desktop evidence. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/qa_evidence_capture_test.dart. 2. Execute the testWidgets case named 'capture events desktop evidence'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-003; EV-UI-007; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-128 Module: Regression Status: Pass Priority: Medium Severity if failed: —	Test Scenario: Edit Profile opens an editable route and saves local fields Test Objective: Verify the automated contract: Edit Profile opens an editable route and saves local fields. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/qa_frontend_fixes_test.dart. 2. Execute the testWidgets case named 'Edit Profile opens an editable route and saves local fields'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-005; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-129 Module: Regression Status: Pass Priority: Medium Severity if failed: —	Test Scenario: Profile completion and preview actions open real screens Test Objective: Verify the automated contract: Profile completion and preview actions open real screens. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/qa_frontend_fixes_test.dart. 2. Execute the testWidgets case named 'Profile completion and preview actions open real screens'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-005; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-130 Module: Regression Status: Pass Priority: Medium Severity if failed: —	Test Scenario: AI assistant sheet scrolls at compact phone height Test Objective: Verify the automated contract: AI assistant sheet scrolls at compact phone height. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/qa_frontend_fixes_test.dart. 2. Execute the testWidgets case named 'AI assistant sheet scrolls at compact phone height'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-TEST-001 Remarks: Executed in the complete Flutter test run.

AMORA • QA TESTING REPORT			RELEASE DECISION: NOT READY
Control	Scenario / objective / setup	Execution	Expected / actual / trace
Test Case ID: AUT-131 Module: Regression Status: Fail Priority: Medium Severity if failed: P2	Test Scenario: Events locked state survives large text on narrow screen Test Objective: Verify the automated contract: Events locked state survives large text on narrow screen. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/qa_frontend_fixes_test.dart. 2. Execute the testWidgets case named 'Events locked state survives large text on narrow screen'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Legacy locked-state copy is absent by design, and the current featured card also produced a 35 px bottom RenderFlex overflow at 320x700 with 1.3x text scaling. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-003; EV-UI-007; EV-TEST-001 Remarks: Mapped to BUG-EVT-001; BUG-TST-001.
Test Case ID: AUT-132 Module: Regression Status: Pass Priority: Medium Severity if failed: —	Test Scenario: Advanced Filter reset and active chip use shared tokens Test Objective: Verify the automated contract: Advanced Filter reset and active chip use shared tokens. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/qa_frontend_fixes_test.dart. 2. Execute the testWidgets case named 'Advanced Filter reset and active chip use shared tokens'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-133 Module: Regression Status: Pass Priority: Medium Severity if failed: —	Test Scenario: profile completion and avatar update from local repository Test Objective: Verify the automated contract: profile completion and avatar update from local repository. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/qa_frontend_fixes_test.dart. 2. Execute the test case named 'profile completion and avatar update from local repository'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-005; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-134 Module: Authentication Status: Pass Priority: High Severity if failed: —	Test Scenario: unauthenticated launch opens Auth with both account choices Test Objective: Verify the automated contract: unauthenticated launch opens Auth with both account choices. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/startup_routing_test.dart. 2. Execute the testWidgets case named 'unauthenticated launch opens Auth with both account choices'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-001; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-135 Module: Authentication Status: Pass Priority: High Severity if failed: —	Test Scenario: authenticated launch preserves the existing app destination Test Objective: Verify the automated contract: authenticated launch preserves the existing app destination. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/startup_routing_test.dart. 2. Execute the testWidgets case named 'authenticated launch preserves the existing app destination'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-001; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-136 Module: Cross-functional Status: Pass Priority: Medium Severity if failed: —	Test Scenario: AMORA AI launches directly into authentication Test Objective: Verify the automated contract: AMORA AI launches directly into authentication. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/widget_test.dart. 2. Execute the testWidgets case named 'AMORA AI launches directly into authentication'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-001; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-137 Module: Cross-functional Status: Fail Priority: Medium Severity if failed: P3	Test Scenario: profile information keeps all questions on one page Test Objective: Verify the automated contract: profile information keeps all questions on one page. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/widget_test.dart. 2. Execute the testWidgets case named 'profile information keeps all questions on one page'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: The legacy test locator matched multiple elements after the current onboarding redesign and threw 'Too many elements'. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-005; EV-TEST-001 Remarks: Mapped to BUG-TST-002.
Test Case ID: AUT-138 Module: Cross-functional Status: Fail Priority: Medium Severity if failed: P3	Test Scenario: login continues through profile information to Discover Test Objective: Verify the automated contract: login continues through profile information to Discover. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/widget_test.dart. 2. Execute the testWidgets case named 'login continues through profile information to Discover'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: The legacy test locator matched multiple elements after the current onboarding redesign and threw 'Too many elements'. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-001; EV-TEST-001 Remarks: Mapped to BUG-TST-002.
Test Case ID: AUT-139 Module: Cross-functional Status: Fail Priority: Medium Severity if failed: P3	Test Scenario: signup continues to the four-question profile screen Test Objective: Verify the automated contract: signup continues to the four-question profile screen. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/widget_test.dart. 2. Execute the testWidgets case named 'signup continues to the four-question profile screen'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: The legacy test locator matched multiple elements after the current onboarding redesign and threw 'Too many elements'. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-001; EV-TEST-001 Remarks: Mapped to BUG-TST-002.

AMORA • QA TESTING REPORT			RELEASE DECISION: NOT READY
Control	Scenario / objective / setup	Execution	Expected / actual / trace
Test Case ID: AUT-140 Module: Cross-functional Status: Pass Priority: Medium Severity if failed: —	Test Scenario: hidden routes fall through to the Discover screen Test Objective: Verify the automated contract: hidden routes fall through to the Discover screen. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/widget_test.dart. 2. Execute the testWidgets case named 'hidden routes fall through to the Discover screen'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-002; EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-141 Module: Cross-functional Status: Pass Priority: Medium Severity if failed: —	Test Scenario: hidden feature labels are absent from normal runtime screens Test Objective: Verify the automated contract: hidden feature labels are absent from normal runtime screens. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/widget_test.dart. 2. Execute the testWidgets case named 'hidden feature labels are absent from normal runtime screens'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: Automated assertion completed without an exception. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-TEST-001 Remarks: Executed in the complete Flutter test run.
Test Case ID: AUT-142 Module: Cross-functional Status: Fail Priority: Medium Severity if failed: P2	Test Scenario: all registered production routes build Test Objective: Verify the automated contract: all registered production routes build. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/widget_test.dart. 2. Execute the testWidgets case named 'all registered production routes build'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: /event-waitlist raised Flutter's ListTile background/ink visibility assertion because a decorated Container separates the tile from its Material ancestor. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-TEST-001 Remarks: Mapped to BUG-EVT-002.
Test Case ID: AUT-143 Module: Cross-functional Status: Fail Priority: Medium Severity if failed: P2	Test Scenario: primary journeys stay exception-free at supported widths Test Objective: Verify the automated contract: primary journeys stay exception-free at supported widths. Preconditions: Dependencies resolved; Flutter test binding available. Test Data: Local fictional fixtures and bundled assets only.	Execution Steps: 1. Run flutter test test/widget_test.dart. 2. Execute the testWidgets case named 'primary journeys stay exception-free at supported widths'. 3. Compare assertions and captured exceptions.	Expected Result: All declared assertions pass without uncaught exceptions. Actual Result: /event-waitlist raised Flutter's ListTile background/ink visibility assertion because a decorated Container separates the tile from its Material ancestor. Environment: Windows 11; Flutter 3.44.6; Dart 3.12.2; widget test Evidence Reference: EV-UI-006; EV-TEST-001 Remarks: Mapped to BUG-EVT-002.
Test Case ID: BLD-001 Module: Build & Compatibility Status: Pass Priority: High Severity if failed: —	Test Scenario: Clean generated output Test Objective: Verify a clean validation baseline. Preconditions: Project source and requested QA environment are available. Test Data: Safe fictional/local data only.	Execution Steps: Run flutter clean and record the exit code.	Expected Result: flutter clean completes. Actual Result: Completed successfully in 3.8 seconds. Environment: Windows 11 QA workstation Evidence Reference: EV-BUILD-001 Remarks: None
Test Case ID: BLD-002 Module: Build & Compatibility Status: Pass Priority: High Severity if failed: —	Test Scenario: Resolve dependencies Test Objective: Verify declared packages resolve. Preconditions: Project source and requested QA environment are available. Test Data: Safe fictional/local data only.	Execution Steps: Run flutter pub get and review warnings.	Expected Result: flutter pub get completes. Actual Result: Completed; four newer incompatible package versions were informational. Environment: Windows 11 QA workstation Evidence Reference: EV-BUILD-001 Remarks: None
Test Case ID: BLD-003 Module: Build & Compatibility Status: Pass Priority: High Severity if failed: —	Test Scenario: Format source Test Objective: Verify lib source is formatter-clean. Preconditions: Project source and requested QA environment are available. Test Data: Safe fictional/local data only.	Execution Steps: Run dart format lib and record changed-file count.	Expected Result: dart format lib reports no required changes. Actual Result: 137 files checked; 0 changed. Environment: Windows 11 QA workstation Evidence Reference: EV-BUILD-001 Remarks: None
Test Case ID: BLD-004 Module: Build & Compatibility Status: Pass Priority: High Severity if failed: —	Test Scenario: Static analysis Test Objective: Detect analyzer errors and warnings. Preconditions: Project source and requested QA environment are available. Test Data: Safe fictional/local data only.	Execution Steps: Run flutter analyze and record diagnostics.	Expected Result: flutter analyze returns no issues. Actual Result: No issues found in 3.0 seconds. Environment: Windows 11 QA workstation Evidence Reference: EV-BUILD-001 Remarks: None

AMORA • QA TESTING REPORT		RELEASE DECISION: NOT READY	
Control	Scenario / objective / setup	Execution	Expected / actual / trace
Test Case ID: BLD-005 Module: Build & Compatibility Status: Pass Priority: High Severity if failed: —	Test Scenario: Web release bundle Test Objective: Verify web compilation. Preconditions: Project source and requested QA environment are available. Test Data: Safe fictional/local data only.	Execution Steps: Run flutter build web and inspect output directory.	Expected Result: flutter build web succeeds. Actual Result: build/web created in 81.7 seconds; 202 files, 68,034,713 bytes. Environment: Windows 11 QA workstation Evidence Reference: EV-BUILD-001 Remarks: None
Test Case ID: BLD-006 Module: Build & Compatibility Status: Pass Priority: High Severity if failed: —	Test Scenario: Android debug APK Test Objective: Verify Android debug packaging. Preconditions: Project source and requested QA environment are available. Test Data: Safe fictional/local data only.	Execution Steps: Run flutter build apk --debug; inspect path, size and manifest.	Expected Result: flutter build apk --debug creates a non-empty APK. Actual Result: APK built in 54.5 seconds; 172,299,833 bytes. Environment: Windows 11 QA workstation Evidence Reference: EV-BUILD-001 Remarks: None
Test Case ID: REV-001 Module: Security Review Status: Pass Priority: High Severity if failed: —	Test Scenario: Declared network and backend dependencies Test Objective: Identify production network/backend SDKs. Preconditions: Project source and requested QA environment are available. Test Data: Safe fictional/local data only.	Execution Steps: 1. Inspect or execute the stated check. 2. Record observed result.	Expected Result: Dependency scope is accurately documented. Actual Result: No Firebase, HTTP/Dio, database, socket or payment SDK is declared; only Flutter, cupertino_icons and url_launcher. Environment: Windows 11 QA workstation Evidence Reference: EV-SOURCE-001 Remarks: None
Test Case ID: REV-002 Module: FAQ & Support Status: Pass Priority: High Severity if failed: —	Test Scenario: Email-only direct support exposure Test Objective: Verify direct support channels match the intended design. Preconditions: Project source and requested QA environment are available. Test Data: Safe fictional/local data only.	Execution Steps: 1. Inspect or execute the stated check. 2. Record observed result.	Expected Result: Email is the only direct support method. Actual Result: FAQ source and automated tests expose email only; no call/ticket/WhatsApp support. Environment: Windows 11 QA workstation Evidence Reference: EV-UI-006; EV-SOURCE-001 Remarks: None
Test Case ID: REV-003 Module: Events Status: Pass Priority: High Severity if failed: —	Test Scenario: Events access gate Test Objective: Verify Events renders without a purchase gate. Preconditions: Project source and requested QA environment are available. Test Data: Safe fictional/local data only.	Execution Steps: 1. Inspect or execute the stated check. 2. Record observed result.	Expected Result: Events opens directly. Actual Result: Route maps to MainShell Events tab; dedicated automated case passed. Environment: Windows 11 QA workstation Evidence Reference: EV-UI-003; EV-TEST-001 Remarks: None
Test Case ID: REV-004 Module: Events Status: Pass Priority: High Severity if failed: —	Test Scenario: Local event asset mapping Test Objective: Verify bundled event assets exist and are declared. Preconditions: Project source and requested QA environment are available. Test Data: Safe fictional/local data only.	Execution Steps: 1. Inspect or execute the stated check. 2. Record observed result.	Expected Result: Unique local images resolve through the catalog. Actual Result: Five event PNGs are present, declared in pubspec, and asset test passed. Environment: Windows 11 QA workstation Evidence Reference: EV-UI-003; EV-UI-004; EV-SOURCE-001 Remarks: None
Test Case ID: REV-005 Module: Build & Compatibility Status: Fail Priority: High Severity if failed: P1	Test Scenario: Production Android identity and signing Test Objective: Assess production release configuration. Preconditions: Project source and requested QA environment are available. Test Data: Safe fictional/local data only.	Execution Steps: 1. Inspect or execute the stated check. 2. Record observed result.	Expected Result: Unique application ID and non-debug release signing are configured. Actual Result: applicationId is com.example.amora_ai and release uses the debug signing key. Environment: Windows 11 QA workstation Evidence Reference: EV-SOURCE-001 Remarks: BUG-BLD-001; release APK intentionally not attempted.
Test Case ID: REV-006 Module: Events Status: Fail Priority: Medium Severity if failed: P3	Test Scenario: Current event date context Test Objective: Check that 'This week' content is time-current. Preconditions: Project source and requested QA environment are available. Test Data: Safe fictional/local data only.	Execution Steps: 1. Inspect or execute the stated check. 2. Record observed result.	Expected Result: Displayed upcoming dates align with the current date. Actual Result: Static fixtures begin at 18 July while the QA date is 27 July 2026; freshness cannot be guaranteed. Environment: Windows 11 QA workstation Evidence Reference: EV-UI-003; EV-SOURCE-001 Remarks: Tracked as RISK-004 rather than a backend defect.
Test Case ID: REV-007 Module: Security Review Status: Fail Priority: High Severity if failed: P1	Test Scenario: OTP confidentiality in production mode Test Objective: Check whether verification codes are exposed in UI. Preconditions: Project source and requested QA environment are available. Test Data: Safe fictional/local data only.	Execution Steps: 1. Inspect or execute the stated check. 2. Record observed result.	Expected Result: Production authentication never displays an OTP. Actual Result: The frontend prototype generates an OTP locally and displays 'Demo OTP' in a snackbar. Environment: Windows 11 QA workstation Evidence Reference: EV-SOURCE-001 Remarks: BUG-SEC-001; acceptable only for an explicitly labelled demo build.

AMORA • QA TESTING REPORT			RELEASE DECISION: NOT READY
Control	Scenario / objective / setup	Execution	Expected / actual / trace
Test Case ID: MAN-AUTH-001 Module: Authentication Status: Blocked Priority: High Severity if failed: —	Test Scenario: Real OTP delivery and verification Test Objective: Validate real otp delivery and verification. Preconditions: Project source and requested QA environment are available. Test Data: Safe fictional/local data only.	Execution Steps: 1. Inspect or execute the stated check. 2. Record observed result.	Expected Result: Scenario completes against an integrated test environment. Actual Result: OTP provider/backend is not integrated. Environment: Required external/device environment unavailable Evidence Reference: EV-LIMIT-001 Remarks: No pass claim made.
Test Case ID: MAN-AUTH-002 Module: Authentication Status: Blocked Priority: High Severity if failed: —	Test Scenario: Session persistence after process restart Test Objective: Validate session persistence after process restart. Preconditions: Project source and requested QA environment are available. Test Data: Safe fictional/local data only.	Execution Steps: 1. Inspect or execute the stated check. 2. Record observed result.	Expected Result: Scenario completes against an integrated test environment. Actual Result: Session state is an in-memory ValueNotifier. Environment: Required external/device environment unavailable Evidence Reference: EV-LIMIT-001 Remarks: No pass claim made.
Test Case ID: MAN-AUTH-003 Module: Authentication Status: Blocked Priority: High Severity if failed: —	Test Scenario: Password reset email delivery Test Objective: Validate password reset email delivery. Preconditions: Project source and requested QA environment are available. Test Data: Safe fictional/local data only.	Execution Steps: 1. Inspect or execute the stated check. 2. Record observed result.	Expected Result: Scenario completes against an integrated test environment. Actual Result: No backend/email service is declared. Environment: Required external/device environment unavailable Evidence Reference: EV-LIMIT-001 Remarks: No pass claim made.
Test Case ID: MAN-CHT-001 Module: Chats Status: Blocked Priority: High Severity if failed: —	Test Scenario: Real-time multi-user message delivery Test Objective: Validate real-time multi-user message delivery. Preconditions: Project source and requested QA environment are available. Test Data: Safe fictional/local data only.	Execution Steps: 1. Inspect or execute the stated check. 2. Record observed result.	Expected Result: Scenario completes against an integrated test environment. Actual Result: No socket/API/Firebase transport is declared. Environment: Required external/device environment unavailable Evidence Reference: EV-LIMIT-001 Remarks: No pass claim made.
Test Case ID: MAN-CHT-002 Module: Chats Status: Blocked Priority: High Severity if failed: —	Test Scenario: Push notification for a new message Test Objective: Validate push notification for a new message. Preconditions: Project source and requested QA environment are available. Test Data: Safe fictional/local data only.	Execution Steps: 1. Inspect or execute the stated check. 2. Record observed result.	Expected Result: Scenario completes against an integrated test environment. Actual Result: No push notification SDK/backend is declared. Environment: Required external/device environment unavailable Evidence Reference: EV-LIMIT-001 Remarks: No pass claim made.
Test Case ID: MAN-EVT-001 Module: Events Status: Blocked Priority: High Severity if failed: —	Test Scenario: Server-backed RSVP concurrency Test Objective: Validate server-backed rsvp concurrency. Preconditions: Project source and requested QA environment are available. Test Data: Safe fictional/local data only.	Execution Steps: 1. Inspect or execute the stated check. 2. Record observed result.	Expected Result: Scenario completes against an integrated test environment. Actual Result: Events and participation are local fixture state. Environment: Required external/device environment unavailable Evidence Reference: EV-LIMIT-001 Remarks: No pass claim made.
Test Case ID: MAN-PAY-001 Module: Subscription & Payment Status: Blocked Priority: High Severity if failed: —	Test Scenario: Sandbox payment success/failure/cancel Test Objective: Validate sandbox payment success/failure/cancel. Preconditions: Project source and requested QA environment are available. Test Data: Safe fictional/local data only.	Execution Steps: 1. Inspect or execute the stated check. 2. Record observed result.	Expected Result: Scenario completes against an integrated test environment. Actual Result: AMORA_MEMBERSHIP_TEST is disabled and no payment SDK exists. Environment: Required external/device environment unavailable Evidence Reference: EV-LIMIT-001 Remarks: No pass claim made.
Test Case ID: MAN-NOT-001 Module: Notifications Status: Blocked Priority: High Severity if failed: —	Test Scenario: Remote deep-link delivery Test Objective: Validate remote deep-link delivery. Preconditions: Project source and requested QA environment are available. Test Data: Safe fictional/local data only.	Execution Steps: 1. Inspect or execute the stated check. 2. Record observed result.	Expected Result: Scenario completes against an integrated test environment. Actual Result: Notification feed is local presentation data. Environment: Required external/device environment unavailable Evidence Reference: EV-LIMIT-001 Remarks: No pass claim made.
Test Case ID: MAN-SUP-001 Module: FAQ & Support Status: Blocked Priority: High Severity if failed: —	Test Scenario: Native email client launch on Android Test Objective: Validate native email client launch on android. Preconditions: Project source and requested QA environment are available. Test Data: Safe fictional/local data only.	Execution Steps: 1. Inspect or execute the stated check. 2. Record observed result.	Expected Result: Scenario completes against an integrated test environment. Actual Result: No Android device/emulator is connected. Environment: Required external/device environment unavailable Evidence Reference: EV-LIMIT-001 Remarks: No pass claim made.

AMORA • QA TESTING REPORT		RELEASE DECISION: NOT READY	
Control	Scenario / objective / setup	Execution	Expected / actual / trace
Test Case ID: MAN-SEC-001 Module: Security Review Status: Blocked Priority: High Severity if failed: —	Test Scenario: Backend authorization and data access rules Test Objective: Validate backend authorization and data access rules. Preconditions: Project source and requested QA environment are available. Test Data: Safe fictional/local data only.	Execution Steps: 1. Inspect or execute the stated check. 2. Record observed result.	Expected Result: Scenario completes against an integrated test environment. Actual Result: No backend project/configuration is in scope. Environment: Required external/device environment unavailable Evidence Reference: EV-LIMIT-001 Remarks: No pass claim made.
Test Case ID: MAN-RESP-001 Module: Design System Status: Not Run Priority: Medium Severity if failed: —	Test Scenario: Physical Android 320x568 visual pass Test Objective: Validate physical android 320x568 visual pass. Preconditions: Project source and requested QA environment are available. Test Data: Safe fictional/local data only.	Execution Steps: 1. Inspect or execute the stated check. 2. Record observed result.	Expected Result: Scenario is manually exercised with documented evidence. Actual Result: Requires device/emulator visual execution. Environment: Required external/device environment unavailable Evidence Reference: EV-LIMIT-001 Remarks: No pass claim made.
Test Case ID: MAN-RESP-002 Module: Design System Status: Not Run Priority: Medium Severity if failed: —	Test Scenario: Physical Android 412x915 visual pass Test Objective: Validate physical android 412x915 visual pass. Preconditions: Project source and requested QA environment are available. Test Data: Safe fictional/local data only.	Execution Steps: 1. Inspect or execute the stated check. 2. Record observed result.	Expected Result: Scenario is manually exercised with documented evidence. Actual Result: Requires device/emulator visual execution. Environment: Required external/device environment unavailable Evidence Reference: EV-LIMIT-001 Remarks: No pass claim made.
Test Case ID: MAN-RESP-003 Module: Design System Status: Not Run Priority: Medium Severity if failed: —	Test Scenario: Tablet 768x1024 touch pass Test Objective: Validate tablet 768x1024 touch pass. Preconditions: Project source and requested QA environment are available. Test Data: Safe fictional/local data only.	Execution Steps: 1. Inspect or execute the stated check. 2. Record observed result.	Expected Result: Scenario is manually exercised with documented evidence. Actual Result: No tablet device/emulator connected. Environment: Required external/device environment unavailable Evidence Reference: EV-LIMIT-001 Remarks: No pass claim made.
Test Case ID: MAN-RESP-004 Module: Design System Status: Not Run Priority: Medium Severity if failed: —	Test Scenario: Landscape 1024x768 interaction pass Test Objective: Validate landscape 1024x768 interaction pass. Preconditions: Project source and requested QA environment are available. Test Data: Safe fictional/local data only.	Execution Steps: 1. Inspect or execute the stated check. 2. Record observed result.	Expected Result: Scenario is manually exercised with documented evidence. Actual Result: Not manually exercised. Environment: Required external/device environment unavailable Evidence Reference: EV-LIMIT-001 Remarks: No pass claim made.
Test Case ID: MAN-WEB-001 Module: Build & Compatibility Status: Not Run Priority: Medium Severity if failed: —	Test Scenario: Chrome 1366x768 exploratory journey Test Objective: Validate chrome 1366x768 exploratory journey. Preconditions: Project source and requested QA environment are available. Test Data: Safe fictional/local data only.	Execution Steps: 1. Inspect or execute the stated check. 2. Record observed result.	Expected Result: Scenario is manually exercised with documented evidence. Actual Result: Chrome debug process launched; interactive session was isolated from QA browser. Environment: Required external/device environment unavailable Evidence Reference: EV-LIMIT-001 Remarks: No pass claim made.
Test Case ID: MAN-WEB-002 Module: Build & Compatibility Status: Not Run Priority: Medium Severity if failed: —	Test Scenario: Chrome keyboard-only full journey Test Objective: Validate chrome keyboard-only full journey. Preconditions: Project source and requested QA environment are available. Test Data: Safe fictional/local data only.	Execution Steps: 1. Inspect or execute the stated check. 2. Record observed result.	Expected Result: Scenario is manually exercised with documented evidence. Actual Result: Only targeted widget keyboard assertions were executed. Environment: Required external/device environment unavailable Evidence Reference: EV-LIMIT-001 Remarks: No pass claim made.
Test Case ID: MAN-ACC-001 Module: Design System Status: Not Run Priority: Medium Severity if failed: —	Test Scenario: Screen reader announcement order Test Objective: Validate screen reader announcement order. Preconditions: Project source and requested QA environment are available. Test Data: Safe fictional/local data only.	Execution Steps: 1. Inspect or execute the stated check. 2. Record observed result.	Expected Result: Scenario is manually exercised with documented evidence. Actual Result: No NVDA/TalkBack manual session was executed. Environment: Required external/device environment unavailable Evidence Reference: EV-LIMIT-001 Remarks: No pass claim made.
Test Case ID: MAN-ACC-002 Module: Design System Status: Not Run Priority: Medium Severity if failed: —	Test Scenario: 200% text scaling across all routes Test Objective: Validate 200% text scaling across all routes. Preconditions: Project source and requested QA environment are available. Test Data: Safe fictional/local data only.	Execution Steps: 1. Inspect or execute the stated check. 2. Record observed result.	Expected Result: Scenario is manually exercised with documented evidence. Actual Result: Only targeted automated scaling checks exist. Environment: Required external/device environment unavailable Evidence Reference: EV-LIMIT-001 Remarks: No pass claim made.

Control	Scenario / objective / setup	Execution	Expected / actual / trace
Test Case ID: MAN-PERF-001 Module: Build & Compatibility Status: Not Run Priority: Medium Severity if failed: —	Test Scenario: Flutter DevTools frame profiling Test Objective: Validate flutter devtools frame profiling. Preconditions: Project source and requested QA environment are available. Test Data: Safe fictional/local data only.	Execution Steps: 1. Inspect or execute the stated check. 2. Record observed result.	Expected Result: Scenario is manually exercised with documented evidence. Actual Result: No profiling-mode measurement was executed. Environment: Required external/device environment unavailable Evidence Reference: EV-LIMIT-001 Remarks: No pass claim made.
Test Case ID: MAN-PERF-002 Module: Build & Compatibility Status: Not Run Priority: Medium Severity if failed: —	Test Scenario: Memory/leak profiling over 30 minutes Test Objective: Validate memory/leak profiling over 30 minutes. Preconditions: Project source and requested QA environment are available. Test Data: Safe fictional/local data only.	Execution Steps: 1. Inspect or execute the stated check. 2. Record observed result.	Expected Result: Scenario is manually exercised with documented evidence. Actual Result: No endurance session was executed. Environment: Required external/device environment unavailable Evidence Reference: EV-LIMIT-001 Remarks: No pass claim made.
Test Case ID: MAN-UAT-001 Module: Cross-functional Status: Not Run Priority: Medium Severity if failed: —	Test Scenario: Stakeholder UAT sign-off Test Objective: Validate stakeholder uat sign-off. Preconditions: Project source and requested QA environment are available. Test Data: Safe fictional/local data only.	Execution Steps: 1. Inspect or execute the stated check. 2. Record observed result.	Expected Result: Scenario is manually exercised with documented evidence. Actual Result: Requires product stakeholder execution. Environment: Required external/device environment unavailable Evidence Reference: EV-LIMIT-001 Remarks: No pass claim made.
Test Case ID: NA-IOS-001 Module: Build & Compatibility Status: Not Applicable Priority: Medium Severity if failed: —	Test Scenario: iOS build/install Test Objective: Validate ios build/install. Preconditions: Project source and requested QA environment are available. Test Data: Safe fictional/local data only.	Execution Steps: 1. Inspect or execute the stated check. 2. Record observed result.	Expected Result: Scenario is executed only on an applicable/configured platform. Actual Result: iOS cannot be built on this Windows host. Environment: Required external/device environment unavailable Evidence Reference: EV-LIMIT-001 Remarks: No pass claim made.
Test Case ID: NA-WIN-001 Module: Build & Compatibility Status: Not Applicable Priority: Medium Severity if failed: —	Test Scenario: Windows desktop release build Test Objective: Validate windows desktop release build. Preconditions: Project source and requested QA environment are available. Test Data: Safe fictional/local data only.	Execution Steps: 1. Inspect or execute the stated check. 2. Record observed result.	Expected Result: Scenario is executed only on an applicable/configured platform. Actual Result: Windows C++ workload is incomplete and desktop release is not requested. Environment: Required external/device environment unavailable Evidence Reference: EV-LIMIT-001 Remarks: No pass claim made.
Test Case ID: NA-REL-001 Module: Build & Compatibility Status: Not Applicable Priority: Medium Severity if failed: —	Test Scenario: Android release APK Test Objective: Validate android release apk. Preconditions: Project source and requested QA environment are available. Test Data: Safe fictional/local data only.	Execution Steps: 1. Inspect or execute the stated check. 2. Record observed result.	Expected Result: Scenario is executed only on an applicable/configured platform. Actual Result: Release uses debug signing; forcing a release artifact would be misleading. Environment: Required external/device environment unavailable Evidence Reference: EV-LIMIT-001 Remarks: No pass claim made.

Appendix B — Requirement Traceability Matrix

ID	Module	Requirement	Cases	Implementation	Test status
REQ-AUTH-001	Authentication	Auth entry, login/signup/OTP validation and guarded actions	AUT-005, AUT-006, AUT-007, AUT-008, AUT-009, AUT-010, AUT-134, AUT-135, MAN-AUTH-001, MAN-AUTH-002 +1 more	Implemented locally	Pass: 8, Blocked: 3
REQ-ONB-001	Onboarding	Profile onboarding, birth-date age rule, city and completion flow	AUT-100, AUT-101, AUT-102, AUT-103, AUT-104, AUT-105, AUT-106, AUT-107, AUT-108, AUT-109	Implemented locally	Pass: 10
REQ-DIS-001	Discover	Single-card discovery, image navigation, gestures and actions	AUT-027, AUT-028, AUT-029, AUT-030, AUT-031, AUT-032, AUT-033, AUT-034, AUT-035, AUT-036 +29 more	Implemented locally	Pass: 24, Fail: 15
REQ-FLT-001	Filters	Open, search, select, reset and apply supported filters	AUT-001, AUT-002, AUT-003, AUT-004	Implemented locally	Pass: 4
REQ-PDT-001	Profile Detail	Gallery, story content, safety and supported actions	AUT-110, AUT-111, AUT-112, AUT-113, AUT-114, AUT-115, AUT-116, AUT-117	Implemented locally	Pass: 8
REQ-PRO-001	User Profile	Identity hero, completion, photos, prompts, settings and support	AUT-118, AUT-119, AUT-120	Implemented locally	Pass: 3
REQ-EDT-001	Edit Profile	Editable profile values and local save behavior	AUT-120, AUT-128	Implemented locally	Pass: 2
REQ-PRV-001	Profile Preview	Public-profile preview without dating actions		Implemented locally	
REQ-MAT-001	AI Matches	Compatibility presentation without unsupported AI claims	AUT-082, AUT-083, AUT-084, AUT-085, AUT-086, AUT-087	Frontend fixture	Pass: 6
REQ-CHT-001	Chats	Inbox, filters, conversation routing and text messaging UI	AUT-016, AUT-017, AUT-018, AUT-019, AUT-020, AUT-021, AUT-022, AUT-023, AUT-024, MAN-CHT-001 +1 more	Frontend fixture	Pass: 9, Blocked: 2
REQ-EVT-001	Events	Direct discovery, filters, local images, RSVP states and My Events	AUT-050, AUT-051, AUT-052, AUT-053, AUT-054, AUT-055, AUT-056, AUT-057, AUT-058, REV-003 +3 more	Frontend fixture	Pass: 11, Fail: 1, Blocked: 1
REQ-EVD-001	Event Detail & My Events	Immersive details, status CTA, safety and joined list	AUT-054, AUT-055, AUT-057, AUT-089, AUT-124	Frontend fixture	Pass: 4, Not Run: 1
REQ-NOT-001	Notifications	Local timeline, filters, gestures, badges and routing	AUT-093, AUT-094, AUT-095, AUT-096, AUT-097, AUT-098, AUT-099, MAN-NOT-001	Frontend fixture	Pass: 7, Blocked: 1
REQ-SUB-001	Subscription & Payment	Plans and isolated AMORA_MEMBERSHIP_TEST simulation	AUT-088, AUT-089, AUT-090, AUT-091, AUT-092, MAN-PAY-001	Test mode only	Not Run: 5, Blocked: 1
REQ-SUP-001	FAQ & Support	Searchable FAQs and email-only support	AUT-059, AUT-060, AUT-061, AUT-062, REV-002, MAN-SUP-001	Implemented locally	Pass: 5, Blocked: 1
REQ-SET-001	Settings & Account	Account/privacy/notifications/logout/delete presentation	AUT-094	Implemented locally	Pass: 1
REQ-SAF-001	Safety & Privacy	Report, block, safety, terms and privacy presentation	AUT-108, AUT-116	Implemented locally	Pass: 2
REQ-UI-001	Design System	Approved palette, typography, responsive layout and accessibility	AUT-011, AUT-012, AUT-013, AUT-014, AUT-015, AUT-025, AUT-026, AUT-079, AUT-080, AUT-081 +6 more	Partial	Pass: 8, Fail: 2, Not Run: 6
REQ-BLD-001	Build & Compatibility	Analyzer-clean web and Android debug builds	BLD-001, BLD-002, BLD-003, BLD-004, BLD-005, BLD-006, REV-005, MAN-WEB-001, MAN-WEB-002, MAN-PERF-001 +4 more	Implemented	Pass: 6, Fail: 1, Not Run: 4, Not Applicable: 3
REQ-SEC-001	Security Review	No secret exposure and production-safe auth/payment boundaries	REV-001, REV-007, MAN-SEC-001	Not production ready	Pass: 1, Fail: 1, Blocked: 1

Appendix C — Defect Log

BUG-UI-001 — Secondary pink with white text fails the tested AA threshold

Field	Detail
Module	Design System
Description	The automated contrast function measured 3.10:1.
Steps to Reproduce	Run flutter test test/brand_theme_test.dart.
Expected Result	Contrast is greater than 4.5:1 for normal text.
Actual Result	3.1024:1.
Severity / Priority / Status	P2 / High / Open
Evidence	EV-TEST-001
Recommended Fix	Use primary text on pink or restrict white-on-pink to qualifying large/bold text.

BUG-UI-002 — Secondary action resolves to the primary color

Field	Detail
Module	Design System
Description	A semantic secondary FilledButton resolves to #3D0B3F.
Steps to Reproduce	Run the brand-theme secondary-action widget test.
Expected Result	Background #EC5FA8 with its defined foreground.
Actual Result	Background #3D0B3F.
Severity / Priority / Status	P3 / Medium / Open
Evidence	EV-TEST-001
Recommended Fix	Correct the secondary variant style mapping and retain semantic tests.

BUG-EVT-001 — Featured event card overflows with scaled text on a narrow screen

Field	Detail
Module	Events
Description	A Column in events_widgets.dart overflowed by 35 px.
Steps to Reproduce	Render Events at 320x700 with text scale 1.3.
Expected Result	All content remains visible without RenderFlex overflow.
Actual Result	35 px bottom overflow.
Severity / Priority / Status	P2 / High / Open
Evidence	EV-TEST-001
Recommended Fix	Remove fixed vertical assumptions; use flexible/scroll-aware card content.

BUG-EVT-002 — Waitlist route violates ListTile Material painting contract

Field	Detail
Module	Event Waitlist
Description	A decorated Container obscures the ListTile Material ink/background.
Steps to Reproduce	Build /event-waitlist in the all-routes widget test.
Expected Result	Route builds without FlutterError.

AMORA • QA TESTING REPORT		RELEASE DECISION: NOT READY
Field	Detail	
Actual Result	ListTile background/ink visibility assertion.	
Severity / Priority / Status	P2 / High / Open	
Evidence	EV-TEST-001	
Recommended Fix	Wrap the SwitchListTile in Material or move decoration to a Material ancestor.	

BUG-TST-001 — Legacy Discover and Events-gate tests contradict current requirements

Field	Detail	
Module	Regression Tests	
Description	Old four-tab, widget-key and locked-Events expectations fail against the current five-tab direct Events flow.	
Steps to Reproduce	Run flutter test; review four_tab_discover_test.dart and the locked-state regression case.	
Expected Result	Regression tests represent current route and widget contracts.	
Actual Result	Fifteen related failures target removed/renamed behavior.	
Severity / Priority / Status	P2 / High / Open	
Evidence	EV-TEST-001	
Recommended Fix	Retire obsolete tests and merge non-duplicative assertions into the current Discover/Events suites.	

BUG-TST-002 — Legacy onboarding journey tests use ambiguous text locators

Field	Detail	
Module	Regression Tests	
Description	Three tests throw 'Too many elements' after the onboarding redesign.	
Steps to Reproduce	Run test/widget_test.dart.	
Expected Result	Locators uniquely identify the intended control.	
Actual Result	Ambiguous finder failures.	
Severity / Priority / Status	P3 / Medium / Open	
Evidence	EV-TEST-001	
Recommended Fix	Use stable keys or scoped semantic locators for duplicated labels.	

BUG-BLD-001 — Release configuration retains template identity and debug signing

Field	Detail	
Module	Android Release	
Description	The Android applicationId is com.example.amora_ai and release points at the debug signing config.	
Steps to Reproduce	Inspect android/app/build.gradle.kts and the debug APK manifest.	
Expected Result	Production namespace/application ID and protected release signing.	
Actual Result	Template ID and debug key configuration.	
Severity / Priority / Status	P1 / Critical / Open	
Evidence	EV-SOURCE-001; EV-BUILD-001	
Recommended Fix	Configure the approved application ID and secure release signing outside source control.	

BUG-SEC-001 — Demo OTP is exposed in the UI

Field	Detail
Module	Authentication
Description	phone_otp_screen.dart generates a code locally and displays it in a snackbar.
Steps to Reproduce	Open phone login and request a code in the current frontend prototype.
Expected Result	A production build never exposes the OTP to the same client.
Actual Result	UI displays 'Demo OTP: <code>'.
Severity / Priority / Status	P1 / Critical / Open
Evidence	EV-SOURCE-001
Recommended Fix	Strictly isolate demo OTP behavior behind a non-production compile flag and integrate server verification.

Appendix D — Build Logs Summary

Command	Result	Duration	Evidence
flutter clean	Pass	3.8 s	Generated outputs removed
flutter pub get	Pass	4.5 s	Four newer incompatible versions noted
dart format lib	Pass	3.23 s	137 files; 0 changed
flutter analyze	Pass	3.0 s	No issues found
flutter test	Fail	Full run	115 pass; 23 fail; 5 skipped
flutter build web	Pass	81.7 s	build/web; 68,034,713 bytes
flutter run -d chrome	Started	50.3 s	Debug service connected; interaction incomplete
flutter build apk --debug	Pass	54.5 s	app-debug.apk; 172,299,833 bytes
flutter build apk --release	Not attempted	—	Debug signing/template ID; unsafe to claim release

Detailed plain-text command/environment evidence is stored in docs/qa_evidence/EV-BUILD-001_build_and_environment.txt.

Appendix E — Test Environment

Property	Observed value
Operating system	Windows 11 Home Single Language 64-bit, 25H2
Flutter	3.44.6 stable
Dart / DevTools	3.12.2 / 2.57.0
Android SDK	36.1.0; platform/build-tools 36.1.0
Built APK SDK	minSdk 24; targetSdk 36
Java	OpenJDK 21.0.8 via Android Studio; shell Java 22.0.1
Chrome	150.0.7871.182
Connected targets	Windows, Chrome, Edge; no Android device/emulator
Build modes	Web release bundle; Android debug APK
Internet	Flutter doctor network resources passed
Backend environment	None declared; frontend/local fixtures
IDE/tooling	Android Studio detected; Codex desktop QA workflow

Appendix F — Screenshots and Evidence

Images below are deterministic Flutter widget renders at controlled dimensions. They contain local fictional data and no credentials, private messages, real OTPs or payment information.




Figure F1: Authentication Entry




Figure F2: Discover




Figure F3: Events




Figure F4: Event Details

My dating identity

Your story, your way

**Yash Andrapiya, 28**

♈ Aquarius

📍 Ahmedabad

Flutter Engineer

85% complete



📍 Ahmedabad

💼 Flutter Engineer

♈ Aquarius

❤️ Long-Term Relationship

**Strong foundation**

Still missing: Add more interests

Figure F5: Profile Identity




Figure F6: FAQ & Email Support




Figure F7: Events Desktop

Evidence ID	Artifact	Purpose
EV-BUILD-001	Build and environment TXT	Command outcomes, SDKs, APK metadata
EV-TEST-001	Test run summary TXT	Automated counts and failure families
EV-SOURCE-001	Project inventory TXT	Architecture/dependency facts
EV-LIMIT-001	Limitations TXT	Explicit non-claims and blockers

Appendix G — Route Inventory

The scan found 93 route-name constants/aliases. 91 literal route values are enumerated below; alias constants referencing another class are counted in the source total but do not duplicate a literal row.

Route	Source
/accessibility-settings	lib/features/accessibility/presentation/accessibility_settings_screen.dart
/account-verification	lib/features/auth/presentation/account_verification_screen.dart
/admin-panel	lib/features/admin/presentation/admin_panel_screen.dart
/advanced-ai-discovery	lib/features/roadmap/presentation/phase23_premium_screens.dart
/ai-coach	lib/features/ai_coach/presentation/ai_dating_coach_screen.dart
/ai-deepfake-detection	lib/features/roadmap/presentation/phase23_premium_screens.dart
/ai-group-dating-rooms	lib/features/roadmap/presentation/phase23_premium_screens.dart
/ai-icebreakers	lib/features/ai_coach/presentation/ai_icebreakers_screen.dart
/ai-learning-dashboard	lib/features/roadmap/presentation/phase23_premium_screens.dart
/astrology-matching	lib/features/roadmap/presentation/phase23_premium_screens.dart
/auth	lib/features/auth/presentation/amora_auth_screen.dart

AMORA • QA TESTING REPORT		RELEASE DECISION: NOT READY
Route	Source	
/bio-builder	lib/features/profile/presentation/bio_builder_screen.dart	
/browse	lib/features/discover/presentation/browse_grid_screen.dart	
/business-networking	lib/features/roadmap/presentation/phase23_premium_screens.dart	
/camera-roll-scan	lib/features/roadmap/presentation/phase23_premium_screens.dart	
/chat-detail	lib/features/chat/presentation/chat_detail_screen.dart	
/chats	lib/features/chat/presentation/chat_list_screen.dart	
/community-events	lib/features/roadmap/presentation/phase23_premium_screens.dart	
/community-filters	lib/features/roadmap/presentation/phase23_premium_screens.dart	
/compatibility	lib/features/auth/presentation/compatibility_onboarding_screen.dart	
/dark-mode-settings	lib/features/theme/presentation/dark_mode_settings_screen.dart	
/data-export	lib/features/privacy/presentation/data_export_screen.dart	
/date-spots	lib/features/date_spots/presentation/date_spots_map_screen.dart	
/dating-recap	lib/features/insights/presentation/dating_recap_screen.dart	
/dealbreakers	lib/features/preferences/presentation/dealbreakers_screen.dart	
/discover	lib/features/discover/presentation/discover_screen.dart	
/edit-profile	lib/features/profile/presentation/profile_edit_screen.dart	
/event-detail	lib/features/events/presentation/event_detail_screen.dart	
/event-group-chat	lib/features/events/presentation/event_group_chat_screen.dart	
/event-planning-dashboard	lib/features/roadmap/presentation/phase23_premium_screens.dart	
/event-waitlist	lib/features/events/presentation/event_waitlist_screen.dart	
/events	lib/features/events/presentation/events_browse_screen.dart	
/faq-support	lib/features/support/presentation/faq_support_screen.dart	
/filters	lib/features/discover/presentation/advanced_filters_screen.dart	
/first-date-question-deck	lib/features/roadmap/presentation/phase23_premium_screens.dart	
/friendship-mode	lib/features/roadmap/presentation/phase23_premium_screens.dart	
/gift-shop-catalog	lib/features/commerce/presentation/gift_catalog_screen.dart	
/group-meetups	lib/features/roadmap/presentation/phase23_premium_screens.dart	
/home	lib/features/home/presentation/amora_home_screen.dart	
/host-dashboard	lib/features/host/presentation/host_dashboard_screen.dart	
/human-matchmaker	lib/features/roadmap/presentation/phase23_premium_screens.dart	
/kyc	lib/features/profile/presentation/kyc_verification_screen.dart	
/landing	lib/features/landing/presentation/amora_landing_screen.dart	
/language-selection	lib/features/settings/presentation/language_selection_screen.dart	
/liked-you	lib/features/monetization/presentation/liked_you_paywall_screen.dart	
/liked-you-paywall	lib/features/monetization/presentation/liked_you_paywall_screen.dart	
/liveness-check	lib/features/roadmap/presentation/roadmap_feature_screens.dart	
/login	lib/features/auth/presentation/login_screen.dart	
/main	lib/core/navigation/main_shell.dart	
/match	lib/features/messaging/presentation/match_screen.dart	
/matches	lib/features/matches/presentation/matches_screen.dart	
/my-events	lib/features/events/presentation/my_events_screen.dart	
/notification-preferences	lib/features/settings/presentation/notification_preferences_screen.dart	
/notifications	lib/features/notifications/presentation/notifications_hub_screen.dart	
/offline-mode	lib/features/settings/presentation/offline_mode_screen.dart	

AMORA • QA TESTING REPORT		RELEASE DECISION: NOT READY
Route	Source	
/onboarding	lib/features/onboarding/presentation/onboarding_screen.dart	
/payment	lib/features/payment/presentation/payment_screen.dart	
/phone-login	lib/features/auth/presentation/phone_otp_screen.dart	
/photo-manager	lib/features/profile/presentation/photo_manager_screen.dart	
/poll-prompts	lib/features/roadmap/presentation/roadmap_feature_screens.dart	
/post-event-feedback	lib/features/events/presentation/post_event_feedback_screen.dart	
/professional-networking	lib/features/roadmap/presentation/phase23_premium_screens.dart	
/profile	lib/features/profile/presentation/profile_screen.dart	
/profile-basic-details	lib/features/profile/presentation/profile_basic_details_screen.dart	
/profile-boost	lib/features/monetization/presentation/profile_boost_screen.dart	
/profile-completion	lib/features/profile/presentation/profile_completion_screen.dart	
/profile-detail	lib/features/profile/presentation/profile_detail_screen.dart	
/profile-onboarding	lib/features/onboarding/presentation/profile_onboarding_flow.dart	
/profile-preview	lib/features/profile/presentation/profile_preview_screen.dart	
/profile-settings	lib/features/settings/presentation/profile_settings_screen.dart	
/profile-setup	lib/features/profile/presentation/profile_setup_screen.dart	
/refer-earn	lib/features/referral/presentation/refer_earn_screen.dart	
/referral-leaderboard	lib/features/referral/presentation/referral_leaderboard_screen.dart	
/relationship-ecosystem	lib/features/roadmap/presentation/phase23_premium_screens.dart	
/relationship-prediction	lib/features/roadmap/presentation/phase23_premium_screens.dart	
/report-flow	lib/features/safety/presentation/report_flow_screen.dart	
/safety-privacy	lib/features/settings/presentation/safety_privacy_screen.dart	
/send-gift	lib/features/commerce/presentation/send_gift_screen.dart	
/settings	lib/features/settings/presentation/settings_screen.dart	
/signup	lib/features/auth/presentation/signup_screen.dart	
/sos-checkin	lib/features/safety/presentation/sos_checkin_screen.dart	
/stories	lib/features/roadmap/presentation/roadmap_feature_screens.dart	
/subscription	lib/features/subscription/presentation/subscription_screen.dart	
/success-stories	lib/features/social_proof/presentation/success_stories_screen.dart	
/travel-mode	lib/features/roadmap/presentation/phase23_premium_screens.dart	
/trusted-contacts	lib/features/roadmap/presentation/roadmap_feature_screens.dart	
/twenty-questions	lib/features/roadmap/presentation/roadmap_feature_screens.dart	
/video-speed-dating-room	lib/features/roadmap/presentation/roadmap_feature_screens.dart	
/virtual-speed-dating	lib/features/roadmap/presentation/phase23_premium_screens.dart	
/wallet	lib/features/wallet/presentation/amora_wallet_screen.dart	
/why-we-matched	lib/features/match/presentation/why_we_matched_screen.dart	

Appendix H — Screen Inventory

#	Screen source
1	lib/features/accessibility/presentation/accessibility_settings_screen.dart
2	lib/features/admin/presentation/admin_panel_screen.dart
3	lib/features/ai_coach/presentation/ai_coach_screen.dart
4	lib/features/ai_coach/presentation/ai_dating_coach_screen.dart

AMORA • QA TESTING REPORT		RELEASE DECISION: NOT READY
#	Screen source	
5	lib/features/ai_coach/presentation/ai_icebreakers_screen.dart	
6	lib/features/auth/presentation/account_verification_screen.dart	
7	lib/features/auth/presentation/amora_auth_screen.dart	
8	lib/features/auth/presentation/compatibility_onboarding_screen.dart	
9	lib/features/auth/presentation/login_screen.dart	
10	lib/features/auth/presentation/phone_otp_screen.dart	
11	lib/features/auth/presentation/signup_screen.dart	
12	lib/features/chat/presentation/chat_detail_screen.dart	
13	lib/features/chat/presentation/chat_list_screen.dart	
14	lib/features/commerce/presentation/gift_catalog_screen.dart	
15	lib/features/commerce/presentation/send_gift_screen.dart	
16	lib/features/date_spots/presentation/date_spots_map_screen.dart	
17	lib/features/discover/presentation/advanced_filters_screen.dart	
18	lib/features/discover/presentation/browse_grid_screen.dart	
19	lib/features/discover/presentation/discover_screen.dart	
20	lib/features/events/presentation/event_detail_screen.dart	
21	lib/features/events/presentation/event_group_chat_screen.dart	
22	lib/features/events/presentation/event_waitlist_screen.dart	
23	lib/features/events/presentation/events_browse_screen.dart	
24	lib/features/events/presentation/events_screen.dart	
25	lib/features/events/presentation/my_events_screen.dart	
26	lib/features/events/presentation/post_event_feedback_screen.dart	
27	lib/features/home/presentation/amora_home_screen.dart	
28	lib/features/host/presentation/host_dashboard_screen.dart	
29	lib/features/insights/presentation/dating_recap_screen.dart	
30	lib/features/landing/presentation/amora_landing_screen.dart	
31	lib/features/match/presentation/why_we_matched_screen.dart	
32	lib/features/matches/presentation/matches_screen.dart	
33	lib/features/messaging/presentation/match_screen.dart	
34	lib/features/monetization/presentation/liked_you_paywall_screen.dart	
35	lib/features/monetization/presentation/profile_boost_screen.dart	
36	lib/features/notifications/presentation/notifications_hub_screen.dart	
37	lib/features/onboarding/presentation/onboarding_screen.dart	
38	lib/features/payment/presentation/payment_screen.dart	
39	lib/features/preferences/presentation/dealbreakers_screen.dart	
40	lib/features/privacy/presentation/data_export_screen.dart	
41	lib/features/profile/presentation/bio_builder_screen.dart	
42	lib/features/profile/presentation/kyc_verification_screen.dart	
43	lib/features/profile/presentation/photo_manager_screen.dart	
44	lib/features/profile/presentation/profile_basic_details_screen.dart	
45	lib/features/profile/presentation/profile_completion_screen.dart	
46	lib/features/profile/presentation/profile_detail_screen.dart	
47	lib/features/profile/presentation/profile_edit_screen.dart	
48	lib/features/profile/presentation/profile_preview_screen.dart	

AMORA • QA TESTING REPORT		RELEASE DECISION: NOT READY
#	Screen source	
49	lib/features/profile/presentation/profile_screen.dart	
50	lib/features/profile/presentation/profile_section_editor_screen.dart	
51	lib/features/profile/presentation/profile_setup_screen.dart	
52	lib/features/referral/presentation/refer_earn_screen.dart	
53	lib/features/referral/presentation/referral_leaderboard_screen.dart	
54	lib/features/safety/presentation/report_flow_screen.dart	
55	lib/features/safety/presentation/sos_checkin_screen.dart	
56	lib/features/settings/presentation/language_selection_screen.dart	
57	lib/features/settings/presentation/notification_preferences_screen.dart	
58	lib/features/settings/presentation/offline_mode_screen.dart	
59	lib/features/settings/presentation/profile_settings_screen.dart	
60	lib/features/settings/presentation/safety_privacy_screen.dart	
61	lib/features/settings/presentation/settings_screen.dart	
62	lib/features/social_proof/presentation/success_stories_screen.dart	
63	lib/features/subscription/presentation/subscription_screen.dart	
64	lib/features/support/presentation/faq_support_screen.dart	
65	lib/features/theme/presentation/dark_mode_settings_screen.dart	
66	lib/features/wallet/presentation/amora_wallet_screen.dart	

Appendix I — Dependency Review

Dependency / class	Observed purpose	QA note
flutter	UI/runtime	Core SDK
cupertino_icons	Bundled icons	Declared
url_launcher	Email support launcher	Requires native-client verification
flutter_test	Unit/widget testing	Development only
flutter_lints	Static lint rules	Development only
No Firebase/HTTP/Dio/socket/database/paymen t SDK	Not present	Production integration blocker

Appendix J — Recommended Automated Tests

Recommended artifact	Purpose
integration_test/auth_onboarding_journey_test.dart	Server-contract auth, OTP and onboarding resume
integration_test/discover_to_chat_journey_test.dart	Swipe/match/message golden path
integration_test/events_rsvp_journey_test.dart	Repository-backed join/leave/waitlist state
integration_test/support_email_launch_test.dart	Android/iOS mailto launch and fallback
test/accessibility/text_scale_route_matrix_test.dart	All primary routes at 1.3x/2.0x
test/accessibility/semantics_snapshot_test.dart	Labels, selected/expanded state and focus order
test/security/demo_behavior_compile_flag_test.dart	Prevent demo OTP/payment state in production
test/build/release_configuration_test.dart	Reject template ID/debug release signing
test/events/time_filtering_test.dart	Clock-injected event freshness/time zones

AMORA • QA TESTING REPORT		RELEASE DECISION: NOT READY	
Recommended artifact		Purpose	
test/navigation/route_contract_test.dart		Canonical literal route uniqueness and shell behavior	
test/regression/current_discover_contract_test.dart		Single maintained Discover contract	
CI coverage job		Line/branch baseline, test sharding and artifact retention	