

@app — RAG wiring

Appears in: [DL-05](#)

app.py:96-112

"Retrieval connects at every text stage: audience, copywriter, and cta_optimizer all accept doc_context as an optional parameter ..."

@app — RAG wiring

app.py:96-112

```
96         yield 'data: {"step":"audience","label":"Segmenting target audience..."}\n\n'
97         rag_query = description + " " + " ".join(vision_data.get("product_tags", []))
98         doc_context = rag.retrieve(rag_query)
99         audience_data = audience.segment(description, vision_data, doc_context=doc_context)
100
101         yield 'data: {"step":"copywriter","label":"Writing ad variants..."}\n\n'
102         raw_copy = copywriter.generate(
103             description, vision_data, color_data, tone, audience_data, doc_context=doc_context
104         )
105
106         yield 'data: {"step":"guardrails","label":"Checking compliance..."}\n\n'
107         result = guardrails.check(raw_copy)
108
109         yield 'data: {"step":"cta","label":"Optimizing CTAs..."}\n\n'
110         cta_result = cta_optimizer.optimize(
111             result["clean_copy"], tone, audience_data, doc_context=doc_context
112         )
```

What it shows: Where retrieval plugs in: one `rag.retrieve` call feeds `doc_context` to every text agent that benefits, in the live `/generate` stream.

Source: [app.py:96-112](#) · image rendered by [build_snippets.py](#)