

# Evidence Manifest -- @token -> evidence name -> file to upload

Purpose. On the upload platform, every @token in a decision log or the summary links to an uploaded evidence of the same name. This table is the upload checklist: for each @token, upload the listed file and name the evidence exactly the token (without the @).

Rule. Every distinct file = one evidence = one unique @name. The footer lines (Files: / Diagrams: / Source: / Decision logs:) are token lists too -- no path survives anywhere a @ appears. Only [IMAGE: ...] callouts in the body keep a path, because they point a human at the actual picture.

Footnote bridge (<sup>1</sup>). When a log's body points straight at a design doc but the underlying code lives in the footer, a superscript number bridges them: e.g. DL-02 body <sup>1</sup> (the pipeline architecture) <-> footer @vision, @audience, @copywriter. Design is foregrounded in the prose; the code stays one hop away.

Collisions. None. Design-doc tokens (@gap-analysis) and diagram tokens (@gap-as-is, @gap-to-be) are deliberately distinct names, so no @name points at two files.

---

## Design docs (upload the PDF)

| @token                 | File to upload                               |
|------------------------|----------------------------------------------|
| @gap-analysis          | pdf_exports/design/gap-analysis.pdf          |
| @pipeline-architecture | pdf_exports/design/pipeline-architecture.pdf |
| @refinement-loop       | pdf_exports/design/refinement-loop.pdf       |
| @wireframes            | pdf_exports/docs/wireframes.pdf              |

## Diagrams (upload the PNG)

| @token                 | File to upload                     |
|------------------------|------------------------------------|
| @gap-as-is             | diagrams/gap-as-is.png             |
| @gap-to-be             | diagrams/gap-to-be.png             |
| @pipeline-overview     | diagrams/pipeline-overview.png     |
| @pipeline-dataflow     | diagrams/pipeline-dataflow.png     |
| @system-c4-container   | diagrams/system-c4-container.png   |
| @refinement-routing    | diagrams/refinement-routing.png    |
| @campaign-lifecycle    | diagrams/campaign-lifecycle.png    |
| @wireframe-result-page | diagrams/wireframe-result-page.png |

## Analysis / requirements (upload the PDF)

```
-----
@token | File to upload
-----
@requirements-scope | pdf_exports/analysis/requirements_and_scope.pdf
-----
@constraints | pdf_exports/analysis/constraints.pdf
-----
@research-questions | pdf_exports/analysis/research_questions.pdf
-----
@stakeholder-analysis | pdf_exports/analysis/stakeholder_analysis.pdf
-----
@competitor-scan | pdf_exports/analysis/competitor_scan.pdf
-----
@agent-contracts | pdf_exports/docs/agent_contracts.pdf
-----
@case | pdf_exports/Project_case.pdf
-----
```

## Code & data (upload the source file, name = token)

```
-----
@token | Evidence name | File to upload | Used in
-----
@app | app | app.py | DL-01..08
-----
@config | config | config.example.py | DL-01, DL-03, DL-05, DL-07
-----
@vision | vision | agents/vision.py | DL-02, DL-03
-----
@audience | audience | agents/audience.py | DL-02, DL-07
-----
@copywriter | copywriter | agents/copywriter.py | DL-02, DL-07
-----
@guardrails | guardrails | agents/guardrails.py | DL-04
-----
@cta-optimizer | cta-optimizer | agents/cta_optimizer.py | DL-06
-----
@rag | rag | agents/rag.py | DL-05
-----
@assistant | assistant | agents/assistant.py | DL-06, DL-07
-----
@result-html | result-html | templates/result.html | DL-06
-----
@validate | validate | tests/validate.py | DL-04
-----
@setup | setup | scripts/setup.py | DL-07
-----
@run-log | run-log | run_log.jsonl | DL-08
-----
```

---

## Decision-log files (upload each as [DL-0N])

@[DL-01] ... @[DL-08] -> the eight decision\_logs/[DL-0N] \*.txt files, plus  
DL-SUMMARY.txt.

| Token | File |
|-------|------|
|-------|------|

|          |                                                                                       |
|----------|---------------------------------------------------------------------------------------|
| @[DL-01] | [DL-01] How do I run the full pipeline at zero cost before writing any agent code.txt |
|----------|---------------------------------------------------------------------------------------|

|          |                                                                    |
|----------|--------------------------------------------------------------------|
| @[DL-02] | [DL-02] Should I build one marketing agent or five specialists.txt |
|----------|--------------------------------------------------------------------|

|          |                                                                                |
|----------|--------------------------------------------------------------------------------|
| @[DL-03] | [DL-03] Which vision model should I use when free-tier APIs are unreliable.txt |
|----------|--------------------------------------------------------------------------------|

|          |                                                                                  |
|----------|----------------------------------------------------------------------------------|
| @[DL-04] | [DL-04] Should I use an LLM judge or regex patterns to enforce ad compliance.txt |
|----------|----------------------------------------------------------------------------------|

|          |                                                                                          |
|----------|------------------------------------------------------------------------------------------|
| @[DL-05] | [DL-05] Which vector store should I use for a local RAG layer with no infrastructure.txt |
|----------|------------------------------------------------------------------------------------------|

|          |                                                                                            |
|----------|--------------------------------------------------------------------------------------------|
| @[DL-06] | [DL-06] How do I let users refine campaign output without re-running the full pipeline.txt |
|----------|--------------------------------------------------------------------------------------------|

|          |                                                                                          |
|----------|------------------------------------------------------------------------------------------|
| @[DL-07] | [DL-07] Which Ollama model should handle creative copy versus structured JSON output.txt |
|----------|------------------------------------------------------------------------------------------|

|          |                                                                               |
|----------|-------------------------------------------------------------------------------|
| @[DL-08] | [DL-08] How do I make the pipeline's behavior observable across many runs.txt |
|----------|-------------------------------------------------------------------------------|