

Smt.Chandibai Himathmal Mansukhani College

Contents

USCSP301 – USCS303 : Operating system (OS) Practical – 02	2
Practical – 02 Shortest Job first Scheduling Algorithm	2
Practical Date : 24 July 2021.....	2
Practical Aim : Implement SJF (with no preemption) scheduling algo in Java.....	2
Algorithm :	2
Solved Example 1	2
Gnatt Chart	5
Example 2	5
Example 3	5
Example 4	6
Implementation	8
Input.....	14
Output :-	14
Sample output 01.....	15
Sample output 02.....	15
Sample output 03.....	16
Sample output 04.....	16

USCSP301 – USCS303 : Operating system (OS) Practical – 02

Practical – 02 Shortest Job first Scheduling Algorithm

Practical Date : 24 July 2021

Practical Aim : Implement SJF (with no preemption) scheduling algo in Java

Algorithm :

Step 1: Input the number of processes required to be scheduled using SJF, burst time for each process .

Step 2: Using enhanced bubble sort technique, sort the all given processes in ascending order according to burst time in a ready queue.

Step 3: Calculate the Finish Time, Turn Around Time and Waiting Time for each process which in turn help to calculate Average Waiting Time and Average Turn Around Time required by CPU to schedule given set of process using SJF

Step 3.1: for $i=0$, Finish Time T_0 = Arrival Time T_0 + Burst Time T_0

Step 3.2: for $i \geq 1$, Finish Time T_i = Burst Time T_i + Finish Time T_{i-1}

Step 3.3: for $i=0$, Turn Around Time T_0 = Finish Time T_0 - Arrival Time T_0

Step 3.4: for $i \geq 1$, Turn Around Time T_i = Finish Time T_i - Arrival Time T_0

Step 3.5: for $i=0$, Waiting Time T_0 = Turn Around Time T_0 - Burst Time T_0

Step 3.6: for $i \geq 1$, Waiting Time T_i = Turn Around Time T_i - Burst Time T_{i-1}

Step 4: Process with less arrival time comes first and gets scheduled first by the CPU.

Step 5: Calculate the Average Waiting Time and Average Turn Around Time.

Step 6: Stop.

Solved Example 1

Consider the following example containing five processes arrive at same time

Process ID	Burst Time
P0	6

Smt.Chandibai Himathmal Mansukhani College

P1	3
P2	8
P3	3
P4	4

Step 1: Processes get executed according to their lowest burst time.

Process ID	Burst Time
P1	3
P3	3
P4	4
P0	6
P2	8

Step 2: Following shows the scheduling and execution of processes.

Step 2.1: At start P1 has the shortest execution time which is 0-3 seconds

System Time : 0
Process Scheduled : P1
Finish Time : $0 + 3 = 3$
Waiting Time : $3 - 3 = 0$
Turn Around Time : $3 - 0 = 3$

Step 2.2: Next shortest execution time for process P3 for duration 3-6 seconds.

System Time : 3
Process Scheduled : P1,P3
Finish Time : $3 + 3 = 6$
Waiting Time : $6 - 3 = 3$
Turn Around Time : $6 - 0 = 6$

Step 2.3: Next shortest execution time for process P4 for duration 6-10 seconds.

System Time : 6
Process Scheduled : P1,P3,P4
Finish Time : $6 + 4 = 10$
Waiting Time : $10 - 4 = 6$
Turn Around Time : $10 - 0 = 10$

Step 2.4: Next job with shortest execution time is P0 for duration of 10-16 seconds.

System Time : 10
Process Scheduled : P1,P3,P4,P0

Smt.Chandibai Himathmal Mansukhani College

Finish Time : $10 + 6 = 16$

Waiting Time : $16 - 6 = 10$

Turn Around Time : $16 - 0 = 16$

Step 2.5: Similarly, Next job with shortest execution time is P2 for duration of 16-24 seconds.

System Time : 16

Process Scheduled : P1,P3,P4,P0,P2

Finish Time : $16 + 8 = 24$

Waiting Time : $24 - 8 = 16$

Turn Around Time : $24 - 0 = 24$

Step 3: Calculate Average Waiting Time and Average Turn Around Time.

$$\text{Average Waiting Time} = (0 + 3 + 6 + 10 + 16) / 5$$

$$= 35 / 5$$

$$= 7$$

$$\text{Average Turn Around Time} = (3 + 6 + 10 + 16 + 24) / 5$$

$$= 59 / 5$$

$$= 11.8$$

Step 4 : After scheduling of all provided processes;

Process ID	Burst Time	Arrival Time	Finish Time (Prev.finish time+Burst time)	Turn Around Time (Finish time – Arrival Time)	Waiting Time (Turn Around Time – Burst Time)
P1	3	0	$(0+3)=3$	$(3-0)=3$	$(3-3)=0$
P3	3	0	$(3+3)=6$	$(6-0)=6$	$(6-3)=3$
P4	4	0	$(6+4)=10$	$(10-0)=10$	$(10-4)=6$
P0	6	0	$(10+6)=16$	$(16-0)=16$	$(16-6)=10$
P2	8	0	$(16+8)=24$	$(24-0)=24$	$(24-8)=16$
Average				11.8000000	7.0000000

Step 5 : Stop

Smt.Chandibai Himathmal Mansukhani College

Gnatt Chart

P1	P3	P4	P0	P2
----	----	----	----	----

Example 2

Process ID		Burst Time			
P0		2			
P1		1			
P2		6			
Process ID	Burst Time	Arrival Time	Finish Time (Prev.finish time+Burst time)	Turn Around Time (Finish time – Arrival Time)	Waiting Time (Turn Around Time – Burst Time)
P1	1	0	$(0+1)=1$	$(2-0)=1$	$(2-2)=0$
P0	2	0	$(1+2)=3$	$(3-0)=3$	$(3-1)=1$
P2	6	0	$(3+6)=9$	$(9-0)=9$	$(9-6)=3$
Average				4.333333	1.333333

Gnatt Chart

P0	P1	P2
----	----	----

Example 3

Smt.Chandibai Himathmal Mansukhani College

Process ID	Burst Time
P0	7
P1	3
P2	2
P3	10
P4	8

Process ID	Burst Time	Arrival Time	Finish Time (Prev.finish time+Burst time)	Turn Around Time (Finish time – Arrival Time)	Waiting Time (Turn Around Time – Burst Time)
P2	2	0	$(2+0)=2$	$(2-0)=2$	$(2-2)=0$
P1	3	0	$(2+3)=5$	$(5-0)=5$	$(5-3)=2$
P0	7	0	$(5+7)=12$	$(12-0)=12$	$(12-7)=5$
P4	8	0	$(20+8)=28$	$(28-0)=28$	$(28-8)=20$
P3	10	0	$(21+10)=31$	$(31-0)=31$	$(31-10)=21$
Average				13.800000	7.800000

Gantt Chart

P3	P2	P0	P1	P1
----	----	----	----	----

Example 4

Smt.Chandibai Himathmal Mansukhani College

Process ID	Burst Time
P0	7
P1	3
P2	2
P3	10
P4	8

Process ID	Burst Time	Arrival Time	Finish Time (Prev.finish time+Burst time)	Turn Around Time (Finish time – Arrival Time)	Waiting Time (Turn Around Time – Burst Time)
P2	2	0	$(-+2=)2$	$(2-0=)2$	$(2-2=)0$
P0	4	3	$(2+4=)6$	$(6-3=)3$	$(3-4=)-1$
P4	3	4	$(6+3=)9$	$(9-4=)5$	$(5-3=)2$
P1	3	5	$(9+3)12$	$(12-5=)7$	$(7-3=)4$
P3	1	5	$(12+1=)13$	$(13-5=)8$	$(8-1=)7$
Average				5.0000000	2.4000000

Gantt Chart

P2	P0	P4	P1	P3
----	----	----	----	----

Smt.Chandibai Himathmal Mansukhani College

Implementation

Java Program:-

//Name: Yash Parab

//Batch: B1

//PRN: 2020016400922513

//Date: 24 July 2021

// Prac-02 : SJF Algorithm

```
import java.util.Scanner;
```

```
public class P2_SJF_YP{
```

```
    int burstTime[];        int
```

```
    arrivalTime[]={0};
```

```
    String[] processId;     int
```

```
    numberOfProcess;
```

```
    void getProcessData(Scanner input){
```

```
        System.out.print("Enter the number of Process for scheduling: ");
```

```
        int inputNumberOfProcess = input.nextInt();
```

```
        numberOfProcess = inputNumberOfProcess;
```

```
        burstTime = new int[numberOfProcess];
```

Batch: B1

Name: Yash Anand Parab

Smt.Chandibai Himathmal Mansukhani College

```
arrivalTime = new int[numberOfProcess];
```

```
processId = new String[numberOfProcess];
```

```
String st = "P";
```

```
    for(int i = 0 ;i<numberOfProcess;i++){
```

```
        processId[i] = st.concat(Integer.toString(i));
```

```
        System.out.print("Enteer the BurstTime for process - " + (i) + " : ");
```

```
        burstTime[i]=input.nextInt(); } //for loop ends
```

```
    }
```

```
void sortAccordingBurstTime(int[] at,int [] bt,String[] pid){
```

```
    boolean swapped;
```

```
    int temp;
```

```
        String stemp;
```

```
    for(int i = 0 ;i<numberOfProcess;i++){
```

```
        swapped=false;
```

```
        for(int j = 0 ;j<numberOfProcess-i-1;j++){
```

Smt.Chandibai Himathmal Mansukhani College

```
if(bt[j]>bt[j+1]){
```

```
    //swapping bursttime
```

```
    temp=bt[j];
```

```
        bt[j] = bt[j+1];
```

```
    bt[j+1]=temp;
```

```
    //swapping arrival time
```

```
    temp=at[j];
```

```
    at[j]=at[j+1];
```

```
    at[j+1] = temp;
```

```
    //swappingprocessid
```

```
    stemp=pid[j];
```

```
    pid[j]=pid[j+1];
```

```
    pid[j+1]=stemp;
```

```
    //enhanced bubble sort
```

```
        swapped=true;
```

Smt.Chandibai Himathmal Mansukhani College

```
        }

    }

    if(swapped==false){

break;

    }

}

}

}

void shortestJobFirstNPAlgorithm(){

int finishTime[]=new int [numberOfProcess];

int bt[] = burstTime.clone();

int at[] = arrivalTime.clone();

String pid[]=processId.clone();

int waitingTime[] = new int[numberOfProcess];

int turnAroundTime[] = new int[numberOfProcess];

sortAccordingBurstTime(at,bt,pid);
```

Smt.Chandibai Himathmal Mansukhani College

```
finishTime[0] = at[0] + bt[0];
```

```
turnAroundTime[0]=finishTime[0] - at[0];
```

```
waitingTime[0] = turnAroundTime[0] -bt[0];
```

```
for(int i = 1;i<numberOfProcess;i++){
```

```
    finishTime[i] = bt[i] + finishTime[i-1];
```

```
    turnAroundTime[i]=finishTime[i] - at[i];
```

```
    waitingTime[i] = turnAroundTime[i] -bt[i];
```

```
}
```

```
float sum = 0;
```

```
for(int n :waitingTime){
```

```
    sum += n;
```

```
}
```

```
float averageWaitingTime = sum/ numberOfProcess;
```

```
sum = 0;
```

Smt.Chandibai Himathmal Mansukhani College

```
        for(int n :turnAroundTime){ sum += n;

    }

    float averageTurnAroundTime = sum/ numberOfProcess;

    System.out.println("SJF (with no preemption) Scheduling Algorithm :");

    System.out.format("%20s%20s%20s%20s%20s%20s\n",

        "ProcessId", "BurstTime", "ArrivalTime", "FinishTime", "TurnAroundTime", "WaitingTime");

    for(int i = 0; i < numberOfProcess; i++){

        System.out.format("%20s%20d%20d%20d%20d%20d\n", pid[i], bt[i],
            at[i], finishTime[i], turnAroundTime[i], waitingTime[i]);

    }

    System.out.format("%80s%20f%20f\n", "Average", averageTurnAroundTime,
        averageWaitingTime);

    }

    public static void main(String[] args){

        Scanner input= new Scanner(System.in);

        P2_SJF_YP obj = new P2_SJF_YP();

        obj.getProcessData(input);
```

Smt.Chandibai Himathmal Mansukhani College

```
obj.shortestJobFirstNPAlgorithm();
```

```
}
```

```
}
```

Input

Enter the number of Process for scheduling: 5

Enter the BurstTime for process - 0 : 6

Enter the BurstTime for process - 1 : 3

Enter the BurstTime for process - 2 : 8

Enter the BurstTime for process - 3 : 4

Enter the BurstTime for process - 4 : 3

Output :-

SJF (with no preemption) Scheduling Algorithm :

ProcessId	BurstTime	ArrivalTime	FinishTime	TurnAround Time	WaitingTime
P1	3	0	3	3	0
P4	3	0	6	6	3
P3	4	0	10	10	6
P0	6	0	16	16	10
P2	8	0	24	24	16
Average				11.800000	7.000000

Smt.Chandibai Himathmal Mansukhani College

Sample output 01

```
C:\USCSP301_USCSP303_OS_B1\Prac_02_YashParab_27_07_2021>javac P2_SJF_YP.java
C:\USCSP301_USCSP303_OS_B1\Prac_02_YashParab_27_07_2021>java P2_SJF_YP
Enter the number of Process for scheduling: 5
Enter the BurstTime for process - 0 : 6
Enter the BurstTime for process - 1 : 3
Enter the BurstTime for process - 2 : 8
Enter the BurstTime for process - 3 : 4
Enter the BurstTime for process - 4 : 3
SJF (with no preemption) Scheduling Algorithm :
```

ProcessId	BurstTime	ArrivalTime	FinishTime	TurnAroundTime	WaitingTime
P1	3	0	3	3	0
P4	3	0	6	6	3
P3	4	0	10	10	6
P0	6	0	16	16	10
P2	8	0	24	24	16
Average				11.800000	7.000000

Sample output 02

```
C:\USCSP301_USCSP303_OS_B1\Prac_02_YashParab_27_07_2021>java P2_SJF_YP
Enter the number of Process for scheduling: 3
Enter the BurstTime for process - 0 : 2
Enter the BurstTime for process - 1 : 1
Enter the BurstTime for process - 2 : 6
SJF (with no preemption) Scheduling Algorithm :
```

ProcessId	BurstTime	ArrivalTime	FinishTime	TurnAroundTime	WaitingTime
P1	1	0	1	1	0
P0	2	0	3	3	1
P2	6	0	9	9	3
Average				4.333333	1.333333

Smt.Chandibai Himathmal Mansukhani College

Sample output 03

```
C:\USCSP301_USCSP303_OS_B1\Prac_02_YashParab_27_07_2021>java P2_SJF_YP
Enter the number of Process for scheduling: 5
Enter the BurstTime for process - 0 : 7
Enter the BurstTime for process - 1 : 3
Enter the BurstTime for process - 2 : 2
Enter the BurstTime for process - 3 : 10
Enter the BurstTime for process - 4 : 8
SJF (with no preemption) Scheduling Algorithm :
```

ProcessId	BurstTime	ArrivalTime	FinishTime	TurnAroundTime	WaitingTime
P2	2	0	2	2	0
P1	3	0	5	5	2
P0	7	0	12	12	5
P4	8	0	20	20	12
P3	10	0	30	30	20
		Average	13.800000	7.800000	

Sample output 04

```
C:\USCSP301_USCSP303_OS_B1\Prac_02_YashParab_27_07_2021>java P2_SJF_YP
Enter the number of Process for scheduling: 6
Enter the BurstTime for process - 0 : 25
Enter the BurstTime for process - 1 : 15
Enter the BurstTime for process - 2 : 10
Enter the BurstTime for process - 3 : 25
Enter the BurstTime for process - 4 : 10
Enter the BurstTime for process - 5 : 25
SJF (with no preemption) Scheduling Algorithm :
```

ProcessId	BurstTime	ArrivalTime	FinishTime	TurnAroundTime	WaitingTime
P2	10	0	10	10	0
P4	10	0	20	20	10
P1	15	0	35	35	20
P0	25	0	60	60	35
P3	25	0	85	85	60
P5	25	0	110	110	85
		Average	53.333332	35.000000	