

Smt. Chandibai Himathmal Mansukhani College

Contents

USCSP301 – USCS303 : Operating system (OS) Practical – 01	2
Practical – 01 First Come First Serve (FCFS) Algorithm	2
Practical Date : 17 July 2021.....	2
Practical Aim : Implement FCFS scheduling Algorithm using Java	2
Algorithm :	2
Solved Example	2
Gnatt Chart	4
Implementation	7
Input.....	10
Output :-	10
Sample output 01.....	11
Sample output 02.....	11
Sample output 03.....	12
Sample output 04.....	12

Smt. Chandibai Himathmal Mansukhani College

USCSP301 – USCS303 : Operating system (OS) Practical – 01

Practical – 01 First Come First Serve (FCFS) Algorithm

Practical Date : 17 July 2021

Practical Aim : Implement FCFS scheduling Algorithm using Java

Algorithm :

Step 1: Input the number of processes required to be scheduled using FCFS, burst time for each process and its arrival time.

Step 2: Using enhanced bubble sort technique, sort the all given processes in ascending order according to arrival time in a ready queue.

Step 3: Calculate the Finish Time, Turn Around Time and Waiting Time for each process which in turn help to calculate Average Waiting Time and Average Turn Around Time required by CPU to schedule given set of process using FCFS.

Step 3.1: for $i=0$, Finish Time T_0 = Arrival Time T_0 + Burst Time B_0

Step 3.2: for $i \geq 1$, Finish Time T_i = Burst Time B_i + Finish Time T_{i-1}

Step 3.3: for $i=0$, Turn Around Time TAT_0 = Finish Time T_0 - Arrival Time T_0

Step 3.4: for $i \geq 1$, Turn Around Time TAT_i = Finish Time T_i - Arrival Time T_0

Step 3.5: for $i=0$, Waiting Time WT_0 = Turn Around Time TAT_0 - Burst Time B_0

Step 3.6: for $i \geq 1$, Waiting Time WT_i = Turn Around Time TAT_i - Burst Time B_{i-1}

Step 4: Process with less arrival time comes first and gets scheduled first by the CPU.

Step 5: Calculate the Average Waiting Time and Average Turn Around Time.

Step 6: Stop.

Solved Example

Example 01

Consider the following example containing five processes arrive at same time

Process ID	Burst Time
P0	6
P1	3
P2	8
P3	3
P4	4

Smt. Chandibai Himathmal Mansukhani College

Step 1: Processes get executed according to their arrival time.

Step 2: Following shows the scheduling and execution of processes.

Step 2.1: At start P0 arrives and get executed for 6 (i.e; 0-6) seconds.

System Time : 0
Process Scheduled : P0
Turn Around Time : $6 - 0 = 6$
Waiting Time : $6 - 6 = 0$

Step 2.2: P1 arrives after completion of P0, P1 is executed for 3 (i.e; 6-9) seconds.

System Time : 6
Process Scheduled : P0,P1
Turn Around Time : $9 - 0 = 9$
Waiting Time : $9 - 6 = 3$

Step 2.3: P2 arrives after complete execution of process P1, for 8 (i.e; 9-17) seconds

System Time : 9
Process Scheduled : P0,P1,P2
Turn Around Time : $17 - 0 = 17$
Waiting Time : $17 - 9 = 8$

Step 2.4: P3 arrives and gets executed for 3 (Le: 17-20) seconds.

System Time : 17
Process Scheduled : P0,P1,P2,P3
Turn Around Time : $20 - 0 = 20$
Waiting Time : $20 - 17 = 3$

Step 2.5: Similarly, P4 arrives and gets executed for 4 (i.e; 20-24) seconds.

System Time : 20
Process Scheduled : P0,P1,P2,P3,P4
Turn Around Time : $24 - 0 = 24$
Waiting Time : $24 - 4 = 20$

Step 3: Calculate Average Waiting Time and Average Turn Around Time.

Smt. Chandibai Himathmal Mansukhani College

$$\text{Average Waiting Time} = (0 + 6 + 9 + 17 + 20) / 5$$

$$= 52 / 5$$

$$= 10.4$$

$$\text{Average Turn Around Time} = (0 + 6 + 9 + 17 + 20) / 5$$

$$= 76 / 5$$

$$= 15.2$$

Step 4 : After scheduling of all provided processes;

Process ID	Burst Time	Arrival Time	Finish Time (Prev.finish time+Burst time)	Turn Around Time (Finish time – Arrival Time)	Waiting Time (Turn Around Time – Burst Time)
P0	6	0	(-+6=)6	(6-0=)6	(6-6=)0
P1	3	0	(6+3=)9	(9-0=)9	(9-3=)6
P2	8	0	(9+8=)17	(17-0=)17	(17-8=)9
P3	3	0	(17+3)20	(20-0=)20	(20-3=)17
P4	4	0	(20+4=)24	(24-0=)24	(24-4=)20
Average				15.200000	10.400000

Step 5 : Stop

Gantt Chart

P0	P1	P2	P3	P4
-----------	-----------	-----------	-----------	-----------

Example 02

Process ID	Burst Time	Arrival Time
P0	6	2
P1	3	5
P2	8	1
P3	3	0
P4	4	4

Smt. Chandibai Himathmal Mansukhani College

Process ID	Burst Time	Arrival Time	Finish Time (Prev.finish time+Burst time)	Turn Around Time (Finish time – Arrival Time)	Waiting Time (Turn Around Time – Burst Time)
P3	3	0	(-+3=)3	(3-0=)3	(3-3=)0
P2	8	1	(3+8=)11	(11-1=)10	(10-8=)2
P0	6	2	(11+6=)17	(17-2=)15	(15-6=)9
P4	4	4	(17+4)21	(20-4=)17	(17-4=)13
P1	3	5	(21+3=)24	(24-5=)19	(19-3=)16
Average				12.800000	8.000000

Gnatt Chart

P3	P2	P0	P1	P1
----	----	----	----	----

Example 03.

Process ID	Burst Time
P0	2
P1	1
P2	6

Process ID	Burst Time	Arrival Time	Finish Time (Prev.finish time+Burst time)	Turn Around Time (Finish time – Arrival Time)	Waiting Time (Turn Around Time – Burst Time)
P0	2	0	(-+2=)2	(2-0=)2	(2-2=)0
P1	1	0	(2+1=)3	(3-0=)3	(3-1=)2
P2	6	0	(3+6=)9	(9-0=)9	(9-6=)3
Average				4.66666667	1.66666667

Gnatt chart

P0	P1	P2
----	----	----

Smt. Chandibai Himathmal Mansukhani College

Example 04

Process ID	Burst Time	Arrival Time
P0	4	3
P1	3	5
P2	2	0
P3	1	5
P4	3	4

Process ID	Burst Time	Arrival Time	Finish Time (Prev.finish time+Burst time)	Turn Around Time (Finish time – Arrival Time)	Waiting Time (Turn Around Time – Burst Time)
P2	2	0	$(-+2=)2$	$(2-0=)2$	$(2-2=)0$
P0	4	3	$(2+4=)6$	$(6-3=)3$	$(3-4=-)1$
P4	3	4	$(6+3=)9$	$(9-4=)5$	$(5-3=)2$
P1	3	5	$(9+3)12$	$(12-5=)7$	$(7-3=)4$
P3	1	5	$(12+1=)13$	$(13-5=)8$	$(8-1=)7$
Average				5.0000000	2.4000000

Gantt Chart

P2	P0	P4	P1	P3
----	----	----	----	----

Smt. Chandibai Himathmal Mansukhani College

Implementation

Java Program:

```
import java.util.Scanner;

public class P1_FCFS_YP{

    int burstTime[];    int arrivalTime[];    String[] processId;    int numberOfProcess;

    void getProcessData(Scanner input){

        System.out.print("Enter the number of process for Scheduling:");    int
        inputNumberOfProcess=input.nextInt();        numberOfProcess=inputNumberOfProcess;
        burstTime = new int[numberOfProcess];    arrivalTime = new int[numberOfProcess];
        processId = new String[numberOfProcess];

        String st = "P";

        for(int i=0;i<numberOfProcess;i++){        processId[i] = st.concat(Integer.toString(i));

            System.out.print("Enter the burst time for Process"+(i)+" :");
            burstTime[i]=input.nextInt();

            System.out.print("Enter the arrival time for Process"+(i)+" :");
            arrivalTime[i]=input.nextInt();

        }

    }

    void sortAccordingArrivalTime(int[] at, int[] bt,String[] pid){

        boolean swapped;    int temp;    String stemp;    for(int i
        =0;i<numberOfProcess;i++){        swapped=false;

            for(int j = 0;j<numberOfProcess-i-1;j++){

                if(at[j]>at[j+1]){                    temp = at[j];                    at[j] =at[j+1];
                at[j+1]=temp;

                temp = bt[j];

            }

        }

    }

}
```

Smt. Chandibai Himathmal Mansukhani College

```
        bt[j] =bt[j+1];                bt[j+1]=temp;

        stemp = pid[j];
        pid[j]=pid[j+1];                pid[j+1]=stemp;
        swapped=true;
    }
}
if(swapped==false){                break;
    }
}

}

void firstComeFirstServeAlgorithm(){
    int finishTime[] = new int[numberOfProcess];    int bt[] = burstTime.clone();    int at[] =
arrivalTime.clone();    String pid[] = processId.clone();

    int waitingTime[] = new int[numberOfProcess];    int turnAroundTime[] = new
int[numberOfProcess];    sortAccordingArrivalTime(at, bt, pid);

    finishTime[0] = at[0] + bt[0];    turnAroundTime[0]=finishTime[0] - at[0];
    waitingTime[0] = turnAroundTime[0] -bt[0];    for(int i = 1;i<numberOfProcess;i++){
    finishTime[i] = bt[i] + finishTime[i-1];    turnAroundTime[i]=finishTime[i] - at[i];
    waitingTime[i] = turnAroundTime[i] -bt[i];
    }

    float sum = 0;    for(int n :waitingTime){
        sum += n;
    }

    float averageWaitingTime = sum/ numberOfProcess;

    sum = 0;
    for(int n :turnAroundTime){    sum += n;
    }

    float averageTurnAroundTime = sum/ numberOfProcess;
```


Smt. Chandibai Himathmal Mansukhani College

```
System.out.println("FCFS Scheduling Algorithm :");

System.out.format("%20s%20s%20s%20s%20s%20s\n",      "ProcessId",
"BurstTime","ArrivalTime","FinishTime","TurnAroundTime", "WaitingTime");    for(int i
= 0;i< numberOfProcess;i++){

    System.out.format("%20s%20d%20d%20d%20d%20d\n", pid[i], bt[i],
at[i],finishTime[i],turnAroundTime[i], waitingTime[i]);

    }

    System.out.format("%80s%20f%20f\n","Average", averageTurnAroundTime,
averageWaitingTime);

}

public static void main(String[] args){

    Scanner input= new Scanner(System.in);

    P1_FCFS_YP obj = new P1_FCFS_YP();    obj.getProcessData(input);
obj.firstComeFirstServeAlgorithm();

}

}
```

Smt. Chandibai Himathmal Mansukhani College

Input

```
C:\USCSP301_USCSP303_OS_Batch B1\Prac_01_YashParab_17_07_2021>java P1_FCFS_YP
Enter the number of process for Scheduling:5
Enter the burst time for Process0:6
Enter the arrival time for Process0 :0
Enter the burst time for Process1:3
Enter the arrival time for Process1 :0
Enter the burst time for Process2:8
Enter the arrival time for Process2 :0
Enter the burst time for Process3:3
Enter the arrival time for Process3 :0
Enter the burst time for Process4:4
Enter the arrival time for Process4 :0
```

Output :-

```
FCFS Scheduling Algorithm :
ProcessId    BurstTime    ArrivalTime    FinishTime    TurnAroundTime    WaitingTime
P0           6           0             6             6             0
P1           3           0             9             9             6
P2           8           0            17            17            9
P3           3           0            20            20            17
P4           4           0            24            24            20
Average                        15.200000      10.400000
```

Smt. Chandibai Himathmal Mansukhani College

Sample output 01

```
C:\USCSP301_USCSP303_OS_Batch B1\Prac_01_YashParab_17_07_2021>javac P1_FCFS_YP.java
C:\USCSP301_USCSP303_OS_Batch B1\Prac_01_YashParab_17_07_2021>java P1_FCFS_YP
Enter the number of process for Scheduling:5
Enter the burst time for Process0:6
Enter the arrival time for Process0 :0
Enter the burst time for Process1:3
Enter the arrival time for Process1 :0
Enter the burst time for Process2:8
Enter the arrival time for Process2 :0
Enter the burst time for Process3:3
Enter the arrival time for Process3 :0
Enter the burst time for Process4:4
Enter the arrival time for Process4 :0
FCFS Scheduling Algorithm :


| ProcessId | BurstTime | ArrivalTime | FinishTime | TurnAroundTime | WaitingTime |
|-----------|-----------|-------------|------------|----------------|-------------|
| P0        | 6         | 0           | 6          | 6              | 0           |
| P1        | 3         | 0           | 9          | 9              | 6           |
| P2        | 8         | 0           | 17         | 17             | 9           |
| P3        | 3         | 0           | 20         | 20             | 17          |
| P4        | 4         | 0           | 24         | 24             | 20          |
|           |           |             | Average    | 15.200000      | 10.400000   |


```

Sample output 02

```
C:\USCSP301_USCSP303_OS_B1\Prac_01_YashParab_17_07_2021>java P1_FCFS_YP
Enter the number of process for Scheduling:5
Enter the burst time for Process0:3
Enter the arrival time for Process0 :0
Enter the burst time for Process1:8
Enter the arrival time for Process1 :1
Enter the burst time for Process2:6
Enter the arrival time for Process2 :2
Enter the burst time for Process3:4
Enter the arrival time for Process3 :4
Enter the burst time for Process4:3
Enter the arrival time for Process4 :5
FCFS Scheduling Algorithm :


| ProcessId | BurstTime | ArrivalTime | FinishTime | TurnAroundTime | WaitingTime |
|-----------|-----------|-------------|------------|----------------|-------------|
| P0        | 3         | 0           | 3          | 3              | 0           |
| P1        | 8         | 1           | 11         | 10             | 2           |
| P2        | 6         | 2           | 17         | 15             | 9           |
| P3        | 4         | 4           | 21         | 17             | 13          |
| P4        | 3         | 5           | 24         | 19             | 16          |
|           |           |             | Average    | 12.800000      | 8.000000    |


```

Smt. Chandibai Himathmal Mansukhani College

Sample output 03

```
C:\USCSP301_USCSP303_OS_B1\Prac_01_YashParab_17_07_2021>java P1_FCFS_YP
Enter the number of process for Scheduling:3
Enter the burst time for Process0:2
Enter the arrival time for Process0 :0
Enter the burst time for Process1:1
Enter the arrival time for Process1 :0
Enter the burst time for Process2:6
Enter the arrival time for Process2 :0
FCFS Scheduling Algorithm :
```

ProcessId	BurstTime	ArrivalTime	FinishTime	TurnAroundTime	WaitingTime
P0	2	0	2	2	0
P1	1	0	3	3	2
P2	6	0	9	9	3
		Average		4.666667	1.666667

Sample output 04

```
C:\USCSP301_USCSP303_OS_B1\Prac_01_YashParab_17_07_2021>java P1_FCFS_YP
Enter the number of process for Scheduling:5
Enter the burst time for Process0:2
Enter the arrival time for Process0 :0
Enter the burst time for Process1:4
Enter the arrival time for Process1 :3
Enter the burst time for Process2:3
Enter the arrival time for Process2 :4
Enter the burst time for Process3:3
Enter the arrival time for Process3 :5
Enter the burst time for Process4:1
Enter the arrival time for Process4 :5
FCFS Scheduling Algorithm :
```

ProcessId	BurstTime	ArrivalTime	FinishTime	TurnAroundTime	WaitingTime
P0	2	0	2	2	0
P1	4	3	6	3	-1
P2	3	4	9	5	2
P3	3	5	12	7	4
P4	1	5	13	8	7
		Average		5.000000	2.400000