

STUDENT NAME: **YASH CHAUHAN**

STUDENT ROLL NUMBER: **28**

SECTION: **CSE C-1**

STUDENT REG NUMBER: **230905194**

WEEK NO: **8**

DATE: **18 TH FEB 2026**

Lab No. 8 – Form Processing using Django – Part-1

Q1. Develop a web application using Django framework to demonstrate the transfer of multiple parameters between web pages. User should be presented with a dropdown list containing car manufacturers, a text box which takes model name of the manufacturer and a submit button. On submitting the web page, the user is forwarded to a new page. This new page should display the selected car manufacturer name and the model name.

Urls.py

```
from django.urls import path
from . import views

urlpatterns = [
    path("", views.select_car, name='select_car'),
    path('display/', views.display_car, name='display_car'),
]
```

Urls.py

```
from django.contrib import admin
from django.urls import path, include

urlpatterns = [
    path('admin/', admin.site.urls),
    path("", include('cars.urls')),
]
```

Views.py

```
from django.shortcuts import render, redirect
from urllib.parse import urlencode
from .forms import CarSelectionForm
```

```

def select_car(request):
    """View to display the car selection form"""
    if request.method == 'POST':
        form = CarSelectionForm(request.POST)
        if form.is_valid():
            params = {
                'customer_name': form.cleaned_data['customer_name'],
                'email': form.cleaned_data['email'],
                'phone': form.cleaned_data['phone'],
                'manufacturer': form.cleaned_data['manufacturer'],
                'model': form.cleaned_data['model'],
                'year': form.cleaned_data['year'],
                'color': form.cleaned_data['color'],
                'body_type': form.cleaned_data['body_type'],
                'fuel_type': form.cleaned_data['fuel_type'],
                'transmission': form.cleaned_data['transmission'],
                'budget': form.cleaned_data['budget'],
                'comments': form.cleaned_data['comments'],
            }
            return redirect(f'/display/{urlencode(params)}')
        else:
            form = CarSelectionForm()
            context = {
                'form': form
            }
            return render(request, 'cars/select_car.html', context)

def display_car(request):
    """View to display the selected car details"""
    context = {
        'customer_name': request.GET.get('customer_name', ''),
        'email': request.GET.get('email', ''),
        'phone': request.GET.get('phone', ''),
        'manufacturer': request.GET.get('manufacturer', ''),
        'model': request.GET.get('model', ''),
        'year': request.GET.get('year', ''),
        'color': request.GET.get('color', ''),
        'body_type': request.GET.get('body_type', ''),
        'fuel_type': request.GET.get('fuel_type', ''),
        'transmission': request.GET.get('transmission', ''),
        'budget': request.GET.get('budget', ''),
        'comments': request.GET.get('comments', ''),
    }
    return render(request, 'cars/display_car.html', context)

```

Changes in setting.py

```
INSTALLED_APPS = [  
    'django.contrib.admin',  
    'django.contrib.auth',  
    'django.contrib.contenttypes',  
    'django.contrib.sessions',  
    'django.contrib.messages',  
    'django.contrib.staticfiles',  
    'cars',  
]
```

Forms.py

```
from django import forms  
  
CAR_MANUFACTURERS = [  
    ('', '-- Select Manufacturer --'),  
    ('Toyota', 'Toyota'),  
    ('Honda', 'Honda'),  
    ('Ford', 'Ford'),  
    ('BMW', 'BMW'),  
    ('Mercedes-Benz', 'Mercedes-Benz'),  
    ('Audi', 'Audi'),  
    ('Volkswagen', 'Volkswagen'),  
    ('Hyundai', 'Hyundai'),  
    ('Nissan', 'Nissan'),  
    ('Chevrolet', 'Chevrolet'),  
]  
  
YEAR_CHOICES = [('', '-- Select Year --')] + [(str(year), str(year)) for year in range(2024, 1999, -1)]  
  
COLOR_CHOICES = [  
    ('', '-- Select Color --'),  
    ('White', 'White'),  
    ('Black', 'Black'),  
    ('Silver', 'Silver'),  
    ('Gray', 'Gray'),  
    ('Red', 'Red'),  
    ('Blue', 'Blue'),  
    ('Green', 'Green'),  
    ('Yellow', 'Yellow'),  
    ('Orange', 'Orange'),  
]
```

```

('Brown', 'Brown'),
]

FUEL_TYPE_CHOICES = [
(' ', '-- Select Fuel Type --'),
('Petrol', 'Petrol'),
('Diesel', 'Diesel'),
('Electric', 'Electric'),
('Hybrid', 'Hybrid'),
('CNG', 'CNG'),
]

TRANSMISSION_CHOICES = [
(' ', '-- Select Transmission --'),
('Automatic', 'Automatic'),
('Manual', 'Manual'),
('CVT', 'CVT'),
('Semi-Automatic', 'Semi-Automatic'),
]

BODY_TYPE_CHOICES = [
(' ', '-- Select Body Type --'),
('Sedan', 'Sedan'),
('SUV', 'SUV'),
('Hatchback', 'Hatchback'),
('Coupe', 'Coupe'),
('Convertible', 'Convertible'),
('Wagon', 'Wagon'),
('Truck', 'Truck'),
]

class CarSelectionForm(forms.Form):
    # Customer Information
    customer_name = forms.CharField(
        max_length=100,
        widget=forms.TextInput(attrs={
            'class': 'form-control',
            'id': 'customer_name',
            'placeholder': 'Enter your full name'
        })
    )
    email = forms.EmailField(
        widget=forms.EmailInput(attrs={

```

```
'class': 'form-control',
'id': 'email',
'placeholder': 'Enter your email address'
})
)
phone = forms.CharField(
    max_length=15,
    widget=forms.TextInput(attrs={
        'class': 'form-control',
        'id': 'phone',
        'placeholder': 'Enter your phone number'
    })
)
# Car Information
manufacturer = forms.ChoiceField(
    choices=CAR_MANUFACTURERS,
    widget=forms.Select(attrs={
        'class': 'form-control',
        'id': 'manufacturer'
    })
)
model = forms.CharField(
    max_length=100,
    widget=forms.TextInput(attrs={
        'class': 'form-control',
        'id': 'model',
        'placeholder': 'Enter model name (e.g., Camry, Civic)'
    })
)
year = forms.ChoiceField(
    choices=YEAR_CHOICES,
    widget=forms.Select(attrs={
        'class': 'form-control',
        'id': 'year'
    })
)
color = forms.ChoiceField(
    choices=COLOR_CHOICES,
    widget=forms.Select(attrs={
        'class': 'form-control',
        'id': 'color'
    })
)
body_type = forms.ChoiceField(
```

```

choices=BODY_TYPE_CHOICES,
widget=forms.Select(attrs={
'class': 'form-control',
'id': 'body_type'
})
)
fuel_type = forms.ChoiceField(
choices=FUEL_TYPE_CHOICES,
widget=forms.Select(attrs={
'class': 'form-control',
'id': 'fuel_type'
})
)
transmission = forms.ChoiceField(
choices=TRANSMISSION_CHOICES,
widget=forms.Select(attrs={
'class': 'form-control',
'id': 'transmission'
})
)
budget = forms.CharField(
max_length=20,
widget=forms.TextInput(attrs={
'class': 'form-control',
'id': 'budget',
'placeholder': 'Enter your budget (e.g., $25,000)'
})
)
comments = forms.CharField(
required=False,
widget=forms.Textarea(attrs={
'class': 'form-control',
'id': 'comments',
'placeholder': 'Any additional requirements or comments...',
'rows': 3
})
)
)

```

Car.html

```

<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">

```

```
<title>Inquiry Confirmation | AutoSelect Pro</title>
<link
href="https://fonts.googleapis.com/css2?family=Inter:wght@300;400;500;600;700&display=swap"
rel="stylesheet">
<style>
* {
margin: 0;
padding: 0;
box-sizing: border-box;
}

body {
font-family: 'Inter', -apple-system, BlinkMacSystemFont, sans-serif;
background: linear-gradient(135deg, #0f3460 0%, #16213e 50%, #1a1a2e 100%);
min-height: 100vh;
padding: 40px 20px;
}

.page-wrapper {
max-width: 900px;
margin: 0 auto;
}

.success-banner {
background: linear-gradient(135deg, #10b981 0%, #059669 100%);
border-radius: 16px;
padding: 30px;
text-align: center;
margin-bottom: 30px;
box-shadow: 0 10px 40px rgba(16, 185, 129, 0.3);
}

.success-icon {
font-size: 4rem;
margin-bottom: 15px;
display: block;
}

.success-banner h1 {
color: #fff;
font-size: 1.8rem;
font-weight: 700;
margin-bottom: 10px;
```

```
}

.success-banner p {
  color: rgba(255, 255, 255, 0.9);
  font-size: 1rem;
}

.confirmation-number {
  display: inline-block;
  background: rgba(255, 255, 255, 0.2);
  padding: 8px 20px;
  border-radius: 30px;
  margin-top: 15px;
  font-weight: 600;
  color: #fff;
}

.details-container {
  background: #fff;
  border-radius: 20px;
  box-shadow: 0 25px 50px -12px rgba(0, 0, 0, 0.25);
  overflow: hidden;
}

.details-header {
  background: linear-gradient(135deg, #667eea 0%, #764ba2 100%);
  padding: 25px 30px;
  color: #fff;
}

.details-header h2 {
  font-size: 1.3rem;
  font-weight: 600;
}

.details-body {
  padding: 35px;
}

.section {
  margin-bottom: 30px;
}
```



```
.section:last-child {  
margin-bottom: 0;  
}  
  
.section-title {  
font-size: 1rem;  
font-weight: 600;  
color: #1e293b;  
margin-bottom: 20px;  
padding-bottom: 10px;  
border-bottom: 2px solid #e2e8f0;  
display: flex;  
align-items: center;  
gap: 10px;  
}  
  
.section-icon {  
font-size: 1.2rem;  
}  
  
.details-grid {  
display: grid;  
grid-template-columns: repeat(auto-fit, minmax(200px, 1fr));  
gap: 20px;  
}  
  
.detail-card {  
background: linear-gradient(135deg, #f8f9fc 0%, #f1f5f9 100%);  
padding: 18px;  
border-radius: 12px;  
border-left: 4px solid #667eea;  
}  
  
.detail-card.highlight {  
border-left-color: #10b981;  
background: linear-gradient(135deg, #ecfdf5 0%, #d1fae5 100%);  
}  
  
.detail-label {  
font-size: 0.75rem;  
color: #64748b;  
text-transform: uppercase;
```

```
letter-spacing: 0.5px;
margin-bottom: 6px;
font-weight: 600;
}

.detail-value {
font-size: 1.1rem;
color: #1e293b;
font-weight: 600;
}

.car-badge {
display: inline-flex;
align-items: center;
gap: 8px;
background: linear-gradient(135deg, #667eea 0%, #764ba2 100%);
color: #fff;
padding: 12px 20px;
border-radius: 30px;
font-weight: 600;
font-size: 1.1rem;
margin-bottom: 20px;
}

.comments-box {
background: #f8fafc;
border: 2px solid #e2e8f0;
border-radius: 12px;
padding: 20px;
color: #475569;
font-style: italic;
line-height: 1.6;
}

.comments-box:empty::before {
content: 'No additional comments provided.';
color: #94a3b8;
}

.btn-container {
margin-top: 30px;
display: flex;
gap: 15px;
```

```
justify-content: center;
flex-wrap: wrap;
}

.btn {
padding: 14px 30px;
border: none;
border-radius: 10px;
font-size: 1rem;
font-weight: 600;
cursor: pointer;
transition: all 0.3s ease;
font-family: inherit;
text-decoration: none;
display: inline-flex;
align-items: center;
gap: 8px;
}

.btn-primary {
background: linear-gradient(135deg, #667eea 0%, #764ba2 100%);
color: #fff;
box-shadow: 0 4px 15px rgba(102, 126, 234, 0.4);
}

.btn-primary:hover {
transform: translateY(-2px);
box-shadow: 0 8px 25px rgba(102, 126, 234, 0.5);
}

.btn-secondary {
background: #f1f5f9;
color: #64748b;
}

.btn-secondary:hover {
background: #e2e8f0;
}

.btn-success {
background: linear-gradient(135deg, #10b981 0%, #059669 100%);
color: #fff;
box-shadow: 0 4px 15px rgba(16, 185, 129, 0.4);
}
```

```
}

.btn-success:hover {
  transform: translateY(-2px);
  box-shadow: 0 8px 25px rgba(16, 185, 129, 0.5);
}
```

```
.footer-note {
  text-align: center;
  margin-top: 30px;
  color: #94a3b8;
  font-size: 0.9rem;
}
```

```
@media (max-width: 640px) {
  .details-grid {
    grid-template-columns: 1fr;
  }
  .btn-container {
    flex-direction: column;
  }
  .btn {
    width: 100%;
    justify-content: center;
  }
}
```

```
/* Animation */
@keyframes fadeInUp {
  from {
    opacity: 0;
    transform: translateY(30px);
  }
  to {
    opacity: 1;
    transform: translateY(0);
  }
}
```

```
.success-banner {
  animation: fadeInUp 0.6s ease-out;
}
```

```

.details-container {
  animation: fadeInUp 0.6s ease-out 0.2s both;
}
</style>
</head>
<body>
<div class="page-wrapper">
<div class="success-banner">
<span class="success-icon"><input checked="" type="checkbox"/></span>
<h1>Inquiry Submitted Successfully!</h1>
<p>Thank you for your interest. Our team will contact you shortly.</p>
<div class="confirmation-number">Ref:
#CAR{{ customer_name|slice:".3"|upper }}{{ year|slice:".2" }}{{ manufacturer|slice:".2"|upper }}</div>
</div>

<div class="details-container">
<div class="details-header">
<h2><img alt="document icon" data-bbox="158 413 178 433"/> Inquiry Summary</h2>
</div>

<div class="details-body">
<!-- Customer Information -->
<div class="section">
<div class="section-title">
<span class="section-icon"><img alt="person icon" data-bbox="325 548 345 568"/></span>
Customer Information
</div>
<div class="details-grid">
<div class="detail-card highlight">
<div class="detail-label">Full Name</div>
<div class="detail-value">{{ customer_name }}</div>
</div>
<div class="detail-card">
<div class="detail-label">Email Address</div>
<div class="detail-value">{{ email }}</div>
</div>
<div class="detail-card">
<div class="detail-label">Phone Number</div>
<div class="detail-value">{{ phone }}</div>
</div>
<div class="detail-card highlight">
<div class="detail-label">Budget</div>
<div class="detail-value">{{ budget }}</div>

```

```
</div>
</div>
</div>

<!-- Vehicle Details -->
<div class="section">
  <div class="section-title">
    <span class="section-icon"> 🚗 </span>
    Vehicle Details
  </div>
  <div style="text-align: center; margin-bottom: 20px;">
    <div class="car-badge">
      🚗 {{ year }} {{ manufacturer }} {{ model }}
    </div>
  </div>
  <div class="details-grid">
    <div class="detail-card">
      <div class="detail-label">Manufacturer</div>
      <div class="detail-value">{{ manufacturer }}</div>
    </div>
    <div class="detail-card">
      <div class="detail-label">Model</div>
      <div class="detail-value">{{ model }}</div>
    </div>
    <div class="detail-card">
      <div class="detail-label">Year</div>
      <div class="detail-value">{{ year }}</div>
    </div>
    <div class="detail-card">
      <div class="detail-label">Body Type</div>
      <div class="detail-value">{{ body_type }}</div>
    </div>
  </div>
</div>

<!-- Specifications -->
<div class="section">
  <div class="section-title">
    <span class="section-icon"> ⚙️ </span>
    Specifications
  </div>
  <div class="details-grid">
    <div class="detail-card">
```

```

<div class="detail-label">Color</div>
<div class="detail-value">{{ color }}</div>
</div>
<div class="detail-card">
<div class="detail-label">Fuel Type</div>
<div class="detail-value">{{ fuel_type }}</div>
</div>
<div class="detail-card">
<div class="detail-label">Transmission</div>
<div class="detail-value">{{ transmission }}</div>
</div>
</div>
</div>

<!-- Additional Comments -->
{% if comments %}
<div class="section">
<div class="section-title">
<span class="section-icon"> 📝 </span>
Additional Comments
</div>
<div class="comments-box">{{ comments }}</div>
</div>
{% endif %}

<div class="btn-container">
<a href="{% url 'select_car' %}" class="btn btn-primary">
← Submit Another Inquiry
</a>
<button onclick="window.print()" class="btn btn-secondary">
🖨️ Print Summary
</button>
</div>
</div>
</div>

<p class="footer-note">
A confirmation email has been sent to {{ email }}. Our team will reach out within 24-48 hours.
</p>
</div>

<script>
// Add print styles

```

```
const style = document.createElement('style');
```

```
style.textContent = `
```

```
@media print {
```

```
body {
```

```
background: #fff !important;
```

```
padding: 20px !important;
```

```
}
```

```
.btn-container {
```

```
display: none !important;
```

```
}
```

```
.footer-note {
```

```
display: none !important;
```

```
}
```

```
.success-banner {
```

```
box-shadow: none !important;
```

```
-webkit-print-color-adjust: exact;
```

```
print-color-adjust: exact;
```

```
}
```

```
.details-container {
```

```
box-shadow: none !important;
```

```
border: 1px solid #e2e8f0;
```

```
}
```

```
}
```

```
`;
```

```
document.head.appendChild(style);
```

```
</script>
```

```
</body>
```

```
</html>
```




AutoSelect Pro

Find your perfect vehicle with our comprehensive car inquiry system

Car Inquiry Form

Please fill in the details below to help us find the right car for you

Customer Information

Full Name *

Email Address *

Phone Number *

Budget *

Vehicle Preferences

Manufacturer *

Model Name *

Year *

Body Type *

Vehicle Specifications

Preferred Color *

Fuel Type *

Transmission *

Additional Information

Comments & Special Requirements

Any additional requirements or comments...

Reset Form

Submit Inquiry



Inquiry Submitted Successfully!

Thank you for your interest. Our team will contact you shortly.

Ref: #CARPA123456

Inquiry Summary

Customer Information

Full Name

Email Address

Phone Number

Budget

Vehicle Details

2024 Toyota Fortuner

Manufacturer

Model

Year

Body Type

Specifications

Color

Fuel Type

Transmission

Additional Comments

Full as *

Submit Another Inquiry

Print Summary

Q2. Create a page firstPage.html with two TextBoxes [Name, Roll], DropDownList [Subjects], and a button. Create another page secondPage.html with a label and a button. When the user clicks the button in first Page, he should be sent to the second page and display the contents passed from first page in the label. The button in second page should navigate the user back to firstPage. Use Django sessions to transfer Information.

Urls.py

```
from django.urls import path
from . import views

urlpatterns = [
    path('', views.first_page, name='first_page'),
    path('second/', views.second_page, name='second_page'),
]
```

Urls.py

```
from django.contrib import admin
from django.urls import path, include

urlpatterns = [
    path('admin/', admin.site.urls),
    path('', include('student.urls')),
]
```

Views.py

```
from django.shortcuts import render, redirect
from .forms import StudentForm

def first_page(request):
    """View for firstPage - displays the form"""
    if request.method == 'POST':
        form = StudentForm(request.POST)
        if form.is_valid():
            # Store data in session
            request.session['name'] = form.cleaned_data['name']
            request.session['roll'] = form.cleaned_data['roll']
            request.session['subject'] = form.cleaned_data['subject']
            return redirect('second_page')
        else:
            form = StudentForm()
            return render(request, 'student/firstPage.html', {'form': form})

def second_page(request):
    """View for secondPage - displays session data"""
    # Retrieve data from session
    name = request.session.get('name', '')
    roll = request.session.get('roll', '')
```

```
subject = request.session.get('subject', '')
context = {
    'name': name,
    'roll': roll,
    'subject': subject,
}
return render(request, 'student/secondPage.html', context)
```

Changes in setting.py

```
INSTALLED_APPS = [
    'django.contrib.admin',
    'django.contrib.auth',
    'django.contrib.contenttypes',
    'django.contrib.sessions',
    'django.contrib.messages',
    'django.contrib.staticfiles',
    'student',
]
```

Forms.py

```
from django import forms

SUBJECT_CHOICES = [
    ('', '-- Select Subject --'),
    ('Mathematics', 'Mathematics'),
    ('Physics', 'Physics'),
    ('Chemistry', 'Chemistry'),
    ('Biology', 'Biology'),
    ('Computer Science', 'Computer Science'),
    ('English', 'English'),
    ('History', 'History'),
    ('Geography', 'Geography'),
]

class StudentForm(forms.Form):
    name = forms.CharField(
        max_length=100,
        widget=forms.TextInput(attrs={'id': 'name'})
    )
    roll = forms.CharField(
        max_length=20,
        widget=forms.TextInput(attrs={'id': 'roll'})
    )
```

```
)  
subject = forms.ChoiceField(  
choices=SUBJECT_CHOICES,  
widget=forms.Select(attrs={'id': 'subject'}))  
)
```

Html codes

```
<!DOCTYPE html>  
<html lang="en">  
<head>  
<meta charset="UTF-8">  
<meta name="viewport" content="width=device-width, initial-scale=1.0">  
<title>Student Information</title>  
<style>  
body {  
font-family: Arial, sans-serif;  
margin: 20px;  
background-color: #f5f5f5;  
}  
h2 {  
color: #333;  
border-bottom: 2px solid #333;  
padding-bottom: 5px;  
}  
table {  
border-collapse: collapse;  
margin-top: 15px;  
}  
td {  
padding: 8px;  
}  
input, select {  
padding: 5px;  
width: 200px;  
}  
button {  
padding: 8px 20px;  
background-color: #4CAF50;  
color: white;  
border: none;  
cursor: pointer;  
margin-top: 10px;
```

```

}
button:hover {
background-color: #45a049;
}
</style>
</head>
<body>
<h2>Student Information Form</h2>
<form method="POST">
{% csrf_token %}
<table>
<tr>
<td><label for="name">Name:</label></td>
<td>{{ form.name }}</td>
</tr>
<tr>
<td><label for="roll">Roll Number:</label></td>
<td>{{ form.roll }}</td>
</tr>
<tr>
<td><label for="subject">Subject:</label></td>
<td>{{ form.subject }}</td>
</tr>
</table>
<button type="submit">Submit</button>
</form>
</body>
</html>

```

Html code for page 2

```

<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Student Details</title>
<style>
body {
font-family: Arial, sans-serif;
margin: 20px;
background-color: #f5f5f5;
}

```

```
h2 {
color: #333;
border-bottom: 2px solid #333;
padding-bottom: 5px;
}
table {
border-collapse: collapse;
margin-top: 15px;
border: 1px solid #333;
}
th, td {
padding: 10px;
border: 1px solid #333;
text-align: left;
}
th {
background-color: #ddd;
}
a {
display: inline-block;
margin-top: 15px;
padding: 8px 20px;
background-color: #2196F3;
color: white;
text-decoration: none;
}
a:hover {
background-color: #1976D2;
}
.note {
margin-top: 15px;
font-size: 12px;
color: #666;
}
</style>
</head>
<body>
<h2>Student Details (Session Data)</h2>
<table>
<tr>
<th>Field</th>
<th>Value</th>
</tr>
<tr>
```

```
<td>Name</td>
<td>{{ name }}</td>
</tr>
<tr>
<td>Roll Number</td>
<td>{{ roll }}</td>
</tr>
<tr>
<td>Subject</td>
<td>{{ subject }}</td>
</tr>
</table>
<a href="{% url 'first_page' %}">Back to First Page</a>
<p class="note">* Data transferred using Django Sessions</p>
</body>
</html>
```

Student Information Form

Name:

Roll Number:

Subject:

Mathematics

▼

Submit

Student Details (Session Data)

Field	Value
Name	Yash
Roll Number	38
Subject	Mathematics

[Back to First Page](#)

* Data transferred using Django Sessions