

RE-2022-252068 - Turnitin Plagiarism Report

by Surya .

Submission date: 29-Apr-2024 03:54PM (UTC+0100)

Submission ID: 271714422494

File name: RE-2022-252068.pdf (869.04K)

Word count: 2902

Character count: 19108

IOT Irrigation Monitoring & Controller System

⁴ Yash Dhasmana
Department of Computer
Science
and Engineering,
Apex Institute of Technology,
Chandigarh University,
Mohali, Punjab, India
21BCS6265@cuchd.in

³ Surya Pratap Singh
Department of Computer
Science
and Engineering,
Apex Institute of Technology,
Chandigarh University,
Mohali, Punjab, India
21BCS6258@cuchd.in

Gaurav Soni
Department of Computer
Science
and Engineering,
Apex Institute of Technology,
Chandigarh University,
Mohali, Punjab, India
gaurav.e9610@cumail.in

⁹
Abstract—This research paper presents the design, development, and implementation of an Internet of Things (IoT)-based smart irrigation monitoring and control system tailored for precision agriculture. The system leverages IoT principles and integrates moisture sensors, actuators, and Raspberry Pi units to enable real-time monitoring of soil moisture levels and automated control of irrigation systems. A central server facilitates data processing, analysis, and remote access, while custom software interfaces provide user-friendly control options. Field trials demonstrate the effectiveness of the system in optimizing water usage, enhancing crop yields, and promoting sustainable agricultural practices.

Keywords—IoT, Smart Irrigation, Precision Agriculture, Soil Moisture Monitoring, Raspberry Pi, Actuators, Central Server.

I. INTRODUCTION

A. Overview of Precision Agriculture and the Importance of Smart Irrigation:

¹² Precision agriculture revolutionizes traditional farming practices by integrating advanced technologies to optimize crop production while minimizing inputs such as water, fertilizer, and pesticides. Central to precision agriculture is smart irrigation, which ensures precise and efficient water distribution tailored to the specific needs of crops. This approach mitigates water wastage and environmental impact while maximizing yields, making it a cornerstone of modern agricultural sustainability efforts.

B. Challenges in Traditional Irrigation Methods:
Traditional irrigation methods, characterized by manual monitoring and indiscriminate water application, face

significant challenges in optimizing water usage and crop yield. Inefficient water distribution, uneven soil moisture levels, and overwatering contribute to resource wastage, increased costs, and environmental degradation. These challenges underscore the urgent need for innovative solutions that address the limitations of conventional irrigation practices.

C. Role of IoT in Addressing Agricultural Water Management Challenges:

² The Internet of Things (IoT) emerges as a transformative technology in the realm of agricultural water management, offering real-time monitoring, data-driven decision-making, and automated control capabilities. By integrating IoT principles into irrigation systems, farmers can accurately assess soil moisture levels, track environmental conditions, and remotely manage water resources. This data-driven approach enhances precision, efficiency, and sustainability in agricultural water management, paving the way for more resilient and productive farming practices.

D. Objectives of the Research Paper:

⁶ The primary objective of this research paper is to present the design, development, and evaluation of an IoT-based smart irrigation monitoring and control system tailored for precision agriculture. Through a comprehensive review of existing literature, analysis of system architecture and implementation details, and performance evaluation through field trials, this paper aims to demonstrate the effectiveness and potential impact of IoT technologies in addressing the challenges of agricultural water management.

II. RELATED WORK

A. Literature Review of Existing Smart Irrigation Systems:

The literature survey conducted for this project delved into a diverse array of scholarly articles, encompassing seven distinct studies focused on smart irrigation systems. These studies collectively shed light on the limitations of traditional agricultural practices, highlighting the need for more efficient and technologically advanced solutions. Key themes identified in the literature include the adoption of IoT principles, utilization of low-cost hardware, and the development of user-friendly interfaces for remote monitoring and control. Through a synthesis of insights from these articles, the project gained valuable perspectives on innovative techniques, tools, and evaluation parameters essential for the successful implementation of the proposed smart water supply system.

B. Analysis of IoT-Based Solutions in Precision Agriculture:

The analysis of IoT-based solutions in precision agriculture revealed a landscape characterized by a growing reliance on advanced technologies to optimize water management practices. Existing systems leverage IoT principles to enable real-time monitoring of soil moisture levels, automated irrigation control, and remote access through user-friendly interfaces. The surveyed literature underscored the potential of IoT technologies to address the challenges of traditional irrigation methods, offering precision, efficiency, and sustainability in agricultural water management. By examining the strengths and limitations of these solutions, the project identified opportunities for improvement and innovation in the design and implementation of the proposed smart water supply system.

C. Identification of Gaps and Opportunities for Improvement:

Despite the advancements in IoT-based solutions for precision agriculture, several gaps and opportunities for improvement were identified through the literature review. These include the need for enhanced scalability and affordability of hardware components, optimization of data analysis algorithms for real-time decision-making, and integration of predictive analytics for proactive water management. By addressing these gaps and leveraging emerging technologies, such as machine learning and edge computing, the proposed smart water supply system aims to push the boundaries of innovation in agricultural water management, contributing to improved efficiency, productivity, and sustainability in farming practices.

III. SYSTEM ARCHITECTURE

A. Hardware Components and Configuration:

The system architecture of the IoT-based smart irrigation monitoring and control system revolves around the integration of key hardware components, meticulously configured to ensure seamless operation and optimal performance. The primary hardware components employed in the system include the ESP32 microcontroller, soil moisture sensor, water pump,

and associated peripherals. The ESP32 serves as the central processing unit, orchestrating data acquisition from the soil moisture sensor and controlling the operation of the water pump based on predefined thresholds and algorithms. The soil moisture sensor, strategically deployed across the agricultural landscape, continuously measures the moisture levels in the soil, providing real-time data to the ESP32 for analysis and decision-making. The water pump, interfaced with the ESP32, facilitates the automated delivery of water to the crops based on the detected soil moisture levels. Additionally, ancillary hardware components such as power supplies, voltage regulators, and connectors are integrated into the system to ensure reliable and efficient functionality in diverse environmental conditions.




Fig 4.1 Model Architecture

B. Software Components and Development:

In conjunction with the hardware components, the software architecture of the system plays a pivotal role in facilitating data processing, control logic implementation, and user interaction. The software components are primarily developed using MicroPython, a lightweight implementation of Python 3 optimized for microcontrollers such as the ESP32. MicroPython enables rapid prototyping and development of embedded applications, leveraging familiar programming paradigms and libraries for efficient code development. The software modules are structured to handle tasks such as sensor data acquisition, threshold-based decision-making, actuator control, and communication with external devices and servers. Custom algorithms are implemented to analyze soil moisture data in real-time, determine optimal irrigation schedules, and regulate water delivery to the crops. Additionally, user interface modules are developed to provide farmers with intuitive control options and visualizations of soil moisture levels, enhancing user experience and usability.

C. Communication Protocols and Data Exchange:

Effective communication between the various components of the system is essential for seamless operation and data exchange. To facilitate communication between the ESP32 microcontroller, soil sensor, water pump, and external servers,

standardized communication protocols are employed. The system utilizes Wi-Fi connectivity provided by the ESP32 microcontroller to establish wireless communication with the central server and other IoT devices. Data exchange between the ESP32 and the central server is facilitated through HTTP requests, enabling the transmission of sensor data, control commands, and system status updates. Additionally, MQTT (Message Queuing Telemetry Transport) protocol is utilized for lightweight, publish-subscribe messaging between distributed components, facilitating real-time data exchange and event-driven communication. Through the efficient implementation of communication protocols, the system ensures reliable, secure, and responsive interaction between hardware components and external entities, enabling seamless operation and remote monitoring and control capabilities.




Fig. 4.2 Flowchart of working model

IV. IMPLEMENTATION DETAILS

A. Hardware Setup and Integration:

The hardware setup for the smart irrigation system revolves around the integration of the ESP32 microcontroller as a simple on and off switch for controlling irrigation. The ESP32, renowned for its versatility and reliability, serves as the central hub for orchestrating irrigation operations based on commands received from the web or mobile application. The hardware integration process involves connecting the ESP32 to the irrigation system's motors and actuators, facilitating seamless control over water distribution. Additionally, the ESP32 is

equipped with built-in Wi-Fi capabilities, enabling connectivity to a general Wi-Fi network for communication with the web or mobile application. The hardware setup is meticulously configured to ensure compatibility, reliability, and ease of maintenance, laying the foundation for a robust and efficient irrigation control system.

B. Software Implementation and Algorithm Development:

The software implementation of the smart irrigation system encompasses the development of firmware for the ESP32 microcontroller and the web/mobile application interface. Using MicroPython, a lightweight implementation of Python optimized for microcontrollers, the firmware for the ESP32 is programmed to interpret commands received from the application and control the irrigation system accordingly. Custom algorithms are developed to manage irrigation schedules, monitor soil moisture levels, and optimize water usage based on predefined thresholds and user preferences. Additionally, the web/mobile application interface is developed using web development technologies such as HTML, CSS, and JavaScript, providing users with an intuitive platform to remotely control irrigation operations, monitor system status, and adjust settings as needed. The software implementation is characterized by efficiency, responsiveness, and user-friendliness, ensuring seamless interaction between the ESP32 controller and the application interface.




Fig. 5.1 Working Model

V. FIELDS TRIALS AND PERFORMANCE EVALUATION

A. Experimental Setup and Methodology:

The field trials for evaluating the performance of the smart irrigation system were conducted in a controlled agricultural setting, replicating real-world conditions to assess its effectiveness in optimizing water usage and promoting plant growth. The experimental setup involved installing the ESP32 microcontroller, soil sensor, and water pump in designated areas of the test field. The soil sensor was placed inside a container filled with soil, ensuring direct contact with the root zone of the crops. The ESP32 microcontroller was configured as a simple

on and off switch, controlled by a web/mobile application, to activate the water pump based on soil moisture readings. A general Wi-Fi network was utilized to establish communication between the ESP32 controller and the application interface, facilitating remote control and monitoring of irrigation operations.

B. Data Collection and Analysis:

Data collection during the field trials encompassed monitoring soil moisture levels, water usage, and plant growth parameters over a specified period. The soil sensor continuously measured soil moisture levels at regular intervals, transmitting the data to the ESP32 controller for analysis. The ESP32 controller logged the sensor data and triggered the water pump to irrigate the soil when moisture levels fell below predefined thresholds. Concurrently, observational data on plant growth, such as height, leaf color, and overall health, were recorded periodically to assess the impact of the irrigation system on crop performance. The collected data were analyzed using statistical methods and visualization techniques to identify trends, correlations, and anomalies, providing insights into the effectiveness of the irrigation system in maintaining optimal soil moisture levels and promoting plant growth.



Fig 6.1 Mobile App Interface

C. Performance Metrics and Evaluation Criteria:

Performance evaluation of the smart irrigation system was based on predefined metrics and evaluation criteria aimed at assessing its efficiency, effectiveness, and reliability in agricultural water management. Key performance metrics included water usage efficiency, defined as the amount of water applied per unit area of land, and crop yield, measured in terms of quantity and quality of harvested produce. Additional evaluation criteria encompassed system responsiveness, user satisfaction, and cost-effectiveness. The performance of the

system was compared against traditional irrigation methods to gauge its superiority in optimizing water usage, enhancing crop yields, and promoting sustainable agricultural practices. Through rigorous analysis of performance metrics and evaluation criteria, the field trials aimed to provide valuable insights into the real-world applicability and potential impact of the smart irrigation system in modern agriculture.

VI. RESULT AND DISCUSSION

A. Analysis of Field Trial Results:

The analysis of field trial results provides valuable insights into the performance and effectiveness of the smart irrigation system in real-world agricultural settings. Data collected during the trials, including soil moisture levels, water usage, and plant growth parameters, were meticulously analyzed to evaluate the system's performance. The results revealed a significant improvement in soil moisture management compared to traditional irrigation methods. The system demonstrated the ability to maintain optimal soil moisture levels throughout the growing season, promoting healthy plant growth and minimizing water wastage. Additionally, the irrigation system's responsiveness to changing environmental conditions was evident, with timely irrigation cycles triggered based on soil moisture readings. Overall, the field trial results validate the effectiveness of the smart irrigation system in optimizing water usage and enhancing crop yields.

B. Comparison with Traditional Irrigation Methods:

A comparative analysis between the smart irrigation system and traditional irrigation methods provides valuable insights into the system's superiority in agricultural water management. Traditional irrigation methods, characterized by manual monitoring and indiscriminate water application, were found to be less efficient and less precise compared to the smart irrigation system. The system's automated control capabilities, coupled with real-time soil moisture monitoring, resulted in a more targeted and efficient water distribution process. This not only minimized water wastage but also optimized crop growth and yield. The comparison highlights the transformative potential of smart irrigation technologies in revolutionizing traditional agricultural practices and promoting sustainability in water management.

C. Discussion on System Effectiveness and Efficiency:

The discussion on the effectiveness and efficiency of the smart irrigation system delves into the key factors contributing to its success and potential areas for improvement. The system's effectiveness in maintaining optimal soil moisture levels and promoting plant growth is attributed to its integration of IoT principles, real-time data monitoring, and automated control

capabilities. By leveraging these technologies, the system achieves a balance between water conservation and crop productivity, addressing the dual challenges of water scarcity and food security. However, the discussion also acknowledges potential challenges such as system scalability, reliability, and cost-effectiveness, which warrant further research and development efforts. Overall, the smart irrigation system represents a significant step forward in modern agricultural practices, offering a sustainable and efficient solution to water management in farming.

VII. CONCLUSION AND FUTURE WORK

A. Summary of Research Findings:

In conclusion, the research paper presents an in-depth exploration of an IoT-based smart irrigation monitoring and control system for precision agriculture. The findings underscore its efficacy in optimizing water usage, enhancing crop yields, and fostering sustainable agricultural practices. Notably, our significant achievement lies in achieving these outcomes at a low development cost, ensuring accessibility to a broad spectrum of farmers and agricultural communities. Looking forward, opportunities for further advancements include integrating additional sensors, employing machine learning for predictive analytics, and expanding the IoT ecosystem. These efforts promise to propel agricultural sustainability and productivity, paving the way for a more resilient farming future.

Cost Estimation	
NodeMCU/ESP8266	Rs.200
Soil Moisture Sensor	Rs. 50
Power Supply (9V)	Rs.110
Submersible Motor Pump	Rs.50
Jumper Wires	Rs.40
Water Supply Pipes	Rs.30
Zero Board	Rs.20
LED's	Rs.10
TOTAL	Rs.510

Fig. 7.1 Development Cost

B. Implications for Agriculture and Environmental Sustainability:

The implications of this research extend beyond the realm of agricultural water management to encompass broader implications for agriculture and environmental sustainability. By promoting efficient water usage, the smart irrigation system contributes to the conservation of water resources, mitigating the impact of water scarcity and drought on crop production. Additionally, the system's precision irrigation capabilities reduce the risk of soil erosion, nutrient runoff, and water pollution, safeguarding soil health and ecosystem integrity. Moreover, by optimizing crop yields and promoting sustainable farming practices, the system supports food security, economic development, and environmental stewardship in agricultural communities worldwide.

C. Recommendations for Future Research and Development:

Looking ahead, several recommendations for future research and development emerge from this study. Firstly, efforts should focus on enhancing the scalability, reliability, and affordability of smart irrigation technologies to facilitate widespread adoption by farmers of all scales. Additionally, there is a need for further research into advanced sensing technologies, predictive analytics, and machine learning algorithms to improve the accuracy and efficiency of irrigation scheduling and water management. Furthermore, exploring innovative approaches to integrate renewable energy sources, such as solar or wind power, into irrigation systems can enhance sustainability and reduce dependence on fossil fuels. Lastly, fostering interdisciplinary collaborations and knowledge exchange among researchers, practitioners, policymakers, and agricultural stakeholders is essential to drive innovation and ensure the continued advancement of smart irrigation technologies for the benefit of agriculture and environmental sustainability.

VIII. REFERENCES

[1.] Ms. Sahaya Sakila. V, Dinesh Udayakumar, Chandrasekar Rajah, M Karthikeyan. (2018). "Smart Irrigation System Using Internet of Things". March 2018. Efficiency, water usage optimization.

[2.] Amirul Amin Abd Halim, Roslina Mohamad, Farah Yasmin Abdul Rahman, Harlisya Harun, Nuzli Mohamad Anas. (2023). "IoT based smart irrigation, control, and monitoring system for chilli plants using Node MCU-ESP8266". Feb. 2023. Accuracy of monitoring, control responsiveness.

[3.] Ashish Kumar, Pawan Kumar Patnaik, Sargam Gupta. (2022). "IOT BASE LOW COST IRRIGATION MODEL". Oct. 2022. Affordability, scalability.

- [4.] D. Manikandan, Sadhish Prabhu, Parnasree Chakraborty, T. Manthra, M. Kumaravel. (2021). "IoT-Based Smart Irrigation and Monitoring System in Smart Agriculture". Oct. 2021. Remote monitoring capabilities, resource optimization.
- [5.] Walunj Bhushan Dashrath, Bacchav Tejas Madhav, Gunjal Ajay Sahebrao, Kadave Akash Gorakh, Prof. Pathak Gaurav, Prof. Baravkar Pavan S. (2023). "IOT BASED SMART IRRIGATION MONITORING AND CONTROLLING SYSTEM". May 2023. System responsiveness, user interface.
- [6.] Md. Mehedi Islam, Md. Al-Momin, A. B. M. Tauhid, Md. Kamal Hossain, Sumonto Sarker. (2020). "IoT Based Smart Irrigation Monitoring & Controlling System in Agriculture". March 2020. Data accuracy, reliability.
- [7.] Ms. Anuska Sharma, Pankaj Saraswat. (2021). "An IoT-Based Approach to an Intelligent Irrigation System". Nov. 2021. Automation capabilities, energy efficiency.
- [8.] Shweta B. Saraf, Dhanashri H. Gawali. (2017). "IoT based smart irrigation monitoring and controlling system". 2017. Ease of installation, user-friendliness.

RE-2022-252068-plag-report

ORIGINALITY REPORT

8%

SIMILARITY INDEX

5%

INTERNET SOURCES

6%

PUBLICATIONS

2%

STUDENT PAPERS

PRIMARY SOURCES

1

www.ijert.org

Internet Source

1%

2

"Intelligent Robots and Drones for Precision Agriculture", Springer Science and Business Media LLC, 2024

Publication

1%

3

dokumen.pub

Internet Source

1%

4

ijsrset.com

Internet Source

1%

5

www.ijraset.com

Internet Source

1%

6

Nikhil S Patankar, Dushing Akshada Shaharam, Deshmukh Tejas Rajendra, Gadhave Sakshi Bhausaheb et al. "IoT Based Hand Gesture Control Wheelchair for Disabled Person", 2023 4th International Conference on Smart Electronics and Communication (ICOSEC), 2023

Publication

1%

7	Submitted to Universiti Malaysia Perlis Student Paper	1 %
8	Submitted to Fiji National University Student Paper	<1 %
9	eurchembull.com Internet Source	<1 %
10	Submitted to The London College UCK Student Paper	<1 %
11	www.ncbi.nlm.nih.gov Internet Source	<1 %
12	www.marketresearch.com Internet Source	<1 %
13	"Geospatial Technology to Support Communities and Policy", Springer Science and Business Media LLC, 2024 Publication	<1 %
14	Rahul Rastogi, Nikhil Aggarwal. "A Review on Virtualization and Cloud Security", 2022 2nd International Conference on Innovative Practices in Technology and Management (ICIPTM), 2022 Publication	<1 %
15	Showmick Guha Paul, Arpa Saha, Mohammad Shamsul Arefin, Touhid Bhuiyan et al. "A Comprehensive Review of Green Computing:	<1 %

Past, Present, and Future Research", IEEE
Access, 2023

Publication

16

Submitted to Swinburne University of
Technology

Student Paper

<1 %

17

"Futuristic Communication and Network
Technologies", Springer Science and Business
Media LLC, 2022

Publication

<1 %

Exclude quotes On

Exclude matches Off

Exclude bibliography On

RE-2022-252068-plag-report

GRADEMARK REPORT

FINAL GRADE

GENERAL COMMENTS

/100

PAGE 1

PAGE 2

PAGE 3

PAGE 4

PAGE 5

PAGE 6
