### Changing Label Dynamically\*

```
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
 <meta http-equiv="X-UA-Compatible" content="IE=edge">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <title>Changing labels Dynamically</title>
 <script>
    function ChangeLabel()
    {
      var l= document.getElementById("bt");
      var x= document.getElementById("emp").value;
      bt.value=x;
    }
 </script>
</head>
<body>
 Enter Text:<input type="text" id="emp" value="">
 <input type="button" id="bt" value="Change Me" onclick="ChangeLabel()">
 </body>
</html>
```


```
Enter Text:
  Change Me
 Enter Text: Submit
  Submit
Evaluation of Checkbox Selection
<!DOCTYPE html>
<html lang="en">
<head>
 <title>Checkbox Selection</title>
</head>
<body>
 <form name="form1" action="" method="">
    Select your favourite Fruits:<br>
    <input type="checkbox" name="a" value=Apple onclick="Selection()">Apple
    <input type="checkbox" name="p" value=Pinepple>PineApple
    <input type="checkbox" name="o" value=Apple>Orange
    <input type="checkbox" name="b" value=Banana>Banana
    <input type="checkbox" name="m" value=Mango>Mango
<button onclick="Selection()">show</button>
  </form>
<script >
```

```
function Selection()
    var x="You Selected:";
    with (document.forms.form1)
if(a.checked==true)
 x+=a.value+"";
}
if(b.checked==true)
{
 x+=b.value+"";
}
if(o.checked==true)
{
 x+=o.value+"";
}
if(m.checked==true)
 x+=m.value+"";
if(p.checked==true)
 x+=p.value+"";
}
alert(x);
}}
</script>
```

#### **Changing OptionList Dynamically**

```
<title>Changing Option List Dynamically</title>
</head>
<body>
  <form name="form1" action="" method="">
<select name="OptionList">
  <option value="1">Classic</option>
  <option value="1">Cruiser</option>
  <option value="1">New Model</option>
  <option value="1">Royle</option>
</select>
<input type="radio" name="vehicle" checked="true" value=1
onclick="ResetOptionList(this.value)">Motorcycle
<input type="radio" name="vehicle" value=2 onclick="ResetOptionList(this.value)">car
</form>
<script>
  function ResetOptionList(e)
  {
    with(document.forms.form1)
  {
 if (e==1)
{
  OptionList[0].text="Classic"
  OptionList[0].value=1
  OptionList[1].text="Cruiser"
  OptionList[1].value=2
  OptionList[2].text="New Model"
  OptionList[2].value=3
```

```
OptionList[3].text="Royle"
  OptionList[3].value=4
}
if(e==2)
{
  OptionList[0].text="ford"
  OptionList[0].value=1
  OptionList[1].text="Toyota"
  OptionList[1].value=2
  OptionList[2].text="Suzuki"
  OptionList[2].value= 3
  OptionList[3].text="Yamaha"
  OptionList[3].value=4
}
}
}
</script>
</body>
</html>
```



```
Disabling Elements
<html>
<head>
</head>
<body>
<script>
function disable()
{
document.forms.form1.t1.disabled=true;
}
function enable()
{
document.forms.form1.t1.disabled=false;
}
</script>
<form name="form1">
ENTER YOUR NAME:<input type="text" name="t1">
<input type="button" name="b1" value="Disable" onclick="disable()">
<input type="button" name="b2" value="Enable" onclick="enable()">
</form>
</body>
</html>
  ENTER YOUR NAME: Adityabodhi
                                                  Disable
                                                            Enable
                              Disabled
 ENTER YOUR NAME: Adityabodhi
                                                 Disable
                                                          Enable
Enabled
```

#### Selecting Items Using Checkboxes &Button

```
<html>
<head></head>
<body >
SELECT YOUR FAVOURITE ACCESSORIES
<form name="form1" action="" method="">
<input type="checkbox" name="a" value="MOBILE">MOBILE<br>
<input type="checkbox" name="b" value="TAB">TAB<br>
<input type="checkbox" name="c" value="LAPTOP">LAPTOP<br>
<input type="checkbox" name="d" value="IPAD">IPAD<br>
<input type="button" name="Print Selected items" value="Print Selected Items"
onclick="selection(this.value)">
</form>
<script>
function selection()
{
var x="YOU SELECTED:<br>"
with(document.forms.form1)
{
if(a.checked==true)
{
x+=a.value+" ";
if(b.checked==true)
x+=b.value+" ";
if(c.checked==true)
x+=c.value+" ";
```

```
}
if(d.checked==true)
x+=d.value+" ";
}
}
document.write(x);
}
</script>
</body>
</html>
SELECT YOUR FAVOURITE ACCESSORIES
 ✓ MOBILE

▼ TAB

 \Box LAPTOP
 \Box IPAD
 Print Selected Items
YOU SELECTED:
```

MOBILE TAB

## Selecting Radio Button To Display List

```
<!DOCTYPE html>
<html lang="en">
<head>
  <title>Document</title>
  <script >
    function updatelist(x)
    {
      var a= ["Apple","Banana","Mango","Orange"];
      var b=["bringle","Potato","Onion","Cabbage"];
      with(document.forms.forms1)
      {
       if(x==1)
         for(var i=0;i<a.length;i++)</pre>
         optionlist[i].text=a[i];
        }
       if (x==2)
         for(var i=0;i<b.length;i++)</pre>
         optionlist[i].text=b[i];
        }
      }
    }
```

```
</script>
</head>
<body>
<form name ="forms1" action="" method="" >
<select name="optionlist">
<option value="1"></option>
<option value="2"></option>
<option value="3"></option>
<option value="4"></option>
</select>
<input type="radio" name="objects" value="1" onclick="updatelist(this.value)">fruits
<input type="radio" name="objects" value="2" onclick="updatelist(this.value)">vegatables
</form>
</body>
</html>
        ✓ ● fruits ○ vegatables
 Apple
 Apple
 Banana
 Mango
 Orange
          bringle
 bringle
 Potato
 Onion
 Cabbage
```

# **Intrinsic Javascript Function** <html> <head> <title> Intrinsic Functions</title> </head> <body> <form name="frm1" action="" method=""> Enter first name: <input type="text" id="b1" name="fname"><br><br> <img src="submit.png.png" height="200" width="250" onclick="javascript:document.forms.frm1.submit()"> <img src="reset.png.jpg" height="200" width="250" onclick="javascript:document.forms.frm1.reset()"> </form></body> </html> Enter first name:

