

List Comprehensions

Let's learn about list comprehensions! You are given three integers x, y and z representing the dimensions of a cuboid along with an integer n . Print a list of all possible coordinates given by (i, j, k) on a 3D grid where the sum of $i + j + k$ is not equal to n . Here, $0 \leq i \leq x; 0 \leq j \leq y; 0 \leq k \leq z$. Please use list comprehensions rather than multiple loops, as a learning exercise.

Example

$x = 1$
 $y = 1$
 $z = 2$
 $n = 3$

All permutations of $[i, j, k]$ are:
[[0, 0, 0], [0, 0, 1], [0, 0, 2], [0, 1, 0], [0, 1, 1], [0, 1, 2], [1, 0, 0], [1, 0, 1], [1, 0, 2], [1, 1, 0], [1, 1, 1], [1, 1, 2]].

Print an array of the elements that do not sum to $n = 3$.

[[0, 0, 0], [0, 0, 1], [0, 0, 2], [0, 1, 0], [0, 1, 1], [1, 0, 0], [1, 0, 1], [1, 1, 0], [1, 1, 2]]

Input Format

Four integers x, y, z and n , each on a separate line.

Constraints

Print the list in lexicographic increasing order.

Sample Input 0

```
1
1
1
2
```

Sample Output 0

```
[[0, 0, 0], [0, 0, 1], [0, 1, 0], [1, 0, 0], [1, 1, 1]]
```

Explanation 0

Each variable x, y and z will have values of 0 or 1. All permutations of lists in the form $[i, j, k] = [[0, 0, 0], [0, 0, 1], [0, 1, 0], [0, 1, 1], [1, 0, 0], [1, 0, 1], [1, 1, 0], [1, 1, 1]]$. Remove all arrays that sum to $n = 2$ to leave only the valid permutations.

Sample Input 1

```
2
2
```

2
2

Sample Output 1

```
[[0, 0, 0], [0, 0, 1], [0, 1, 0], [0, 1, 2], [0, 2, 1], [0, 2, 2], [1, 0, 0], [1, 0, 2], [1, 1, 1], [1, 1, 2], [1, 2, 0], [1, 2, 1], [1, 2, 2], [2, 0, 1], [2, 0, 2], [2, 1, 0], [2, 1, 1], [2, 1, 2], [2, 2, 0], [2, 2, 1], [2, 2, 2]]
```