

Knowledge Transfer (KT) Notes

Date: 20/04/26

1. Automatic Call Distribution (ACD) Overview

The main configurations reside within the ACD system. The call flow sequence is as follows:

- An incoming call arrives at the **SBC (Session Border Controller)**.
- The call is then routed based on the routing configurations set up in the **ACD**.
- Key definitions in the ACD include: **Skills, TFN (Toll-Free Numbers), Scripts, and Hours of Operation** (Open/Close times).

Creating a New Skill in ACD

1. Navigate to **New Skill** and select **Single Skill**.
2. Fill out the pre-defined template with the following details:
 - **Media Type:** Phone Call
 - **Skill Name:** [Specify Name]
 - **Inbound/Outbound:** Select based on requirement
 - **Campaign:** [Specify Campaign]
 - **Transferred to Script:** [Leave Blank]
 - **Priority Management:** Handled from Studio
 - **Short Abandon Threshold:** Enable (Leave other values as default)

2. Studio Configuration

Once a skill is created in the ACD, it must be configured in **Studio (FP Prod)**.

Mapping Skill IDs in Snippets

Within the snippet of the created skill, add the details in **JSON format**. Example mapping for **Skill ID 35638753**:

```
{
  "Primary Skill": "Skill ID",
  "Primary Skill Name": "Some Name entered on Nice" (Case Sensitive),
  "hold music playtime": 105 (sec),
  "POS": 30,
  "LOB": "SALA" (Example for Sales),
  "qmusic": "SalesDomestic.wav" (From Swagger),
  "qmusic": "ICS_ON-Q.wav" (Wav file names),
  "Call Type": "Some Name",
  "Primary Skill.Save to db": 1,
  "Primary Skill Name.Save to db": 1,
  "Call Type.Save to db": 1,
  "qmusic.Save to db": 1
}
```

}

Note: "Save to db" fields are for reporting purposes.

Manual Token Refresh

To manually refresh a token: Open Studio Script ->
FP_prod\API_Token_PutValue_CACHE_NICE (Approx. 21.00 min).

3. Agent and TFN Management

Date: 21/04/26

- **Agent IDs:** Managed in ACD User. Creation is done by Bharat.
- **Direct Routing (DID):** Routing needed in cases where calls route directly from Customer to Agent.

Creating a New TFN (Point of Contact)

1. Go to **POC (Point of Contact)** and create new.
2. **Media Type:** Phone Call
3. **Name Format:** [Full TFN no]_[COA/OT/FB] (Campaign name by request).
4. **Skill:** POC_IVR_COA, POC_IVR_OT, or POC_IVR_FB.
5. **Script:** FP_Prod/FP_IVR.
6. **IVR Reporting:** Always enabled.

TFN Type	Series/Details	Approval
Local US Number	646 series	Bharat Approval Required
Local US Tollfree	858, 877 series	Charges borne by NICE; Bharat Approval Required

4. Swagger and Advanced Configuration

Configuring ANI and DNIS in Studio

1. Go to Script FP_prod / FP_IVR -> Find **Contact to Address** (1 or 2 are full).
2. Open **Snippet** in *Contact to Address 3* and add: `Contact_to_address = '*****'`
3. In a different snippet named *Contact to Address 3 into Full TFN 3*, define **ANI** and **DNIS**.

```
CASE "New TFN"  
{  
  dnis = "New TFN"  
  TFN = "New TFN"  
}
```

Post TFN Detail in Swagger

Find the Portal ID from Swagger (e.g., 92: COA, 93: COA_CA, 95: OT, 115: OT_CA). Copy the

schema and insert details:

```
{
  "PortalId": 0,
  "Tfn": "String" (TFN no),
  "Priority": "String" (Default 'L'),
  "Category": "String" ('C', confirm 'A'),
  "WaveField": 0 (From Swagger wavfileID),
  "PlayTextLimit": 0 (Always 3),
  "SkillId": 0 (From ACD Skill ID),
  "ModuleId": 0,
  "IvrActionId": 0,
  "MaxLength": 0,
  "MinLength": 0,
  "CheckCache": true (Always false),
  "IsActive": true (Always true)
}
```

Final Steps: Clearing Cache

After changing hard-coded snippets, clear the cache from both Swagger and Studio:

1. **Swagger:** Find ClearCache, put OAP Token, and Post. (OAP Token can be found in Local Storage -> Call Weight -> Jwt Column).
2. **Max:** 8337520898