RK.UNIVERSITY

SCHOOL OF ENGINEERING RK.UNIVERSITY

ENROLLMENT NO:24SOECE11091

Tutorial – 4

Build a PHP application that interacts with a MySQL database to perform CRUD operations on a "products" table. Include the following functionalities:

- **Display a list of products with details.**
- **Add a new product with information like name, description, and price.**
- **Edit and update existing product information.**
- **Delete a product from the database.**

Code:

```
<?php
mysqli_report(MYSQLI_REPORT_OFF);
$db = "test_db";
$appEnv = "testing";
$cands = [["192.168.1.64", "devadmin", "Ro0t1234", 3306], ["localhost", "devadmin", "Ro0t1234", 3306],
["localhost", "root", "", 3306]];
$conn = null;
$activeHost = '';
$activeUser = '';
$lastError = 'Unknown connection error';
foreach ($cands as [$h, $u, $p, $port]) {
   $c = @new mysqli($h, $u, $p, null, $port);
   if ($c->connect_error) {
      $lastError = "Connection failed on host '$h' with user '$u': " . $c->connect_error;
      continue;
   }
         if (!$c->select_db($db) && (!$c->query("CREATE DATABASE IF NOT EXISTS `$db`") ||
!$c->select_db($db))) {
      $lastError = "Database setup failed on host '$h' for '$db': " . $c->error;
      continue;
   }
   $conn = $c;
   $activeHost = $h;
```

```
    $activeUser = $u;
    break;
}
if (!$conn) {
    die($lastError);
}
if (!$conn->query("CREATE TABLE IF NOT EXISTS products (id INT AUTO_INCREMENT PRIMARY KEY,name VARCHAR(255) NOT NULL,description TEXT NOT NULL,price DECIMAL(10,2) NOT NULL,created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP)")) {
    die("Table setup failed: " . $conn->error);
}
function e($v)
{
    return htmlspecialchars((string)$v, ENT_QUOTES, 'UTF-8');
}
if (isset($_POST['add'])) {
    $s = $conn->prepare("INSERT INTO products (name,description,price) VALUES (?,?,?)");
    $s->bind_param("ssd", $_POST['name'], $_POST['description'], $_POST['price']);
    $s->execute();
    $s->close();
    header("Location: " . $_SERVER['PHP_SELF']);
    exit;
}
if (isset($_GET['delete'])) {
    $s = $conn->prepare("DELETE FROM products WHERE id=?");
    $s->bind_param("i", $_GET['delete']);
    $s->execute();
    $s->close();
    header("Location: " . $_SERVER['PHP_SELF']);
    exit;
}
if (isset($_POST['update'])) {
    $s = $conn->prepare("UPDATE products SET name=?,description=?,price=? WHERE id=?");
    $s->bind_param("ssdi", $_POST['name'], $_POST['description'], $_POST['price'], $_POST['id']);
    $s->execute();
    $s->close();
    header("Location: " . $_SERVER['PHP_SELF']);
    exit;
}
$editData = null;
if (isset($_GET['edit'])) {
    $s = $conn->prepare("SELECT * FROM products WHERE id=?");
    $s->bind_param("i", $_GET['edit']);
```

```
    $s->execute();
    $editData = $s->get_result()->fetch_assoc();
    $s->close();
}
?>
<!doctype html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width,initial-scale=1">
    <title>Single File CRUD</title>

<style>:root{--bg:#f8fafc;--card:#fff;--ink:#1e293b;--mut:#64748b;--pri:#0f766e;--bor:#dbe6f3;--bad:#b4231
8}*{box-sizing:border-box}body{margin:0;font:15px/1.45 "Segoe
UI",sans-serif;background:#f3f7fb;color:var(--ink)}.w{max-width:1050px;margin:18px auto;padding:0
12px}.c{background:var(--card);border:1px solid
var(--bor);border-radius:12px;padding:14px;margin-bottom:12px}h1,h2,h3{margin:0 0
8px}.lead{margin:0}.m{display:flex;flex-wrap:wrap;gap:6px;font-size:12px;color:var(--mut)}.m
span{background:#f1f5f9;border:1px solid var(--bor);border-radius:999px;padding:4px
8px}.k{color:#334155}.g{display:grid;grid-template-columns:repeat(auto-fit,minmax(260px,1fr));gap:10px}la
bel{display:block;margin:8px 0
4px;font-weight:600}input[type=text],input[type=email],input[type=password],input[type=number],input[ty
pe=file]{width:100%;padding:9px;border:1px solid
var(--bor);border-radius:8px}.btn,input[type=submit]{display:inline-block;margin-top:10px;padding:8px
12px;border:0;border-radius:8px;background:var(--pri);color:#fff;text-decoration:none;font-weight:700;cur
sor:pointer}.ghost{background:#e2e8f0;color:#334155}.danger{background:var(--bad)!important}.success,
.error{padding:9px 10px;border-radius:8px;margin:0 0
10px}.success{background:#dcfce7;color:#166534}.error{background:#fee2e2;color:#991b1b}.hdr{display:f
lex;justify-content:space-between;align-items:center;gap:8px}.tbl{overflow:auto;border:1px solid
var(--bor);border-radius:10px}table{width:100%;min-width:620px;border-collapse:collapse}th,td{padding:9
px;border-bottom:1px solid var(--bor);text-align:left}th{background:#f0f7ff;font-size:12px}.a
a{margin-right:10px;text-decoration:none;color:#0f766e;font-weight:600}.a
.d{color:var(--bad)}.pic{width:96px;height:96px;border-radius:50%;object-fit:cover;border:2px solid
var(--bor);display:flex;align-items:center;justify-content:center;background:#e2e8f0;color:#64748b;font-si
ze:12px}@media(max-width:720px){.w{margin:12px
auto}.hdr{flex-direction:column;align-items:flex-start}}</style>
</head>

<body>
    <main class="w">
        <section class="c">
            <h1>Product Studio</h1>
```

ENROLLMENT NO:24SOECE11091

```
        <p>Single-file CRUD with auto DB setup.</p>
                <div class="m"><span>DB: <?= e($db) ?></span><span>Host: <?= e($activeHost) ?></span><span>User: <?= e($activeUser) ?></span><span>Env: <?= e($appEnv) ?></span></div>
      </section>
      <section class="c">
        <h2><?= $editData ? "Edit Product" : "Add Product" ?></h2>
          <form method="POST"><input type="hidden" name="id" value="<?= e($editData['id'] ?? '') ?>"><label>Name</label><input type="text" name="name" value="<?= e($editData['name'] ?? '') ?>" required><label>Description</label><input type="text" name="description" value="<?= e($editData['description'] ?? '') ?>" required><label>Price</label><input type="number" step="0.01" name="price" value="<?= e($editData['price'] ?? '') ?>" required><?php if ($editData): ?><input type="submit" name="update" value="Update"> <a class="btn ghost" href="?">Cancel</a><?php else: ?><input type="submit" name="add" value="Add Product"><?php endif; ?></form>
      </section>
      <section class="c">
        <h2>Product List</h2>
        <div class="tbl">
          <table>
            <tr>
              <th>ID</th>
              <th>Name</th>
              <th>Description</th>
              <th>Price</th>
              <th>Action</th>
            </tr><?php $r = $conn->query("SELECT * FROM products ORDER BY id DESC");
                if ($r && $r->num_rows > 0): while ($row = $r->fetch_assoc()): ?><tr>
                  <td><?= e($row['id']) ?></td>
                  <td><?= e($row['name']) ?></td>
                  <td><?= e($row['description']) ?></td>
                  <td>$<?= e($row['price']) ?></td>
                    <td class="a"><a href="?edit=<?= $row['id'] ?>">Edit</a><a class="d" href="?delete=<?= $row['id'] ?>" onclick="return confirm('Are you sure you want to delete this product?');">Delete</a></td>
                </tr><?php endwhile;
                else: ?><tr>
                <td colspan="5">No products found.</td>
              </tr><?php endif; ?>
          </table>
        </div>
      </section>
    </main>
</body>
```

ENROLLMENT NO:24SOECE11091

</html>



---

2. Design a simple user authentication system using PHP. Implement the following features:

- **User registration with fields such as username, email, and password.**
- **Password hashing for secure storage.**
- **User login functionality with proper validation.**
- **Session management to keep users logged in across pages.**
- **Logout functionality to end the user session.**

Code:

```
<?php
session_start();
mysqli_report(MYSQLI_REPORT_OFF);
$db = "test_db";
$appEnv = "testing";
$cands = [["192.168.1.64", "devadmin", "Ro0t1234", 3306], ["localhost", "devadmin", "Ro0t1234", 3306], ["localhost",
"root", "", 3306]];
$conn = null;
$activeHost = '';
$activeUser = '';
$lastError = 'Unknown connection error';
foreach ($cands as [$h, $u, $p, $port]) {
    $c = @new mysqli($h, $u, $p, null, $port);
    if ($c->connect_error) {
        $lastError = "Connection failed on host '$h' with user '$u': " . $c->connect_error;
        continue;
    }
    if (!$c->select_db($db) && (!$c->query("CREATE DATABASE IF NOT EXISTS `$db`") || !$c->select_db($db))) {
        $lastError = "Database setup failed on host '$h' for '$db': " . $c->error;
        continue;
    }
    $conn = $c;
    $activeHost = $h;
    $activeUser = $u;
    break;
}
if (!$conn) {
    die($lastError);
}
```

```
if (!$conn->query("CREATE TABLE IF NOT EXISTS users (id INT AUTO_INCREMENT PRIMARY KEY,username
VARCHAR(100) NOT NULL,email VARCHAR(255) NOT NULL UNIQUE,password VARCHAR(255) NOT
NULL,profile_pic VARCHAR(255) DEFAULT NULL,created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP)")) {
    die("Users table setup failed: " . $conn->error);
}
if (!$conn->query("CREATE TABLE IF NOT EXISTS products (id INT AUTO_INCREMENT PRIMARY KEY,name
VARCHAR(255) NOT NULL,description TEXT NOT NULL,price DECIMAL(10,2) NOT NULL,created_at TIMESTAMP
DEFAULT CURRENT_TIMESTAMP)")) {
    die("Products table setup failed: " . $conn->error);
}
function e($v)
{
    return htmlspecialchars((string)$v, ENT_QUOTES, 'UTF-8');
}
$message = "";
if (isset($_POST['register'])) {
    $s = $conn->prepare("INSERT INTO users (username,email,password) VALUES (?,?,?)");
    $pass = password_hash($_POST['password'], PASSWORD_DEFAULT);
    $s->bind_param("sss", $_POST['username'], $_POST['email'], $pass);
    $message = $s->execute() ? "<div class='success'>Registered successfully! You can now log in.</div>" : "<div
class='error'>Error registering user. Email might already exist.</div>";
    $s->close();
}
if (isset($_POST['login'])) {
    $s = $conn->prepare("SELECT * FROM users WHERE email=?");
    $s->bind_param("s", $_POST['email']);
    $s->execute();
    $u = $s->get_result()->fetch_assoc();
    if ($u && password_verify($_POST['password'], $u['password'])) {
        $_SESSION['user'] = $u['username'];
        header("Location: ?");
        exit;
    }
    $message = "<div class='error'>Invalid login credentials!</div>";
    $s->close();
}
if (isset($_GET['logout'])) {
    session_destroy();
    header("Location: ?");
    exit;
}
$editData = null;
if (isset($_SESSION['user'])) {
    if (isset($_POST['add'])) {
        $s = $conn->prepare("INSERT INTO products (name,description,price) VALUES (?,?,?)");
        $s->bind_param("ssd", $_POST['name'], $_POST['description'], $_POST['price']);
        $s->execute();
```

```
        $s->close();
        header("Location: ?");
        exit;
    }
    if (isset($_GET['delete'])) {
        $s = $conn->prepare("DELETE FROM products WHERE id=?");
        $s->bind_param("i", $_GET['delete']);
        $s->execute();
        $s->close();
        header("Location: ?");
        exit;
    }
    if (isset($_POST['update'])) {
        $s = $conn->prepare("UPDATE products SET name=?,description=?,price=? WHERE id=?");
        $s->bind_param("ssdi", $_POST['name'], $_POST['description'], $_POST['price'], $_POST['id']);
        $s->execute();
        $s->close();
        header("Location: ?");
        exit;
    }
    if (isset($_GET['edit'])) {
        $s = $conn->prepare("SELECT * FROM products WHERE id=?");
        $s->bind_param("i", $_GET['edit']);
        $s->execute();
        $editData = $s->get_result()->fetch_assoc();
        $s->close();
    }
}
$welcomeUser = $_SESSION['user'] ?? '';
if (is_array($welcomeUser)) {
    $welcomeUser = $welcomeUser['username'] ?? ($welcomeUser['email'] ?? 'User');
}
if (!is_scalar($welcomeUser)) {
    $welcomeUser = 'User';
}
?>
<!doctype html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width,initial-scale=1">
    <title>Auth + CRUD Demo</title>

<style>:root{--bg:#f8fafc;--card:#fff;--ink:#1e293b;--mut:#64748b;--pri:#0f766e;--bor:#dbe6f3;--bad:#b42318}*{box-sizing
:border-box}body{margin:0;font:15px/1.45 "Segoe
UI",sans-serif;background:#f3f7fb;color:var(--ink)}.w{max-width:1050px;margin:18px auto;padding:0
```

```
12px}.c{background:var(--card);border:1px solid
var(--bor);border-radius:12px;padding:14px;margin-bottom:12px}h1,h2,h3{margin:0 0
8px}.lead{margin:0}.m{display:flex;flex-wrap:wrap;gap:6px;font-size:12px;color:var(--mut)}.m
span{background:#f1f5f9;border:1px solid var(--bor);border-radius:999px;padding:4px
8px}.k{color:#334155}.g{display:grid;grid-template-columns:repeat(auto-fit,minmax(260px,1fr));gap:10px}label{display:bl
ock;margin:8px 0
4px;font-weight:600}input[type=text],input[type=email],input[type=password],input[type=number],input[type=file]{width:1
00%;padding:9px;border:1px solid
var(--bor);border-radius:8px}.btn,input[type=submit]{display:inline-block;margin-top:10px;padding:8px
12px;border:0;border-radius:8px;background:var(--pri);color:#fff;text-decoration:none;font-weight:700;cursor:pointer}.ghost
{background:#e2e8f0;color:#334155}.danger{background:var(--bad)!important}.success,.error{padding:9px
10px;border-radius:8px;margin:0 0
10px}.success{background:#dcfce7;color:#166534}.error{background:#fee2e2;color:#991b1b}.hdr{display:flex;justify-cont
ent:space-between;align-items:center;gap:8px}.tbl{overflow:auto;border:1px solid
var(--bor);border-radius:10px}table{width:100%;min-width:620px;border-collapse:collapse}th,td{padding:9px;border-botto
m:1px solid var(--bor);text-align:left}th{background:#f0f7ff;font-size:12px}.a
a{margin-right:10px;text-decoration:none;color:#0f766e;font-weight:600}.a
.d{color:var(--bad)}.pic{width:96px;height:96px;border-radius:50%;object-fit:cover;border:2px solid
var(--bor);display:flex;align-items:center;justify-content:center;background:#e2e8f0;color:#64748b;font-size:12px}@media(
max-width:720px){.w{margin:12px auto}.hdr{flex-direction:column;align-items:flex-start}}</style>
</head>

<body>
  <main class="w">
    <section class="c">
      <h1>Auth + CRUD Demo</h1>
      <p>Account auth and product manager in one page.</p>
      <div class="m"><span>DB: <?= e($db) ?></span><span>Host: <?= e($activeHost) ?></span><span>User: <?=
e($activeUser) ?></span><span>Env: <?= e($appEnv) ?></span></div>
    </section>
    <?= $message ?>
    <?php if (!isset($_SESSION['user'])): ?>
      <section class="g">
        <div class="c">
          <h2>Login</h2>
          <form method="POST"><label>Email</label><input type="email" name="email"
required><label>Password</label><input type="password" name="password" required><input type="submit" name="login"
value="Login"></form>
        </div>
        <div class="c">
          <h2>Register</h2>
          <form method="POST"><label>Username</label><input type="text" name="username"
required><label>Email</label><input type="email" name="email" required><label>Password</label><input
type="password" name="password" required><input type="submit" name="register" value="Register"></form>
        </div>
      </section>
    <?php else: ?>
```

ENROLLMENT NO:24SOECE11091

```
        <section class="c hdr">
            <h2>Welcome, <?= e($welcomeUser) ?>!</h2><a class="btn danger" href="?logout=true">Logout</a>
        </section>
        <section class="c">
            <h3><?= $editData ? "Edit Product" : "Add Product" ?></h3>
            <form method="POST"><input type="hidden" name="id" value="<?= e($editData['id'] ?? '')
?>"><label>Name</label><input type="text" name="name" value="<?= e($editData['name'] ?? '') ?>"
required><label>Description</label><input type="text" name="description" value="<?= e($editData['description'] ?? '') ?>"
required><label>Price</label><input type="number" step="0.01" name="price" value="<?= e($editData['price'] ?? '') ?>"
required><?php if ($editData): ?><input type="submit" name="update" value="Update"> <a class="btn ghost"
href="?">Cancel</a><?php else: ?><input type="submit" name="add" value="Add Product"><?php endif; ?></form>
        </section>
        <section class="c">
            <h3>Products</h3>
            <div class="tbl">
                <table>
                    <tr>
                        <th>ID</th>
                        <th>Name</th>
                        <th>Description</th>
                        <th>Price</th>
                        <th>Action</th>
                    </tr><?php $r = $conn->query("SELECT * FROM products ORDER BY id DESC");
                        if ($r && $r->num_rows > 0): while ($row = $r->fetch_assoc()): ?><tr>
                            <td><?= e($row['id']) ?></td>
                            <td><?= e($row['name']) ?></td>
                            <td><?= e($row['description']) ?></td>
                            <td>$<?= e($row['price']) ?></td>
                            <td class="a"><a href="?edit=<?= $row['id'] ?>">Edit</a><a class="d" href="?delete=<?= $row['id']
?>" onclick="return confirm('Delete this product?');">Delete</a></td>
                        </tr><?php endwhile;
                        else: ?><tr>
                        <td colspan="5">No products found.</td>
                    </tr><?php endif; ?>
                </table>
            </div>
        </section>
    <?php endif; ?>
  </main>
</body>

</html>
```

ENROLLMENT NO:24SOECE11091



ENROLLMENT NO:24SOECE11091

---

3. Develop a user profile system using PHP. Include the following features:

- Allow users to create and edit their profiles.
- Display user profiles with details like name, email, and profile picture.
- Implement password change functionality.
- Enable users to delete their accounts.

CODE:

```
<?php
session_start();

$host = "192.168.1.64";
$port = 3306;
$db = "test_db";
$user = "devadmin";
$pass = "Ro0t1234";
$appEnv = "testing";

// Connect to MySQL server first, then ensure DB and required table exist.
$conn = new mysqli($host, $user, $pass, null, $port);
if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}

if (!$conn->query("CREATE DATABASE IF NOT EXISTS `$db`")) {
    die("Database setup failed: " . $conn->error);
}

if (!$conn->select_db($db)) {
    die("Database selection failed: " . $conn->error);
}

$createUsersTableSql = "CREATE TABLE IF NOT EXISTS users (
    id INT AUTO_INCREMENT PRIMARY KEY,
    username VARCHAR(100) NOT NULL,
    email VARCHAR(255) NOT NULL UNIQUE,
    password VARCHAR(255) NOT NULL,
    profile_pic VARCHAR(255) DEFAULT NULL,
    created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP
```

```
)";

if (!$conn->query($createUsersTableSql)) {
    die("Users table setup failed: " . $conn->error);
}

$message = "";

// ================= LOGGED OUT: AUTHENTICATION ================= //
if (!isset($_SESSION['user_id'])) {

    // 1. REGISTER
    if (isset($_POST['register'])) {
        $stmt = $conn->prepare("INSERT INTO users (username, email, password) VALUES (?, ?, ?)");
        $password = password_hash($_POST['password'], PASSWORD_DEFAULT);
        $stmt->bind_param("sss", $_POST['username'], $_POST['email'], $password);

        if ($stmt->execute()) {
            $message = "<div class='success'>Registered successfully! Please log in.</div>";
        } else {
            $message = "<div class='error'>Registration failed. Email might already exist.</div>";
        }
        $stmt->close();
    }

    // 2. LOGIN
    if (isset($_POST['login'])) {
        $stmt = $conn->prepare("SELECT id, username, password FROM users WHERE email = ?");
        $stmt->bind_param("s", $_POST['email']);
        $stmt->execute();
        $result = $stmt->get_result();
        $u = $result->fetch_assoc();

        if ($u && password_verify($_POST['password'], $u['password'])) {
            $_SESSION['user_id'] = $u['id'];
            $_SESSION['username'] = $u['username'];
            header("Location: ?"); // Refresh to load logged-in view
            exit;
        } else {
            $message = "<div class='error'>Invalid login credentials.</div>";
        }
        $stmt->close();
    }
}

// ================= LOGGED IN: PROFILE MANAGEMENT ================= //
if (isset($_SESSION['user_id'])) {
```

```
$uid = $_SESSION['user_id'];

// 1. LOGOUT
if (isset($_GET['logout'])) {
    session_destroy();
    header("Location: ?");
    exit;
}

// 2. UPDATE PROFILE & PROFILE PIC
if (isset($_POST['update_profile'])) {
    $name = $_POST['username'];
    $email = $_POST['email'];
    $img = $_FILES['profile_pic']['name'] ?? '';

    if (!empty($img)) {
        // Secure file upload check
        $ext = strtolower(pathinfo($img, PATHINFO_EXTENSION));
        $allowed_types = ['jpg', 'jpeg', 'png', 'gif'];

        if (in_array($ext, $allowed_types)) {
            // Ensure directory exists
            if (!is_dir('uploads')) {
                mkdir('uploads', 0777, true);
            }

            // Generate unique filename to prevent overwriting
            $newFileName = uniqid("profile_") . "." . $ext;
            move_uploaded_file($_FILES['profile_pic']['tmp_name'], "uploads/" . $newFileName);

            $stmt = $conn->prepare("UPDATE users SET username=?, email=?, profile_pic=? WHERE id=?");
            $stmt->bind_param("sssi", $name, $email, $newFileName, $uid);
        } else {
            $message = "<div class='error'>Invalid file format. Only JPG, PNG, and GIF are allowed.</div>";
        }
    } else {
        // Update without changing picture
        $stmt = $conn->prepare("UPDATE users SET username=?, email=? WHERE id=?");
        $stmt->bind_param("ssi", $name, $email, $uid);
    }

    if (isset($stmt) && $stmt->execute()) {
        $_SESSION['username'] = $name; // Update session variable
        $message = "<div class='success'>Profile updated successfully!</div>";
        $stmt->close();
    }
}
```

```
    // 3. CHANGE PASSWORD
    if (isset($_POST['change_pass'])) {
        $stmt = $conn->prepare("SELECT password FROM users WHERE id=?");
        $stmt->bind_param("i", $uid);
        $stmt->execute();
        $res = $stmt->get_result();
        $u = $res->fetch_assoc();

        if (password_verify($_POST['old_password'], $u['password'])) {
            $newPass = password_hash($_POST['new_password'], PASSWORD_DEFAULT);
            $updateStmt = $conn->prepare("UPDATE users SET password=? WHERE id=?");
            $updateStmt->bind_param("si", $newPass, $uid);
            $updateStmt->execute();
            $updateStmt->close();
            $message = "<div class='success'>Password changed successfully!</div>";
        } else {
            $message = "<div class='error'>Incorrect old password.</div>";
        }
        $stmt->close();
    }

    // 4. DELETE ACCOUNT
    if (isset($_POST['delete_account'])) {
        $stmt = $conn->prepare("DELETE FROM users WHERE id=?");
        $stmt->bind_param("i", $uid);
        $stmt->execute();
        session_destroy();
        header("Location: ?");
        exit;
    }

    // Fetch current user data to display in the form
    $stmt = $conn->prepare("SELECT * FROM users WHERE id=?");
    $stmt->bind_param("i", $uid);
    $stmt->execute();
    $userData = $stmt->get_result()->fetch_assoc();
    $stmt->close();
}
?>

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>User Profile System</title>
```

```
  <style>
    body { font-family: Arial, sans-serif; margin: 20px; background: #f0f4f8; color: #1f2937; }
    .container { max-width: 800px; margin: auto; background: white; padding: 20px; border-radius: 8px; box-shadow: 0 2px
8px rgba(0,0,0,0.1); }
    h2, h3 { color: #111827; }
    .grid { display: flex; gap: 20px; flex-wrap: wrap; }
    .grid > div { flex: 1; min-width: 300px; padding: 15px; border: 1px solid #e2e8f0; border-radius: 6px; }
    label { display: block; font-weight: bold; margin-bottom: 5px; font-size: 14px; }
    input[type="text"], input[type="email"], input[type="password"], input[type="file"] { width: 100%; padding: 8px;
margin-bottom: 12px; border: 1px solid #cbd5e1; border-radius: 4px; box-sizing: border-box; }
    input[type="submit"], a.btn { background-color: #2563eb; color: white; padding: 8px 14px; border: none; border-radius:
4px; cursor: pointer; text-decoration: none; font-weight: 600; display: inline-block; }
    input[type="submit"]:hover, a.btn:hover { background-color: #1d4ed8; }
    .btn-danger { background-color: #dc2626 !important; }
    .btn-danger:hover { background-color: #b91c1c !important; }
    .success { color: #15803d; background: #dcfce7; padding: 10px; border-radius: 4px; margin-bottom: 15px; }
    .error { color: #b91c1c; background: #fee2e2; padding: 10px; border-radius: 4px; margin-bottom: 15px; }
    .header-bar { display: flex; justify-content: space-between; align-items: center; border-bottom: 2px solid #e2e8f0;
padding-bottom: 15px; margin-bottom: 20px; }
    .profile-pic { width: 100px; height: 100px; border-radius: 50%; object-fit: cover; margin-bottom: 10px; border: 2px
solid #cbd5e1; }
    hr { border: none; border-top: 1px solid #cbd5e1; margin: 24px 0; }
  </style>
</head>
<body>

<div class="container">
  <h2>User Profile System</h2>

  <?php echo $message; ?>

  <?php if (!isset($_SESSION['user_id])): ?>
    <div class="grid">
      <div>
        <h3>Login</h3>
        <form method="POST" action="">
          <label>Email:</label>
          <input type="email" name="email" required>
          <label>Password:</label>
          <input type="password" name="password" required>
          <input type="submit" name="login" value="Login">
        </form>
      </div>

      <div>
        <h3>Register</h3>
        <form method="POST" action="">
```

ENROLLMENT NO:24SOECE11091

```
            <label>Username:</label>
            <input type="text" name="username" required>
            <label>Email:</label>
            <input type="email" name="email" required>
            <label>Password:</label>
            <input type="password" name="password" required>
            <input type="submit" name="register" value="Register">
        </form>
    </div>
</div>

<?php else: ?>
    <div class="header-bar">
        <h3>Welcome, <?php echo htmlspecialchars($_SESSION['username']); ?>!</h3>
        <a href="?logout=true" class="btn btn-danger">Logout</a>
    </div>

    <div class="grid">
        <div>
            <h3>Your Profile</h3>
            <?php if (!empty($userData['profile_pic']) && file_exists("uploads/" . $userData['profile_pic'])): ?>
                <img src="uploads/<?php echo htmlspecialchars($userData['profile_pic']); ?>" alt="Profile Picture"
class="profile-pic">
            <?php else: ?>
                <div class="profile-pic" style="background: #e2e8f0; display: flex; align-items: center; justify-content: center;
color: #64748b;">No Image</div>
            <?php endif; ?>

            <form method="POST" action="" enctype="multipart/form-data">
                <label>Name:</label>
                <input type="text" name="username" value="<?php echo htmlspecialchars($userData['username']); ?>"
required>

                <label>Email:</label>
                <input type="email" name="email" value="<?php echo htmlspecialchars($userData['email']); ?>" required>

                <label>Profile Pic (Leave blank to keep current):</label>
                <input type="file" name="profile_pic" accept="image/*">

                <input type="submit" name="update_profile" value="Update Profile">
            </form>
        </div>

        <div>
            <h3>Change Password</h3>
            <form method="POST" action="">
                <label>Old Password:</label>
```

ENROLLMENT NO:24SOECE11091

```
            <input type="password" name="old_password" required>

            <label>New Password:</label>
            <input type="password" name="new_password" required>

            <input type="submit" name="change_pass" value="Change Password">
        </form>

        <hr>

        <h3>Danger Zone</h3>
        <form method="POST" action="" onsubmit="return confirm('Are you completely sure you want to delete your
account? This cannot be undone.');">
            <input type="submit" name="delete_account" value="Delete Account" class="btn-danger">
        </form>
      </div>
    </div>

  <?php endif; ?>
</div>

</body>
</html>
```

RK.UNIVERSITY

SCHOOL OF ENGINEERING
RK.UNIVERSITY

ENROLLMENT NO:24SOECE11091



Vinchhi Yash Hemendrabhai

B.Tech CE:B