

AWS IAM Assignment 3

AWS IAM and S3 Stepwise Guide

IAM Dashboard Overview


The IAM (Identity and Access Management) Dashboard provides an overview of security settings and IAM resources in your AWS account.

Security Recommendations:

- Add Multi-Factor Authentication (MFA) for the root user to enhance account security.
- Avoid using root access keys; instead, use IAM users with appropriate permissions.

IAM Resources Summary:

- Displays counts of user groups, users, roles, policies, and identity providers.



Creating an IAM User (Step 1: Specify User Details)

- Navigate to IAM > Users > Create User.
- Enter a unique User name (e.g., 'yashantu').
- Enable AWS Management Console access.
- Choose Custom password and enter a secure password.
- Ensure the checkbox for 'Users must create a new password at next sign-in' is selected.

The screenshot shows the 'Specify user details' step in the AWS IAM console. The left sidebar indicates the current step is 'Specify user details' (Step 1), with other steps being 'Set permissions', 'Review and create', and 'Retrieve password'. The main content area is titled 'Specify user details' and contains the following sections:

- User details:** A text input field for 'User name' containing 'yashantu'. Below it, a note states: 'The user name can have up to 64 characters. Valid characters: A-Z, a-z, 0-9, and +, =, ., @, _ (hyphen)'.
- Provide user access to the AWS Management Console - optional:** A checked checkbox. A note below states: 'In addition to console access, users with `SignInLocalDevelopmentAccess` permissions can use the same console credentials for programmatic access without the need for access keys.'
- Console password:** Two radio buttons: 'Autogenerated password' (unselected) and 'Custom password' (selected). Below the 'Custom password' option is a password input field with a strength indicator. A note below the field states: 'Enter a custom password for the user.' and lists requirements: 'Must be at least 8 characters long' and 'Must include at least three of the following mix of character types: uppercase letters (A-Z), lowercase letters (a-z), numbers (0-9), and symbols ! @ # \$ % ^ & * () _ + - (hyphen) = [] { } | ' '. There is also an unchecked 'Show password' checkbox.
- Users must create a new password at next sign-in - Recommended:** A checked checkbox. A note below states: 'Users automatically get the `IAMUserChangePassword` policy to allow them to change their own password.'

A blue information box at the bottom states: 'If you are creating programmatic access through access keys or service-specific credentials for AWS CodeCommit or Amazon Keyspaces, you can generate them after you create this IAM user. [Learn more](#)'.

Setting Permissions (Step 2)

- Choose how to assign permissions:
- Add user to group
- Copy permissions from existing user
- Attach policies directly (selected in this case)
- Search for and select AmazonS3FullAccess policy to grant full access to Amazon S3 services


The screenshot shows the 'Set permissions' step in the AWS IAM console. The left sidebar indicates the current step is 'Set permissions' (Step 2), with other steps being 'Specify user details', 'Review and create', and 'Retrieve password'. The main content area is titled 'Set permissions' and contains the following sections:

- Permissions options:** Three radio buttons: 'Add user to group' (unselected), 'Copy permissions' (unselected), and 'Attach policies directly' (selected). A note below the 'Attach policies directly' option states: 'Attach a managed policy directly to a user. As a best practice, we recommend attaching policies to a group instead. Then, add the user to the appropriate group.'
- Permissions policies (1/1468):** A section for selecting policies. It includes a search bar with 's3', a 'Filter by Type' dropdown set to 'All types', and a '17 matches' indicator. Below is a table of policies:

Policy name	Type	Attached entities
☐ AmazonDMSRedshiftSSRole	AWS managed	0
☒ AmazonS3FullAccess	AWS managed	0
☐ AmazonS3ObjectLambdaExecutionRole...	AWS managed	0
☐ AmazonS3OutpostsFullAccess	AWS managed	0


Review and Create (Step 3)

- Review all user details before creation:
- User name: yashantu
- Console password type: Custom password
- Require password reset: Yes
- Permissions summary:
- - AmazonS3FullAccess (AWS managed)
- - IAMUserChangePassword (AWS managed)
- Click Create user to finalize.



Retrieve Password (Step 4)

- After user creation, retrieve the password:
- View or download the autogenerated password (available only once).
- Note the Console sign-in URL, User name, and Password.
- Optionally, email sign-in instructions or download credentials as a CSV file.



IAM User Sign-in Page

- IAM users sign in at the AWS IAM login page.
- Enter:
- Account ID or alias (e.g., 700305704855)
- IAM username (e.g., yashantu)
- Password (provided during user creation)

aws

IAM user sign in

Account ID or alias (Don't have?)
700305704855

☐ Remember this account

IAM username
yashantu

Password
[REDACTED]

☐ Show Password [Having trouble?](#)

Sign in

[Sign in using root user email](#)

[Create a new AWS account](#)

Amazon Lightsail
Lightsail is the easiest way to get started on AWS
[Learn more »](#)

By continuing, you agree to [AWS Customer Agreement](#) or other agreement for AWS services, and the [Privacy Notice](#).

AWS S3 Console (After login IAM User)

aws

Q Search [Alt+S]

Europe (Stockholm) Account ID: 7003-0570-4855 yashantu

Amazon S3

Storage
Amazon S3
Store and retrieve any amount of data from anywhere
Amazon S3 is an object storage service that offers industry-leading scalability, data availability, security, and performance.

Create a bucket
Every object in S3 is stored in a bucket. To upload files and folders to S3, you'll need to create a bucket where the objects will be stored.
Create bucket

How it works
Introduction to Amazon S3 | Amazon Web Services
Amazon Web Services
Amazon S3

Pricing
With S3, there are no minimum fees. You only pay for what you use. Prices are based on the location of your S3 bucket.
Estimate your monthly bill using the [AWS Simple Monthly Calculator](#)
[View pricing details](#)

Resources
[User guide](#)
[API reference](#)

CloudShell Feedback Console Mobile App © 2020, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

S3 Bucket Creation(After Login in IAM User)

- Navigate to S3 > Create bucket.
- Configure the following:
- Region: e.g., Europe (Stockholm) eu-north-1
- Bucket type: General purpose
- Namespace: Account Regional namespace (recommended)
- Bucket name: e.g., amzn-s3-demo-bucket
- Optionally, copy settings from an existing bucket.

Create bucket [info](#)

Buckets are containers for data stored in S3.

General configuration

AWS Region
Europe (Stockholm) eu-north-1

Bucket type [info](#)

☒ **General purpose**
Recommended for most use cases and access patterns. General purpose buckets are the original S3 bucket type. They allow a mix of storage classes that redundantly store objects across multiple Availability Zones.

☐ **Directory**
Recommended for low-latency use cases. These buckets use only the S3 Express One Zone storage class, which provides faster processing of data within a single Availability Zone.

Bucket namespace
Choose the namespace where you want to create your bucket. [Learn more](#)

☒ **Global namespace**
By default, S3 creates general purpose buckets in the global namespace.

☐ **Account Regional namespace (recommended)**
General purpose buckets created in your account Regional namespace are unique to your account. These buckets can never be created by another AWS account.

Bucket name [info](#)

amzn-s3-demo-bucket

Bucket names must be 3 to 63 characters and unique within the global namespace. Bucket names must also begin and end with a letter or number. Valid characters are a-z, 0-9, periods (.), and hyphens (-). [Learn more](#)

Copy settings from existing bucket - optional
Only the bucket settings in the following configuration are copied.

[Choose bucket](#)

Format: s3://bucket/prefix

Object Ownership [info](#)

CloudShell Feedback Console Mobile App

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

EC2 Dashboard Issues

- EC2 Dashboard may show API errors due to permission issues.

Common problems:

- Unauthorized access to CloudWatch alarms and Free Tier usage.
- Errors retrieving service health and cost data.
- Ensure IAM policies grant necessary permissions for EC2 and monitoring services.

aws

Search

[Alt+S]

Europe (Stockholm)

Account ID: 7003-0570-4855

yashantu

Recently visited

No recently visited services

Explore one of these commonly visited AWS services.

EC2 S3 CloudWatch IAM

View all services

Applications (0)

Create application

Region: Europe (Stockholm)

Select Region

eu-north-1 (Current Region)

Find applications

Name Description Region Originati

Access denied to servicecatalog:ListApplications

Diagnose with Amazon Q

Go to myApplications

Welcome to AWS

Getting started with AWS

Learn the fundamentals and find valuable information to get the most out of AWS.

Training and certification

AWS Health

No health data

Cost and usage

Current month

Access denied

Cost breakdown

Access denied

Forecasted month end

Access denied

Savings opportunities

Access denied

CloudShell Feedback Console Mobile App

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

aws

Search

[Alt+S]

Europe (Stockholm)

Account ID: 7003-0570-4855

yashantu

EC2

Dashboard

AWS Global View

Events

Instances

Instances

Instance Types

Launch Templates

Spot Requests

Savings Plans

Reserved Instances

Dedicated Hosts

Capacity Reservations

Capacity Manager

Images

AMIs

AMI Catalog

Elastic Block Store

Volumes

Snapshots

Lifecycle Manager

Network & Security

Security Groups

Resources

You are using the following Amazon EC2 resources in the Europe (Stockholm) Region:

Instances (running) 0

Auto Scaling Groups API Error

Capacity Reservations API Error

Dedicated Hosts API Error

Elastic IPs API Error

Instances API Error

Key pairs API Error

Load balancers API Error

Placement groups API Error

Security groups API Error

Snapshots API Error

Volumes API Error

Launch instance

To get started, launch an Amazon EC2 instance, which is a virtual server in the cloud.

Launch instance

Migrate a server

Note: Your instances will launch in the Europe (Stockholm) Region

Instance alarms

View in CloudWatch

User: amawsiam:700305704855user/yashantu is not authorized to perform: cloudwatch:DescribeAlarms on resource: amawscloudwatchau-n

Service health

AWS Health Dashboard

An error occurred

An error occurred retrieving service health information

Diagnose with Amazon Q

Zones

Zone name Zone ID

An error occurred

An error occurred retrieving service health information

EC2 cost

Date range: Past 6 months Region: Global

Total cost

Unable to load

Regions

Unable to load

Unable to load

Analyze your costs in Cost Explorer

EC2 Free Tier

Offers for all AWS Regions.

0 EC2 free tier offers in use

End of month forecast

User: amawsiam:700305704855user/yashantu is not authorized to perform: freetier:GetFreeTierUsage on resource: amawsfreetierus-east-1:700305704855/GetFreeTierUsage because no identity-based policy allows the freetier:GetFreeTierUsage action

Exceeds free tier

User: amawsiam:700305704855user/yashantu is not authorized to perform: freetier:GetFreeTierUsage on resource: amawsfreetierus-east-1:700305704855/GetFreeTierUsage because no identity-based policy allows the freetier:GetFreeTierUsage action

View Global EC2 resources

https://eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#...

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Deleting IAM User

- To delete an IAM user:
- Navigate to IAM > Users.
- Select the user (e.g., yashantu).
- Click Delete.
- Confirm deletion by typing 'confirm' in the prompt.
- Deletion removes all user data, credentials, and policies.

