

Oracle VirtualBox Manager

FileMachineHelp

NewOpenSettingsDiscardShow

kali-linux-2026.2-virtualbox-amd64

Running

Details

General

Name: kali-linux-2026.2-virtualbox-amd64
Operating System: Debian (64-bit)

System

Base Memory: 2048 MB
Processors: 2
Boot Order: Hard Disk, Optical
Acceleration: Nested Paging, PAE/NX, KVM Paravirtualization

Display

Video Memory: 128 MB
Graphics Controller: VMSVGA
Remote Desktop Server: Disabled
Recording: Disabled

Storage

Controller: IDE
IDE Secondary Device 0: [Optical Drive] Empty
Controller: SATA
SATA Port 0: kali-linux-2026.2-virtualbox-amd64.vdi (Normal, 80.09 GB)

Audio

Host Driver: Windows DirectSound
Controller: ICH AC97

Network

Adapter 1: Intel PRO/1000 MT Desktop (NAT)

USB

USB Controller: OHCI
Device Filters: 0 (0 active)

Shared folders

None

Description

Kali Rolling (2026.2) x64
2026-06-16

Username: kali
Password: kali


* Kali Homepage:
<https://www.kali.org/>

Preview



27°C
Light rain

Search



ENG
IN

17:00
17-08-2026









```
kali@kali: ~/Desktop/exp1
Session Actions Edit View Help

(kali@kali)-[~/Desktop]
$ pwd
/home/kali/Desktop

(kali@kali)-[~/Desktop]
$ mkdir exp1

(kali@kali)-[~/Desktop]
$ cd exp1

(kali@kali)-[~/Desktop/exp1]
$ pwd
/home/kali/Desktop/exp1

(kali@kali)-[~/Desktop/exp1]
$
```



```
kali@kali: ~/Desktop/exp1
Session Actions Edit View Help

(kali@kali)-[~/Desktop]
$ pwd
/home/kali/Desktop

(kali@kali)-[~/Desktop]
$ mkdir exp1

(kali@kali)-[~/Desktop]
$ cd exp1

(kali@kali)-[~/Desktop/exp1]
$ pwd
/home/kali/Desktop/exp1

(kali@kali)-[~/Desktop/exp1]
$ ls

(kali@kali)-[~/Desktop/exp1]
$ ls

(kali@kali)-[~/Desktop/exp1]
$
```

kali@kali: ~/Desktop/exp1

Session Actions Edit View Help

```
#include <stdio.h>
int main(void)
{
    printf("Hello! \n");
    return 0;
}
```

6,2

ALL

-- INSERT --


```
kali@kali: ~/Desktop/exp1
Session Actions Edit View Help

(kali@kali)-[~/Desktop]
$ pwd
/home/kali/Desktop

(kali@kali)-[~/Desktop]
$ mkdir exp1

(kali@kali)-[~/Desktop]
$ cd exp1

(kali@kali)-[~/Desktop/exp1]
$ pwd
/home/kali/Desktop/exp1

(kali@kali)-[~/Desktop/exp1]
$ ls

(kali@kali)-[~/Desktop/exp1]
$ ls

(kali@kali)-[~/Desktop/exp1]
$ vi hello.c

(kali@kali)-[~/Desktop/exp1]
$
```

```
kali@kali: ~/Desktop/exp1
Session Actions Edit View Help

(kali@kali)-[~/Desktop]
$ pwd
/home/kali/Desktop

(kali@kali)-[~/Desktop]
$ mkdir exp1

(kali@kali)-[~/Desktop]
$ cd exp1

(kali@kali)-[~/Desktop/exp1]
$ pwd
/home/kali/Desktop/exp1

(kali@kali)-[~/Desktop/exp1]
$ ls

(kali@kali)-[~/Desktop/exp1]
$ ls

(kali@kali)-[~/Desktop/exp1]
$ vi hello.c

(kali@kali)-[~/Desktop/exp1]
$ gcc hello.c -o hello

(kali@kali)-[~/Desktop/exp1]
$ ./hello
Hello!

(kali@kali)-[~/Desktop/exp1]
$
```

```
kali@kali: ~/Desktop/exp1
Session Actions Edit View Help

(kali@kali)-[~/Desktop]
$ pwd
/home/kali/Desktop

(kali@kali)-[~/Desktop]
$ mkdir exp1

(kali@kali)-[~/Desktop]
$ cd exp1

(kali@kali)-[~/Desktop/exp1]
$ pwd
/home/kali/Desktop/exp1

(kali@kali)-[~/Desktop/exp1]
$ ls

(kali@kali)-[~/Desktop/exp1]
$ ls

(kali@kali)-[~/Desktop/exp1]
$ vi hello.c

(kali@kali)-[~/Desktop/exp1]
$ gcc hello.c -o hello

(kali@kali)-[~/Desktop/exp1]
$
```

```
kali@kali: ~/Desktop/exp1
Session Actions Edit View Help

(kali@kali)-[~/Desktop]
$ pwd
/home/kali/Desktop

(kali@kali)-[~/Desktop]
$ mkdir exp1

(kali@kali)-[~/Desktop]
$ cd exp1

(kali@kali)-[~/Desktop/exp1]
$ pwd
/home/kali/Desktop/exp1

(kali@kali)-[~/Desktop/exp1]
$ ls

(kali@kali)-[~/Desktop/exp1]
$ ls

(kali@kali)-[~/Desktop/exp1]
$ vi hello.c

(kali@kali)-[~/Desktop/exp1]
$ gcc hello.c -o hello

(kali@kali)-[~/Desktop/exp1]
$ ./hello
Hello!

(kali@kali)-[~/Desktop/exp1]
$ mkdir testfolder

(kali@kali)-[~/Desktop/exp1]
$ ls
hello hello.c testfolder

(kali@kali)-[~/Desktop/exp1]
$
```

```
kali@kali: ~/Desktop/exp1
Session Actions Edit View Help

(kali@kali)-[~/Desktop]
$ pwd
/home/kali/Desktop

(kali@kali)-[~/Desktop]
$ mkdir exp1

(kali@kali)-[~/Desktop]
$ cd exp1

(kali@kali)-[~/Desktop/exp1]
$ pwd
/home/kali/Desktop/exp1

(kali@kali)-[~/Desktop/exp1]
$ ls

(kali@kali)-[~/Desktop/exp1]
$ ls

(kali@kali)-[~/Desktop/exp1]
$ vi hello.c

(kali@kali)-[~/Desktop/exp1]
$ gcc hello.c -o hello

(kali@kali)-[~/Desktop/exp1]
$ ./hello
Hello!

(kali@kali)-[~/Desktop/exp1]
$ mkdir testfolder

(kali@kali)-[~/Desktop/exp1]
$ ls
hello hello.c testfolder

(kali@kali)-[~/Desktop/exp1]
$ rmdir testfolder

(kali@kali)-[~/Desktop/exp1]
$ ls
hello hello.c

(kali@kali)-[~/Desktop/exp1]
$
```



```
kali@kali: ~/Desktop/exp1
Session Actions Edit View Help

(kali@kali)-[~/Desktop]
$ pwd
/home/kali/Desktop

(kali@kali)-[~/Desktop]
$ mkdir exp1

(kali@kali)-[~/Desktop]
$ cd exp1

(kali@kali)-[~/Desktop/exp1]
$ pwd
/home/kali/Desktop/exp1

(kali@kali)-[~/Desktop/exp1]
$ ls

(kali@kali)-[~/Desktop/exp1]
$ ls

(kali@kali)-[~/Desktop/exp1]
$ vi hello.c

(kali@kali)-[~/Desktop/exp1]
$ gcc hello.c -o hello

(kali@kali)-[~/Desktop/exp1]
$ ./hello
Hello!

(kali@kali)-[~/Desktop/exp1]
$ mkdir testfolder

(kali@kali)-[~/Desktop/exp1]
$ ls
hello hello.c testfolder

(kali@kali)-[~/Desktop/exp1]
$ rmdir testfolder

(kali@kali)-[~/Desktop/exp1]
$ ls
hello hello.c

(kali@kali)-[~/Desktop/exp1]
$ dir
hello hello.c

(kali@kali)-[~/Desktop/exp1]
$
```



```
kali@kali: ~/Desktop/exp1
Session Actions Edit View Help

(kali@kali)-[~/Desktop]
$ pwd
/home/kali/Desktop

(kali@kali)-[~/Desktop]
$ mkdir exp1

(kali@kali)-[~/Desktop]
$ cd exp1

(kali@kali)-[~/Desktop/exp1]
$ pwd
/home/kali/Desktop/exp1

(kali@kali)-[~/Desktop/exp1]
$ ls

(kali@kali)-[~/Desktop/exp1]
$ ls

(kali@kali)-[~/Desktop/exp1]
$ vi hello.c

(kali@kali)-[~/Desktop/exp1]
$ gcc hello.c -o hello

(kali@kali)-[~/Desktop/exp1]
$ ./hello
Hello!

(kali@kali)-[~/Desktop/exp1]
$ mkdir testfolder

(kali@kali)-[~/Desktop/exp1]
$ ls
hello hello.c testfolder

(kali@kali)-[~/Desktop/exp1]
$ rmdir testfolder

(kali@kali)-[~/Desktop/exp1]
$ ls
hello hello.c

(kali@kali)-[~/Desktop/exp1]
$ dir
hello hello.c

(kali@kali)-[~/Desktop/exp1]
$ clear
```



```
kali@kali: ~/Desktop/exp1
Session Actions Edit View Help
90 ./a.out
91 man ls
92 mkdir experiment2
93 cd experiment2
94 pwd
95 vi circle.c
96 ls
97 gcc -save-temps circle.c -o circle
98 ls
99 vi circle.i
100 vi circle.s
101 vi circle.o
102 a.out
103 file circle
104 ./circle
105 ls -l
106 who amI
107 clear
108 rmdir Experiments2
109 mkdir exp2
110 cd exp2
111 pwd
112 vi circle.c
113 ls
114 cc -save-temps area.c -o circle
115 gcc -save-temps circle.c -o circle
116 ls
117 vi circle.i
118 vi circle.o
119 vi circle.s
120 file circle.o
121 file circle
122 ./circle
123 ls -l
124 pwd
125 mkdir exp1
126 clear
127 pwd
128 mkdir exp1
129 cd exp1
130 pwd
131 ls
132 vi hello.c
133 gcc hello.c -o hello
134 ./hello
135 mkdir testfolder
136 ls
137 rmdir testfolder
138 ls
139 dir
140 clear

(kali@kali)-[~/Desktop/exp1]
$ whoami
kali

(kali@kali)-[~/Desktop/exp1]
$
```



kali@kali: ~/Desktop/exp1

Session Actions Edit View Help

```
86 ls
87 clear
88 history
89 more first.c
90 ./a.out
91 man ls
92 mkdir experiment2
93 cd experiment2
94 pwd
95 vi circle.c
96 ls
97 gcc -save-temps circle.c -o circle
98 ls
99 vi circle.i
100 vi circle.s
101 vi circle.o
102 a.out
103 file circle
104 ./circle
105 ls -l
106 who am i
107 clear
108 rmdir Experiments2
109 mkdir exp2
110 cd exp2
111 pwd
112 vi circle.c
113 ls
114 cc -save-temps area.c -o circle
115 gcc -save-temps circle.c -o circle
116 ls
117 vi circle.i
118 vi circle.o
119 vi circle.s
120 file circle.o
121 file circle
122 ./circle
123 ls -l
124 pwd
125 mkdir exp1
126 clear
127 pwd
128 mkdir exp1
129 cd exp1
130 pwd
131 ls
132 vi hello.c
133 gcc hello.c -o hello
134 ./hello
135 mkdir testfolder
136 ls
137 rmdir testfolder
138 ls
139 dir
140 clear
```

(kali@kali)-[~/Desktop/exp1]



Scanned with OKEN Scanner

```
kali@kali: ~/Desktop/exp1
Session Actions Edit View Help
LS(1) User Commands LS(1)

NAME
ls - list directory contents

SYNOPSIS
ls [OPTION]... [FILE]...

DESCRIPTION
List information about the FILES (the current directory by default). Sort entries alphabetically if none of -cftuvSUX nor --sort is specified.

Mandatory arguments to long options are mandatory for short options too.

-a, --all
do not ignore entries starting with .

-A, --almost-all
do not list implied . and ..

--author
with -l, print the author of each file

-b, --escape
print C-style escapes for nongraphic characters

--block-size=SIZE
with -l, scale sizes by SIZE when printing them; e.g., '--block-size=M'; see SIZE format below

-B, --ignore-backups
do not list implied entries ending with ~

-c
with -lt: sort by, and show, ctime (time of last change of file status information); with -l: show ctime and sort by name; otherwise: sort by ctime, newest first

-C
list entries by columns

--color[=WHEN]
color the output WHEN; more info below

-d, --directory
list directories themselves, not their contents

-D, --dired
generate output designed for Emacs' dired mode

-f
same as -a -U


-F, --classify[=WHEN]
append indicator (one of */=>@|) to entries WHEN

--file-type
like -F, except do not append '*'

--format=WORD
across, horizontal (-x), commas (-m), long (-l), single-column (-1), verbose (-l), vertical (-C)

--full-time
like -l --time-style=full-iso

Manual page ls(1) line 1 (press h for help or q to quit)
```



```
kali@kali: ~/Desktop/exp1
Session Actions Edit View Help
100 vi circle.s
101 vi circle.o
102 a.out
103 file circle
104 ./circle
105 ls -l
106 who ami
107 clear
108 rmdir Experiments2
109 mkdir exp2
110 cd exp2
111 pwd
112 vi circle.c
113 ls
114 cc -save-temps area.c -o circle
115 gcc -save-temps circle.c -o circle
116 ls
117 vi circle.i
118 vi circle.o
119 vi circle.s
120 file circle.o
121 file circle
122 ./circle
123 ls -l
124 pwd
125 mkdir exp1
126 clear
127 pwd
128 mkdir exp1
129 cd exp1
130 pwd
131 ls
132 vi hello.c
133 gcc hello.c -o hello
134 ./hello
135 mkdir testfolder
136 ls
137 rmdir testfolder
138 ls
139 dir
140 clear

(kali@kali)-[~/Desktop/exp1]
$ whoami
kali

(kali@kali)-[~/Desktop/exp1]
$ man ls

(kali@kali)-[~/Desktop/exp1]
$ vi sample.txt

(kali@kali)-[~/Desktop/exp1]
$ file sample.txt
sample.txt: ASCII text

(kali@kali)-[~/Desktop/exp1]
$
```



```
kali@kali: ~/Desktop/exp1
Session Actions Edit View Help
105 ls -l
106 who am i
107 clear
108 rmdir Experiments2
109 mkdir exp2
110 cd exp2
111 pwd
112 vi circle.c
113 ls
114 cc -save-temps area.c -o circle
115 gcc -save-temps circle.c -o circle
116 ls
117 vi circle.i
118 vi circle.o
119 vi circle.s
120 file circle.o
121 file circle
122 ./circle
123 ls -l
124 pwd
125 mkdir exp1
126 clear
127 pwd
128 mkdir exp1
129 cd exp1
130 pwd
131 ls
132 vi hello.c
133 gcc hello.c -o hello
134 ./hello
135 mkdir testfolder
136 ls
137 rmdir testfolder
138 ls
139 dir
140 clear

(kali@kali)-[~/Desktop/exp1]
$ whoami
kali

(kali@kali)-[~/Desktop/exp1]
$ man ls

(kali@kali)-[~/Desktop/exp1]
$ vi sample.txt

(kali@kali)-[~/Desktop/exp1]
$ file sample.txt
sample.txt: ASCII text

(kali@kali)-[~/Desktop/exp1]
$ cat sample.txt
This is Experiment 1.
Linux Commands.

(kali@kali)-[~/Desktop/exp1]
$
```



```
kali@kali: ~/Desktop/exp1
Session Actions Edit View Help
110 cd exp2
111 pwd
112 vi circle.c
113 ls
114 cc -save-temps area.c -o circle
115 gcc -save-temps circle.c -o circle
116 ls
117 vi circle.i
118 vi circle.o
119 vi circle.s
120 file circle.o
121 file circle
122 ./circle
123 ls -l
124 pwd
125 mkdir exp1
126 clear
127 pwd
128 mkdir exp1
129 cd exp1
130 pwd
131 ls
132 vi hello.c
133 gcc hello.c -o hello
134 ./hello
135 mkdir testfolder
136 ls
137 rmdir testfolder
138 ls
139 dir
140 clear

(kali@kali)-[~/Desktop/exp1]
$ whoami
kali

(kali@kali)-[~/Desktop/exp1]
$ man ls

(kali@kali)-[~/Desktop/exp1]
$ vi sample.txt

(kali@kali)-[~/Desktop/exp1]
$ file sample.txt
sample.txt: ASCII text

(kali@kali)-[~/Desktop/exp1]
$ cat sample.txt
This is Experiment 1.
Linux Commands.

(kali@kali)-[~/Desktop/exp1]
$ head sample.txt
This is Experiment 1.
Linux Commands.

(kali@kali)-[~/Desktop/exp1]
$
```




```
kali@kali: ~/Desktop/exp1
Session Actions Edit View Help
120 file circle.o
121 file circle
122 ./circle
123 ls -l
124 pwd
125 mkdir exp1
126 clear
127 pwd
128 mkdir exp1
129 cd exp1
130 pwd
131 ls
132 vi hello.c
133 gcc hello.c -o hello
134 ./hello
135 mkdir testfolder
136 ls
137 rmdir testfolder
138 ls
139 dir
140 clear

(kali@kali)-[~/Desktop/exp1]
$ whoami
kali

(kali@kali)-[~/Desktop/exp1]
$ man ls

(kali@kali)-[~/Desktop/exp1]
$ vi sample.txt

(kali@kali)-[~/Desktop/exp1]
$ file sample.txt
sample.txt: ASCII text

(kali@kali)-[~/Desktop/exp1]
$ cat sample.txt
This is Experiment 1.
Linux Commands.

(kali@kali)-[~/Desktop/exp1]
$ head sample.txt
This is Experiment 1.
Linux Commands.

(kali@kali)-[~/Desktop/exp1]
$ tail sample.txt
This is Experiment 1.
Linux Commands.

(kali@kali)-[~/Desktop/exp1]
$ more sample.txt
This is Experiment 1.
Linux Commands.

(kali@kali)-[~/Desktop/exp1]
$
```



```
kali@kali: ~/Desktop/exp1
Session Actions Edit View Help
134 ./hello
135 mkdir testfolder
136 ls
137 rmdir testfolder
138 ls
139 dir
140 clear

(kali@kali)-[~/Desktop/exp1]
$ whoami
kali

(kali@kali)-[~/Desktop/exp1]
$ man ls

(kali@kali)-[~/Desktop/exp1]
$ vi sample.txt

(kali@kali)-[~/Desktop/exp1]
$ file sample.txt
sample.txt: ASCII text

(kali@kali)-[~/Desktop/exp1]
$ cat sample.txt
This is Experiment 1.
Linux Commands.

(kali@kali)-[~/Desktop/exp1]
$ head sample.txt
This is Experiment 1.
Linux Commands.

(kali@kali)-[~/Desktop/exp1]
$ tail sample.txt
This is Experiment 1.
Linux Commands.

(kali@kali)-[~/Desktop/exp1]
$ more sample.txt
This is Experiment 1.
Linux Commands.

(kali@kali)-[~/Desktop/exp1]
$ cp sample.txt copy.txt

(kali@kali)-[~/Desktop/exp1]
$ ls
copy.txt  hello  hello.c  sample.txt

(kali@kali)-[~/Desktop/exp1]
$ mv copy.txt newcopy.txt

(kali@kali)-[~/Desktop/exp1]
$ ls
hello  hello.c  newcopy.txt  sample.txt

(kali@kali)-[~/Desktop/exp1]
$
```



```
kali@kali: ~/Desktop/exp1

Session Actions Edit View Help

(kali@kali)-[~/Desktop/exp1]
$ file sample.txt
sample.txt: ASCII text

(kali@kali)-[~/Desktop/exp1]
$ cat sample.txt
This is Experiment 1.
Linux Commands.

(kali@kali)-[~/Desktop/exp1]
$ head sample.txt
This is Experiment 1.
Linux Commands.

(kali@kali)-[~/Desktop/exp1]
$ tail sample.txt
This is Experiment 1.
Linux Commands.

(kali@kali)-[~/Desktop/exp1]
$ more sample.txt
This is Experiment 1.
Linux Commands.

(kali@kali)-[~/Desktop/exp1]
$ cp sample.txt copy.txt

(kali@kali)-[~/Desktop/exp1]
$ ls
copy.txt  hello  hello.c  sample.txt

(kali@kali)-[~/Desktop/exp1]
$ mv copy.txt newcopy.txt

(kali@kali)-[~/Desktop/exp1]
$ ls
hello  hello.c  newcopy.txt  sample.txt

(kali@kali)-[~/Desktop/exp1]
$ chmod 755 sample.txt

(kali@kali)-[~/Desktop/exp1]
$ ls -l
total 28
-rwxrwxr-x 1 kali kali 15952 Aug 17 10:36 hello
-rw-rw-r-- 1 kali kali 71 Aug 17 10:35 hello.c
-rw-rw-r-- 1 kali kali 40 Aug 17 10:44 newcopy.txt
-rwxr-xr-x 1 kali kali 40 Aug 17 10:41 sample.txt

(kali@kali)-[~/Desktop/exp1]
$ echo "Linux Lab">output.txt

(kali@kali)-[~/Desktop/exp1]
$ cat output.txt
Linux Lab

(kali@kali)-[~/Desktop/exp1]
$
```



```
kali@kali: ~/Desktop/exp1
Session Actions Edit View Help

(kali@kali)-[~/Desktop/exp1]
$ man ls

(kali@kali)-[~/Desktop/exp1]
$ vi sample.txt

(kali@kali)-[~/Desktop/exp1]
$ file sample.txt
sample.txt: ASCII text

(kali@kali)-[~/Desktop/exp1]
$ cat sample.txt
This is Experiment 1.
Linux Commands.

(kali@kali)-[~/Desktop/exp1]
$ head sample.txt
This is Experiment 1.
Linux Commands.

(kali@kali)-[~/Desktop/exp1]
$ tail sample.txt
This is Experiment 1.
Linux Commands.

(kali@kali)-[~/Desktop/exp1]
$ more sample.txt
This is Experiment 1.
Linux Commands.

(kali@kali)-[~/Desktop/exp1]
$ cp sample.txt copy.txt

(kali@kali)-[~/Desktop/exp1]
$ ls
copy.txt  hello  hello.c  sample.txt

(kali@kali)-[~/Desktop/exp1]
$ mv copy.txt newcopy.txt

(kali@kali)-[~/Desktop/exp1]
$ ls
hello  hello.c  newcopy.txt  sample.txt

(kali@kali)-[~/Desktop/exp1]
$ chmod 755 sample.txt

(kali@kali)-[~/Desktop/exp1]
$ ls -l
total 28
-rwxrwxr-x 1 kali kali 15952 Aug 17 10:36 hello
-rw-rw-r-- 1 kali kali 71 Aug 17 10:35 hello.c
-rw-rw-r-- 1 kali kali 40 Aug 17 10:44 newcopy.txt
-rwxr-xr-x 1 kali kali 40 Aug 17 10:41 sample.txt

(kali@kali)-[~/Desktop/exp1]
$
```



```
kali@kali: ~/Desktop/exp1
Session Actions Edit View Help
(kali@kali)-[~/Desktop/exp1]
$ cat sample.txt
This is Experiment 1.
Linux Commands.
(kali@kali)-[~/Desktop/exp1]
$ head sample.txt
This is Experiment 1.
Linux Commands.
(kali@kali)-[~/Desktop/exp1]
$ tail sample.txt
This is Experiment 1.
Linux Commands.
(kali@kali)-[~/Desktop/exp1]
$ more sample.txt
This is Experiment 1.
Linux Commands.
(kali@kali)-[~/Desktop/exp1]
$ cp sample.txt copy.txt
(kali@kali)-[~/Desktop/exp1]
$ ls
copy.txt  hello  hello.c  sample.txt
(kali@kali)-[~/Desktop/exp1]
$ mv copy.txt newcopy.txt
(kali@kali)-[~/Desktop/exp1]
$ ls
hello  hello.c  newcopy.txt  sample.txt
(kali@kali)-[~/Desktop/exp1]
$ chmod 755 sample.txt
(kali@kali)-[~/Desktop/exp1]
$ ls -l
total 28
-rwxrwxr-x 1 kali kali 15952 Aug 17 10:36 hello
-rw-rw-r-- 1 kali kali 71 Aug 17 10:35 hello.c
-rw-rw-r-- 1 kali kali 40 Aug 17 10:44 newcopy.txt
-rwxr-xr-x 1 kali kali 40 Aug 17 10:41 sample.txt
(kali@kali)-[~/Desktop/exp1]
$ echo "Linux Lab">output.txt
(kali@kali)-[~/Desktop/exp1]
$ cat output.txt
Linux Lab
(kali@kali)-[~/Desktop/exp1]
$ cat <output.txt
Linux Lab
(kali@kali)-[~/Desktop/exp1]
$
```



```
kali@kali: ~/Desktop/exp1
Session Actions Edit View Help
This is Experiment 1.
Linux Commands.

(kali@kali)-[~/Desktop/exp1]
$ tail sample.txt
This is Experiment 1.
Linux Commands.

(kali@kali)-[~/Desktop/exp1]
$ more sample.txt
This is Experiment 1.
Linux Commands.

(kali@kali)-[~/Desktop/exp1]
$ cp sample.txt copy.txt

(kali@kali)-[~/Desktop/exp1]
$ ls
copy.txt  hello  hello.c  sample.txt

(kali@kali)-[~/Desktop/exp1]
$ mv copy.txt newcopy.txt

(kali@kali)-[~/Desktop/exp1]
$ ls
hello  hello.c  newcopy.txt  sample.txt

(kali@kali)-[~/Desktop/exp1]
$ chmod 755 sample.txt

(kali@kali)-[~/Desktop/exp1]
$ ls -l
total 28
-rwxrwxr-x 1 kali kali 15952 Aug 17 10:36 hello
-rw-rw-r-- 1 kali kali 71 Aug 17 10:35 hello.c
-rw-rw-r-- 1 kali kali 40 Aug 17 10:44 newcopy.txt
-rwxr-xr-x 1 kali kali 40 Aug 17 10:41 sample.txt

(kali@kali)-[~/Desktop/exp1]
$ echo "Linux Lab">output.txt

(kali@kali)-[~/Desktop/exp1]
$ cat output.txt
Linux Lab

(kali@kali)-[~/Desktop/exp1]
$ cat <output.txt
Linux Lab

(kali@kali)-[~/Desktop/exp1]
$ rm newcopy.txt

(kali@kali)-[~/Desktop/exp1]
$ ls
hello  hello.c  output.txt  sample.txt

(kali@kali)-[~/Desktop/exp1]
$
```

