```html
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>SPACE App Interface</title>
  <style>
    body {
      margin: 0;
      font-family: 'Segoe UI', sans-serif;
      background: linear-gradient(to right, #e8f5e9, #c8e6c9);
      display: flex;
      justify-content: center;
      align-items: center;
      height: 100vh;
      color: #2e7d32;
    }

    .container {
      background-color: white;
      padding: 2rem;
      border-radius: 12px;
      box-shadow: 0 0 20px rgba(76, 175, 80, 0.2);
      width: 350px;
      text-align: center;
    }

    .logo {
      width: 120px;
      height: 120px;
      margin-bottom: 1rem;
```

```
      border-radius: 50%;

      object-fit: cover;

      box-shadow: 0 4px 8px rgba(0,0,0,0.1);

    }


    h2 {

      margin-bottom: 1.5rem;

      color: #388e3c;

    }


    .btn {

      display: block;

      width: 100%;

      padding: 0.7rem;

      margin: 0.5rem 0;

      background-color: #66bb6a;

      color: white;

      border: none;

      border-radius: 6px;

      font-weight: bold;

      font-size: 1rem;

      cursor: pointer;

      text-decoration: none;

      transition: background-color 0.3s ease;

    }


    .btn:hover {

      background-color: #43a047;

    }
  </style>
</head>
```

```html
<body>
  <div class="container">
    <!-- Logo image embedded -->
    <img src="https://i.ibb.co/0jStGtWf/logo.jpg" alt="logo" border="0"></a>
    <h2>Welcome to SPACE</h2>


    <a href="Page3mainpage.html" class="btn">Sign Up</a>
    <a href="page7homepage.html" class="btn">Go to Homepage</a>
  </div>
</body>
</html>



<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>Sign Up</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      background-color: #e6f2e6;
      margin: 0;
      padding: 0;
      display: flex;
      justify-content: center;
      align-items: center;
      height: 100vh;
    }
```

```css
.container {
  background-color: white;
  padding: 30px;
  border-radius: 10px;
  box-shadow: 0 0 10px rgba(0, 128, 0, 0.2);
  width: 300px;
}

h1 {
  text-align: center;
  color: #006400;
}

label {
  display: block;
  margin-top: 15px;
  color: #006400;
}

input {
  width: 100%;
  padding: 8px;
  margin-top: 5px;
  border: 1px solid #ccc;
  border-radius: 5px;
}

button {
  width: 100%;
  padding: 10px;
  margin-top: 20px;
```

```
      background-color: #006400;

      color: white;

      border: none;

      border-radius: 5px;

      cursor: pointer;

    }


    button:hover {

      background-color: #228B22;

    }


    .error {

      color: red;

      margin-top: 10px;

      text-align: center;

    }
  </style>
</head>
<body>
  <div class="container">
   <h1>Sign Up</h1>
   <form id="signupForm">
    <label for="email">Email</label>
    <input type="email" id="email" required />


    <label for="username">Username</label>
    <input type="text" id="username" required />


    <label for="password">Create Password</label>
    <input type="password" id="password" required />
```

```html
    <label for="confirmPassword">Confirm Password</label>

    <input type="password" id="confirmPassword" required />


    <button type="submit">Sign Up</button>

    <p id="error" class="error"></p>

  </form>

</div>


<script>

  const form = document.getElementById('signupForm');

  const error = document.getElementById('error');


  form.addEventListener('submit', function (e) {

    e.preventDefault();

    const password = document.getElementById('password').value;

    const confirmPassword = document.getElementById('confirmPassword').value;


    if (password !== confirmPassword) {

      error.textContent = "Passwords do not match!";

    } else {

      error.textContent = "";

      window.location.href = "login.html"; // Redirect to login page

    }

  });

</script>

</body>

</html>

<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8" />
```

```html
<meta name="viewport" content="width=device-width, initial-scale=1.0" />

<title>Green Auth Flow</title>

<style>

  body {

    font-family: Arial, sans-serif;

    background-color: #e6f2e6;

    margin: 0;

    padding: 0;

    display: flex;

    justify-content: center;

    align-items: center;

    height: 100vh;

  }


  .container {

    background-color: white;

    padding: 30px;

    border-radius: 10px;

    box-shadow: 0 0 10px rgba(0, 128, 0, 0.2);

    width: 320px;

  }


  h1 {

    text-align: center;

    color: #006400;

  }


  label {

    display: block;

    margin-top: 15px;

    color: #006400;
```

```css
    }

    input {
      width: 100%;
      padding: 8px;
      margin-top: 5px;
      border: 1px solid #ccc;
      border-radius: 5px;
    }

    button {
      width: 100%;
      padding: 10px;
      margin-top: 20px;
      background-color: #006400;
      color: white;
      border: none;
      border-radius: 5px;
      cursor: pointer;
    }

    button:hover {
      background-color: #228B22;
    }

    .error {
      color: red;
      margin-top: 10px;
      text-align: center;
    }
```

```css
    .hidden {

      display: none;

    }


    .switch-link {

      text-align: center;

      margin-top: 15px;

      color: #006400;

      cursor: pointer;

      text-decoration: underline;

    }


    .welcome {

      text-align: center;

      color: #006400;

      font-size: 1.2em;

    }
  </style>
</head>
<body>
  <div class="container">
    <!-- Page 1: Sign Up -->
    <div id="signupPage">
      <h1>Sign Up</h1>
      <form id="signupForm">
        <label for="email">Email</label>
        <input type="email" id="email" required />


        <label for="username">Username</label>
        <input type="text" id="username" required />
```

```html
    <label for="password">Create Password</label>

    <input type="password" id="password" required />


    <label for="confirmPassword">Confirm Password</label>

    <input type="password" id="confirmPassword" required />


    <button type="submit">Sign Up</button>

    <p id="signupError" class="error"></p>

  </form>

  <div class="switch-link" onclick="showLogin()">Already have an account? Log in</div>

</div>


<!-- Page 2: Login -->

<div id="loginPage" class="hidden">

  <h1>Login</h1>

  <form id="loginForm">

    <label for="loginUser">Username or Email</label>

    <input type="text" id="loginUser" required />


    <label for="loginPass">Password</label>

    <input type="password" id="loginPass" required />


    <button type="submit">Login</button>

    <p id="loginError" class="error"></p>

  </form>

  <div class="switch-link" onclick="showSignup()">Don't have an account? Sign up</div>

</div>


<!-- Page 3: Welcome -->

<div id="welcomePage" class="hidden">

  <h1>Welcome</h1>
```

```html
    <p class="welcome">🎉 You've successfully logged in!</p>
  </div>
</div>


<script>
  // Store user data temporarily
  let savedUser = {
    email: "",
    username: "",
    password: ""
  };


  const signupForm = document.getElementById('signupForm');
  const loginForm = document.getElementById('loginForm');
  const signupError = document.getElementById('signupError');
  const loginError = document.getElementById('loginError');


  const signupPage = document.getElementById('signupPage');
  const loginPage = document.getElementById('loginPage');
  const welcomePage = document.getElementById('welcomePage');


  function showLogin() {
    signupPage.classList.add('hidden');
    loginPage.classList.remove('hidden');
  }


  function showSignup() {
    loginPage.classList.add('hidden');
    signupPage.classList.remove('hidden');
  }
```

```javascript
function showWelcome() {
  loginPage.classList.add('hidden');
  welcomePage.classList.remove('hidden');
}


signupForm.addEventListener('submit', function (e) {
  e.preventDefault();
  const email = document.getElementById('email').value.trim();
  const username = document.getElementById('username').value.trim();
  const password = document.getElementById('password').value;
  const confirmPassword = document.getElementById('confirmPassword').value;


  if (password !== confirmPassword) {
    signupError.textContent = "Passwords do not match!";
    return;
  }


  // Save user data
  savedUser.email = email;
  savedUser.username = username;
  savedUser.password = password;


  signupError.textContent = "";
  showLogin();
});


loginForm.addEventListener('submit', function (e) {
  e.preventDefault();
  const loginUser = document.getElementById('loginUser').value.trim();
  const loginPass = document.getElementById('loginPass').value;
```

```
      if (
        (loginUser === savedUser.username || loginUser === savedUser.email) &&
        loginPass === savedUser.password
      ) {
        loginError.textContent = "";
        showWelcome();
      } else {
        loginError.textContent = "Invalid credentials. Try again.";
      }
    });
  </script>
</body>
</html>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>Green Auth Flow</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      background-color: #e6f2e6;
      margin: 0;
      padding: 0;
      display: flex;
      justify-content: center;
      align-items: center;
      height: 100vh;
    }
```

```css
.container {
  background-color: white;
  padding: 30px;
  border-radius: 10px;
  box-shadow: 0 0 10px rgba(0, 128, 0, 0.2);
  width: 320px;
}

h1 {
  text-align: center;
  color: #006400;
}

label {
  display: block;
  margin-top: 15px;
  color: #006400;
}

input {
  width: 100%;
  padding: 8px;
  margin-top: 5px;
  border: 1px solid #ccc;
  border-radius: 5px;
}

button {
  width: 100%;
  padding: 10px;
  margin-top: 20px;
```

```css
  background-color: #006400;

  color: white;

  border: none;

  border-radius: 5px;

  cursor: pointer;

}


button:hover {

  background-color: #228B22;

}


.error {

  color: red;

  margin-top: 10px;

  text-align: center;

}


.hidden {

  display: none;

}


.switch-link {

  text-align: center;

  margin-top: 15px;

  color: #006400;

  cursor: pointer;

  text-decoration: underline;

}


.welcome, .role-page {

  text-align: center;
```

```
      color: #006400;

      font-size: 1.2em;

    }


    .choice-buttons {

      display: flex;

      justify-content: space-between;

      gap: 10px;

    }


    .choice-buttons button {

      flex: 1;

    }

  </style>

</head>

<body>

  <div class="container">

    <!-- Page 1: Sign Up -->

    <div id="signupPage">

      <h1>Sign Up</h1>

      <form id="signupForm">

        <label for="email">Email</label>

        <input type="email" id="email" required />


        <label for="username">Username</label>

        <input type="text" id="username" required />


        <label for="password">Create Password</label>

        <input type="password" id="password" required />


        <label for="confirmPassword">Confirm Password</label>
```

```html
    <input type="password" id="confirmPassword" required />


    <button type="submit">Sign Up</button>
    <p id="signupError" class="error"></p>
  </form>
  <div class="switch-link" onclick="showLogin()">Already have an account? Log in</div>
</div>


<!-- Page 2: Login -->
<div id="loginPage" class="hidden">
  <h1>Login</h1>
  <form id="loginForm">
    <label for="loginUser">Username or Email</label>
    <input type="text" id="loginUser" required />


    <label for="loginPass">Password</label>
    <input type="password" id="loginPass" required />


    <button type="submit">Login</button>
    <p id="loginError" class="error"></p>
  </form>
  <div class="switch-link" onclick="showSignup()">Don't have an account? Sign up</div>
</div>


<!-- Page 3: Main Role Selection -->
<div id="mainPage" class="hidden">
  <h1>Welcome</h1>
  <p class="welcome">Are you a seller or buyer?</p>
  <div class="choice-buttons">
    <button onclick="showSeller()">Seller</button>
    <button onclick="showBuyer()">Buyer</button>
```

```
      </div>

    </div>


    <!-- Page 4: Seller -->

    <div id="sellerPage" class="hidden">

      <a href="Page4seller.html">

  <button>Go to Seller Page</button>

</a>


      <h1>Seller Page</h1>

      <p class="role-page">🔐 Welcome Seller! Ready to list your products?</p>

    </div>


    <!-- Page 5: Buyer -->

    <div id="buyerPage" class="hidden">

      <h1>Buyer Page</h1>

      <p class="role-page">🛒 Welcome Buyer! Let's find something amazing for you.</p>

    </div>

  </div>


  <script>

    let savedUser = {

      email: "",

      username: "",

      password: ""

    };


    const signupForm = document.getElementById('signupForm');

    const loginForm = document.getElementById('loginForm');

    const signupError = document.getElementById('signupError');

    const loginError = document.getElementById('loginError');
```

```javascript
const signupPage = document.getElementById('signupPage');

const loginPage = document.getElementById('loginPage');

const mainPage = document.getElementById('mainPage');

const sellerPage = document.getElementById('sellerPage');

const buyerPage = document.getElementById('buyerPage');


function showLogin() {

  signupPage.classList.add('hidden');

  loginPage.classList.remove('hidden');

}


function showSignup() {

  loginPage.classList.add('hidden');

  signupPage.classList.remove('hidden');

}


function showMain() {

  loginPage.classList.add('hidden');

  mainPage.classList.remove('hidden');

}


function showSeller() {

  mainPage.classList.add('hidden');

  sellerPage.classList.remove('hidden');

}


function showBuyer() {

  mainPage.classList.add('hidden');

  buyerPage.classList.remove('hidden');

}
```

```javascript
signupForm.addEventListener('submit', function (e) {
  e.preventDefault();
  const email = document.getElementById('email').value.trim();
  const username = document.getElementById('username').value.trim();
  const password = document.getElementById('password').value;
  const confirmPassword = document.getElementById('confirmPassword').value;

  if (password !== confirmPassword) {
    signupError.textContent = "Passwords do not match!";
    return;
  }

  savedUser.email = email;
  savedUser.username = username;
  savedUser.password = password;

  signupError.textContent = "";
  showLogin();
});

loginForm.addEventListener('submit', function (e) {
  e.preventDefault();
  const loginUser = document.getElementById('loginUser').value.trim();
  const loginPass = document.getElementById('loginPass').value;

  if (
    (loginUser === savedUser.username || loginUser === savedUser.email) &&
    loginPass === savedUser.password
  ) {
    loginError.textContent = "";
```

```
        showMain();

      } else {

        loginError.textContent = "Invalid credentials. Try again.";

      }

    });


  </script>

</body>

</html>


<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8" />

  <meta name="viewport" content="width=device-width, initial-scale=1.0" />

  <title>Seller Page</title>

  <style>

    body {

      margin: 0;

      font-family: 'Segoe UI', sans-serif;

      background: linear-gradient(to right, #0f9b0f, #38ef7d);

      color: white;

      display: flex;

      justify-content: center;

      align-items: center;

      height: 100vh;

    }


    .form-container {

      background-color: rgba(255, 255, 255, 0.07);

      padding: 2rem;
```

```css
  border-radius: 12px;

  box-shadow: 0 0 20px rgba(0, 0, 0, 0.15);

  width: 350px;

}


h2 {

  text-align: center;

  margin-bottom: 1.5rem;

  font-weight: 600;

  color: #eaffea;

}


label {

  display: block;

  margin-bottom: 0.5rem;

  font-size: 0.9rem;

}


input, textarea {

  width: 100%;

  padding: 0.6rem;

  margin-bottom: 1rem;

  border: none;

  border-radius: 6px;

  background-color: #ffffff;

  color: #333;

  font-size: 1rem;

}


input[type="file"] {

  padding: 0.3rem;
```

```css
      background-color: #fff;

      color: #333;

    }


    button {

      width: 100%;

      padding: 0.7rem;

      background-color: #2ecc71;

      color: white;

      border: none;

      border-radius: 6px;

      font-weight: bold;

      cursor: pointer;

      transition: background-color 0.3s ease;

    }


    button:hover {

      background-color: #27ae60;

    }
  </style>
</head>
<body>
  <div class="form-container">
    <h2>Product Details</h2>
    <!-- Link form directly to success page -->
    <form action="Page5successfulsubmission.html" method="post" enctype="multipart/form-data">
      <label for="product-name">Product Name</label>
      <input type="text" id="product-name" name="product-name" required />


      <label for="description">Product Description</label>
```

```html
      <textarea id="description" name="description" rows="3" placeholder="Year of purchase,
condition..." required></textarea>


      <label for="location">Pickup Location</label>

      <input type="text" id="location" name="location" required />


      <label for="image">Upload Product Image</label>

      <input type="file" id="image" name="image" accept="image/*" required />


      <label for="price">Price (INR)</label>

      <input type="number" id="price" name="price" required />


      <button type="submit">Submit</button>

       <a href="Page5ss.html" class="btn">Click here to see product</a>

    </form>

  </div>

</body>

</html>


<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8" />

  <meta name="viewport" content="width=device-width, initial-scale=1.0" />

  <title>Upload Successful</title>

  <style>

    body {

      margin: 0;

      font-family: 'Segoe UI', sans-serif;

      background: linear-gradient(to right, #0f9b0f, #38ef7d);

      color: white;
```

```css
  display: flex;

  flex-direction: column;

  justify-content: center;

  align-items: center;

  height: 100vh;

  text-align: center;

}


.message {

  font-size: 1.5rem;

  margin-bottom: 1rem;

}


a {

  text-decoration: none;

}


.btn {

  background-color: white;

  color: #27ae60;

  padding: 0.7rem 1.5rem;

  border-radius: 6px;

  font-size: 1rem;

  font-weight: bold;

  transition: 0.3s;

  display: inline-block;

}


.btn:hover {

  background-color: #27ae60;

  color: white;
```

```
      }
    </style>
  </head>
  <body>
    <div class="message">✅ Your upload has been successful!</div>
    <a href="product.html" class="btn">Click here to see product</a>
  </body>
</html>
```

```
/* Place your CSS styles in this file */


h1 {
    text-align: center;
    font-family: "Source Sans Pro", sans-serif;
    font-weight: normal;
}
```