

REF CODE:-

DVEPL /5551

dt:-17/7/2023

TO

BANSI BUILDER AND CONTRACTORS PVT LTD

SUB:-

OFFER FOR LT PANEL FOR CANO - 35-CE-BTZ-FDK-TOKEN-2022-23....5551

DEAR SIR,

WE ARE PLEASEED TO OFFER OUR BEST POSSIBLE PRICES AS UNDER

S.No of CA	<u>PRICES</u>	QTY	AMOUNT
<u>46</u>	37000	1	37000
<u>51</u>	348425	2	696850
<u>52</u> 53	312375	6	1874250
53	33000	10	330000

Total Project Cost

2938100

TERMS & CONDITION:

PRICE:

PRICES QUOTED ABOVE ARE FOR IGC PATHANKOT.

GST:

EXTRA AS APPLICABLE AT THE TIME OF Del

PAYMENT:

30% ADVANCE AND BALANCE TOGETHER WITH TAXES

AT THE TIME OF DELIVERY OF THE MATERIAL AT OUR WORKS.

DELIVERY:

DELIVERY WILL BE MADE WITH 6-8 WEEKS

TIME FROM THE DATE OF CONFIRMED ORDER.

BANK DETAIL:

HDFC BANK

DALHOUSIE ROAD PATHANKOT-145001 A/C 50200012824476

RTGS/IFSC CODE-HDFC0002459





ANNEXURE

ı

SRNO-46

MATERIAL FOR DISTRIBUTION PANEL

MATERIAL	RATING	QTY	
INCOMMING FEEDER			
MCCB	63A FP 25KA	1	
LINK	63A FP 25KA	1	
MFM		1	
CTS	60/ 5 A	3	
PHASE INDICATOR	22.5 MM	3	
OUTGOING FEEDER			
MCCB	25A FP 16KA	1	
LINK	25A FP 16KA	1	
MCB	40A SPN 10KA	2	
LUXO SWITCH		1	
CONTACTOR	32A TP	1	
AUTO MANUAL		1	

BUS BAR ELECTROLYTIC GRADE

AL

SHEET WILL BE

mm

PANEL WILL BE POWDER COATED

SIEMENS GREY RAL (7032)





ANNEXURE

SRNO-53

MATERIAL FOR HT BUSBAR

MATERIAL	RATING	QTY	
INCOMMING FEEDER			
INSULATOR		6	

BUS BAR ELECTROLYTIC GRADE

AL

SHEET WILL BE

mm

PANEL WILL BE POWDER

COATED

SIEMENS GREY RAL (7032)





		Cost Schedu	ile			
MFD BY D	VEPL :-AUTHORISED CCP OF	CUSTOMER:	MES :-CA NO. C	MES :-CA NO. CE BTZ/FDK/TOKEN-35 OF 2022-23		
SCHNEIDER ELECTRIC		OFFER REF: DVEPL	5551-HT - 51 DT 7,		7/17/2023	
FEEDER SCHEI	DULE FOR MV SWITCHBOARDS				•	
SWITCH BOARD ID: 11kV, 3Ph, 3W, 50Hz, 26.3kA/3Sec, Full Switch-board Panel with CU Busbar & w/o Earthing Switch		DESCRIPTION:	VCB PANEL:-11kV, 26.3kA for 3 sec with spring charging motor of 230V AC, tripping coil & closing coil suitable for 110V DC			
Sr. No.	Description	Quantity		Total Basic Price INR		
1	IC - 11kV, 800A, 26.3kA for 3 sec with spring charging motor of 230V AC, tripping coil & closing coil suitable for 110 DC	1		343925		
2	Packing	1	2000	2,000		
3	Spring Charging Handle, Racking Handle, Tripping Rod,Guide Ramp	1	2500	2,500		
			Total	348,42	25	
		Amount after Insurance	@ 0.2%	349,12	22	
		Amount after GST @ 18	%	411,96	54	
		Freight & Unloading Cha	narges At Actuals		als	







MFD BY DVI	EPL :-AUTHORISED CCP OF	SCHNEIDER	CUSTOMER:	MES :-CA NO. CE BTZ/F	DK/TOKEN-35 OF
FEEDER SCHEDULE FOR SWITCH BOARD			OFFER REF:	5551-HT - 51	7/17/2023
			DVEPL		
SWITCH BOARD ID: 11kV, 3Ph, 3W, 50Hz, 26.3kA/ 3Sec, Full Switch- board Panel with CU Busbar & w/o Earthing Switch		DESCRIPTION:	VCB PANEL :-11kV, 26. spring charging mot tripping coil & closing 110V I	or of 230V AC, coil suitable for	
Sr. No.	Feeder Description MAKES		INCOMMING FEEDER Qty		
	No of Feeders		1		
	Feeder Rating		800A		
1	Vacuum Circuit Breaker		Item Per Panel		
А	IC - 11kV, 800A, 26.3kA for 3 sec with spring charging motor of 230V AC, tripping coil & closing coil suitable for 110 DC	L&T / SCHNEIDER	1		
2	Current Transformers				
а	200-100/5-5 A, CL 1 / 5P 10, 15VA/15 VA for each core	Ereva/ECS/NPT/Pragati	3		
3	Potential Transformer				
	11000/v3 // 110/v3//110 /v3v, CL 0.5, 100vA	Ereva/ECS/NPT/Pragati	3		
3	Relay				
	IDMT RELAY for (50,50N,51,51N)	L&T/ASHIDA	1		
	Master Trip Relay - Ashida	L&T/ASHIDA/AVANA	1		
	TCS PUSH BUTTON	L&T/ASHIDA	1		
4	Meters				
	MFM EM6400	SCHNEIDER	1		
	AM- METER TP	L&T/SCHNEIDER	1		
5	Miscellaneous				
	Annunciator	4 window	1		
	Fuse / MCB	Elmax/L&T	10		
	Panel illumination Lamp	Reputed	1		
	Plug & Socket	Reputed	1		
	L/R switch	L&T	1		
	TNC Switch	L&T	1		
	Thermostat	Reputed	1		









				1	1	
	Panel space heater assembly	Reputed	1			
	Emergency Push Button	L&T	1			
	Indicating lamp	L&T	9			
COMMENTS	& DEVIATIONS:			<u>I</u>	I.	
 Control supp 	bly of 230V AC should be prov	ided by Customer.				
• Ingress prote	ection of offered panels is IP-	X, & can be used for ir	ndoor applicatio	n.		
Terms & Con	ditions :					
GENERAL:	The prices offered are sub changes in scope or contr Any change in commercia	act conditions. The of	ffer is based o		-	
Payment Terms:	25% advance with LOI/PO, whichever is earlier. 25% against drawing approval. Balance with full taxes, duties & other levies against proforma invoice before despatch.					
Delivery	Delivery will be 10-14 wee	ks from drawing appr	oval & receipt	of advance payment		
Prices basis	Our prices are offered as stated in the attached Price Schedules of this offer. Prices quoted excludes unloading, installation and commissioning.					
Testing Charges	Testing Charges (Ticket, I	Boarding & Lodging E	xtra)	15000/- per panel		
Validity:	This offer supersedes al	I previous offers and	will remain op	en for acceptance	30 JULY 2023	
	unless otherwise agreed in writing. After this date, the validity of L&T offer is subject to our written confirmation					







		Cost Schedu	le			
MFD BY DV	EPL :-AUTHORISED CCP OF	CUSTOMER:	MES :-CA NO. C	MES :-CA NO. CE BTZ/FDK/TOKEN-35 OF 2022-23		
SCHNEIDER ELECTRIC		OFFER REF: DVEPL	5551-HT - 52	551-HT - 52 DT 7/17/3		
FEEDER SCHEDULE FOR MV SWITCHBOARDS						
SWITCH BOARD ID: 11kV, 3Ph, 3W, 50Hz, 26.3kA/ 3Sec, Full Switch- board Panel with CU Busbar & w/o Earthing Switch		DESCRIPTION:	VCB PANEL:-11kV, 26.3kA for 3 sec with spring charging motor of 230V AC, tripping coil & closing coil suitable for 110V DC			
Sr. No.	Description	Quantity	Total Basic Price INR			
311 1131	Description	Quantity		INR		
1	OG - 11kV, 800A, 26.3kA for 3 sec with spring charging motor of 230V AC, tripping coil & closing coil suitable for 110 DC	1		INR 307875		
	OG - 11kV, 800A, 26.3kA for 3 sec with spring charging motor of 230V AC, tripping coil & closing		2000)	
1	OG - 11kV, 800A, 26.3kA for 3 sec with spring charging motor of 230V AC, tripping coil & closing coil suitable for 110 DC Packing Spring Charging Handle, Racking Handle, Tripping	1	2000	307875		
1 2	OG - 11kV, 800A, 26.3kA for 3 sec with spring charging motor of 230V AC, tripping coil & closing coil suitable for 110 DC Packing Spring Charging Handle,	1		307875 2,00 0)	
1 2	OG - 11kV, 800A, 26.3kA for 3 sec with spring charging motor of 230V AC, tripping coil & closing coil suitable for 110 DC Packing Spring Charging Handle, Racking Handle, Tripping	1	2500	307875 2,00 0 2,50 0	75	
1 2	OG - 11kV, 800A, 26.3kA for 3 sec with spring charging motor of 230V AC, tripping coil & closing coil suitable for 110 DC Packing Spring Charging Handle, Racking Handle, Tripping	1 1	2500 Total @ 0.2%	307875 2,000 2,500 312,37	75 00	







MED BY DVI	EPL :-AUTHORISED CCP OI	E SCHNEIDED	CUSTOMER:	MES :-CA NO. CE BTZ/I	EDV/TOVEN 25 OF
FEEDER SCHEDULE FOR SWITCH BOARD			OFFER REF:	5551-HT - 52	7/17/2023
			DVEPL	3331111 32	7/17/2023
SWITCH BO	ARD ID: 11kV, 3Ph, 3W, 50	Hz, 26.3kA/ 3Sec, Full	DESCRIPTION:	VCB PANEL :-11kV, 26.3kA for 3 sec with	
Switch- board Panel with CU Busbar & w/o Earthing Switch				spring charging mo	
				tripping coil & closing	
				110V I	DC .
	Feeder Description		OUTGOING		
Sr. No.	l eeder bescription	MAKES	FEEDER Qty		
	No of Feeders		1		
	Feeder Rating		800A		
1	Vacuum Circuit Breaker		Item Per		
	OG - 11kV, 800A, 26.3kA for	LOT / COUNTIDED	Panel 1		
	3 sec with spring charging	L&T / SCHNEIDER	'		
А	motor of 230V AC, tripping				
, ,	coil & closing coil suitable				
	for 110 DC				
	I I I I I I I I I I I I I I I I I I I				
2	Current Transformers				
	200-100/5-5 A, CL 1 / 5P 10,	Ereva/ECS/NPT/Pragati	3		
a	15VA/15 VA for each core				
3	Potential Transformer				
	11000/v3 // 110/v3//110	Ereva/ECS/NPT/Pragati	0		
	/√3V, CL 0.5, 100VA				
3	Relay				
	IDMT RELAY for (L&T/ASHIDA	1		
	50,50N,51,51N)				
	Master Trip Relay - Ashida	L&T/ASHIDA/AVANA	1		
	TCS PUSH BUTTON	L&T/ASHIDA	1		
		LQT/ASTIIDA	'		
4	Meters				
	MFM EM6400	SCHNEIDER	1		
	AM- METER TP	L&T/SCHNEIDER	1		
5	Miscellaneous				
	Annunciator	4 window	1		
	Fuse / MCB	Elmax/L&T	10		
	Panel illumination Lamp	Reputed	1		
	Plug & Socket	Reputed	1		
	L/R switch	L&T	1		
	TNC Switch	L&T	1		
	Thermostat	Reputed	1		
					1









	Panel space heater assembly	Reputed	1			
	Emergency Push Button	L&T	1			
	Indicating lamp	L&T	9			
COMMENTS	& DEVIATIONS:					
 Control supp 	oly of 230V AC should be prov	ided by Customer.				
Ingress prote	ection of offered panels is IP-4	X, & can be used for in	door applicatio	n.		
Terms & Con	ditions :					
GENERAL:	The prices offered are sub- changes in scope or contra Any change in commercial	act conditions. The of	fer is based o			
Payment	25% advance with LOI/PO	, whichever is earlier.	25% against d	Irawing approval. Bal	ance with full	
Terms:	taxes, duties & other levies					
Delivery	Delivery will be 10-14 wee	ks from drawing appr	oval & receipt	of advance payment.		
Prices basis	Our prices are offered as stated in the attached Price Schedules of this offer. Prices quoted excludes unloading, installation and commissioning.					
Testing Charges	Testing Charges (Ticket, E	Boarding & Lodging E	xtra)	15000/- per panel		
Validity:	This offer supersedes al	I previous offers and	will remain op	en for acceptance	30 JULY 2023	
	unless otherwise agreed in writing. After this date, the validity of L&T offer is subject to our written confirmation					

