

JAY DWARKADHISH

ACCOUNTING SERVICES

Complete Website Implementation Guide

Step-by-Step Setup, Configuration & Launch

Nihar Brahmbhatt

M.Com, Inter CA

GST No: 24ESWPB3235E1ZU

Compatible with Windows, macOS, and Linux

Overview

This guide walks you through the complete setup of the Jay Dwarkadhish Accounting Services website — from installing Node.js to sending a live test email from the contact form. Every step is explained in plain language. No prior experience is required.

Website	Jay Dwarkadhish Accounting Services
Owner	Nihar Brahmbhatt (M.Com, Inter CA)
Frontend	HTML5, CSS3, JavaScript — runs in any browser
Backend	Node.js + Express — serves the site and handles contact form emails
Phone	8780160801
Email	nihar@jaydwarakadhishaccountingservices.com
GST No.	24ESWPB3235E1ZU

Time Needed: 20 to 30 minutes on a fresh computer. Less if Node.js is already installed.

Phase 1 — Install Node.js

1

Install Node.js — the engine that runs the backend server

Node.js must be installed before anything else. Skip to Phase 2 if you already have it.

1.1 Windows

1. Open your web browser and go to: <https://nodejs.org>
2. Click the big green button labelled **LTS** (Long Term Support). This is the stable, recommended version.
3. Run the downloaded .msi installer file.
4. Click **Next** on every screen. Accept all default settings. Do not change anything.
5. On the final screen, click **Finish**.
6. Restart your computer after installation.

1.2 macOS

7. Go to <https://nodejs.org> and download the LTS package (it ends in .pkg).
8. Open the downloaded .pkg file.
9. Click **Continue** and **Install** on every screen. Enter your Mac password when asked.
10. Installation completes automatically. No restart needed.

1.3 Linux (Ubuntu / Debian)

Open Terminal and run these two commands, one at a time:

```
sudo apt update
sudo apt install -y nodejs npm
```

1.4 Verify Installation

Open a new Terminal or Command Prompt and type both commands below, pressing Enter after each:

```
node --version
npm --version
```

You should see version numbers — for example **v20.14.0** and **10.7.0**. Any numbers confirm a successful install.

ERROR: 'node' is not recognized Close and reopen your Terminal or Command Prompt, then try again. If it still fails, restart your computer and try once more.

Phase 2 — Set Up the Project Folder

2

Create one folder that contains all six website files

2.1 Create a New Folder

Create a new folder anywhere on your computer. A suggested name is:

```
jay-dwarkadhish-website
```

You can put this folder on your Desktop, in Documents, or anywhere you prefer.

2.2 Move All Files Into the Folder

Copy or move all six downloaded files into this folder. When done, the folder must contain exactly these files:

```
jay-dwarkadhish-website/
  index.html
  style.css
  script.js
```

```
server.js  
package.json  
.env.example
```

IMPORTANT: All files must be in the same folder. Do not put them in any sub-folders. The server will not find them otherwise.

Phase 3 — Install Project Packages

3**Run `npm install` to download the three required packages**

3.1 Open Terminal Inside the Project Folder

Windows

11. Open **File Explorer** and navigate to your `jay-dwarkadhish-website` folder.
12. Hold **Shift** on the keyboard and **right-click** on an empty area inside the folder.
13. From the menu that appears, click **Open PowerShell window here** or **Open Command Prompt window here**.

macOS

14. Open **Finder** and navigate to your project folder.
15. Right-click (or **Control + click**) the folder itself.
16. Click **New Terminal at Folder**. If this option does not appear, open Terminal from Applications > Utilities, then type `cd` followed by the full folder path.

Linux

17. Open Terminal from your Applications menu.
18. Type this command, replacing the path with the actual location of your project folder:

```
cd /home/yourname/jay-dwarkadhish-website
```

3.2 Run the Install Command

In the terminal window that is open inside your project folder, type the following and press Enter:

```
npm install
```

This reads the `package.json` file and downloads the three required packages:

- **express** — runs the web server
- **nodemailer** — sends emails from the contact form
- **dotenv** — reads your secret credentials from the `.env` file

Wait for the installation to complete. A new folder called `node_modules` will appear inside your project folder. This is normal and expected.

SLOW? The install can take 1 to 3 minutes depending on your internet speed. Do not close the terminal while it is running.

ERROR: npm not found This means Node.js was not installed correctly. Go back to Phase 1 and repeat the installation steps.

Phase 4 — Configure the Contact Form Email

4

Set up Gmail so the contact form can send emails

The contact form sends an email to the firm whenever someone submits an inquiry. To do this, it uses a Gmail account as the outgoing mail service. You need to create a special Gmail App Password for this purpose.

Why App Password? Google does not allow third-party apps to use your normal Gmail password for security reasons. An App Password is a separate 16-character password created specifically for this website.

4.1 Enable 2-Step Verification on Gmail

App Passwords only work when 2-Step Verification is turned on. Follow these steps:

19. Open your browser and go to: <https://myaccount.google.com>
20. Sign in with the Gmail account you want to use for sending emails.
21. Click **Security** in the left menu.
22. Under the section **How you sign in to Google**, find and click **2-Step Verification**.
23. Click **Get Started** and complete the on-screen steps to turn it on. You will need your phone to verify.

4.2 Create a Gmail App Password

24. In your browser, go to: <https://myaccount.google.com/apppasswords>
25. Sign in if prompted. Google may ask you to verify your identity.
26. In the text box labelled **App name**, type: **Jay Dwarkadhish Website**
27. Click **Create**.

28. Google shows you a **16-character password** (example: abcd efgh ijkl mnop). Copy this password right now. You will not be able to see it again after closing the dialog.

COPY IT NOW! Paste the 16-character App Password into Notepad or any text editor immediately. You need it in the next step and cannot retrieve it later.

4.3 Create the .env File

The .env file tells the server which Gmail account to use and what the App Password is. This file is never sent to the browser — it stays private on your computer.

29. Inside your project folder, find the file named **.env.example**.
30. Make a copy of this file in the same folder and rename the copy to exactly: **.env**

Windows Tip: Windows hides file extensions by default. In File Explorer, click View > Show > File name extensions. Then make sure the file is named '.env' and NOT '.env.txt'.

31. Open the **.env** file in Notepad (Windows) or TextEdit (macOS). It looks like this:

```
EMAIL_USER=your_gmail_address@gmail.com
EMAIL_PASS=your_16_character_app_password
PORT=3000
```

32. Replace **your_gmail_address@gmail.com** with the actual Gmail address you used in Step 4.1.
33. Replace **your_16_character_app_password** with the App Password from Step 4.2. Remove all spaces between characters.

A correctly filled .env file looks like this:

```
EMAIL_USER=myaccount@gmail.com
EMAIL_PASS=abcdefghijklmnop
PORT=3000
```

34. Save the file and close it.

SECURITY: Never share your .env file with anyone and never upload it to GitHub or Google Drive. It contains your email credentials.

Phase 5 — Start the Server

5

Run the server and open the website in your browser

5.1 Start the Server

In your terminal (still inside the project folder), type this command and press Enter:

```
node server.js
```

If everything is set up correctly, you will see this message:

```
Jay Dwarkadhish Accounting Services server running at:  
http://localhost:3000
```

SUCCESS! The server is now running. Leave this terminal window open. Closing it will stop the server and the website will go offline.

5.2 Open the Website in Your Browser

35. Open Chrome, Edge, Firefox, or any browser.
36. Click on the address bar at the top, type **http://localhost:3000** and press Enter.
37. The Jay Dwarkadhish Accounting Services website should load fully with all sections visible.

5.3 Test All Features

- **Theme toggle:** Click the sun/moon icon in the top-right corner. The website should switch between dark and light mode.
- **Hamburger menu:** Make your browser window narrow (mobile size) or use browser DevTools. A hamburger icon should appear and open the navigation.
- **Phone link:** Click the phone number. It should open your phone dialer or ask which app to use.
- **Email link:** Click the email address. It should open your default email client.
- **Contact form:** Fill in a name, your own email, and a test message. Click Send Message.

5.4 Verify the Contact Form Email

After submitting the contact form:

- **Firm's inbox** (nihar@jaydwarakadhishaccountingservices.com) should receive a formatted inquiry email.
- **Sender's inbox** (the email you entered in the form) should receive an automatic reply.

Email not arriving? Check your spam/junk folder. Gmail emails from new senders sometimes get filtered. Also verify your .env credentials are correct.

Phase 6 — Troubleshooting

6

Solutions for every common error

Cannot find module 'express'

The packages were not installed. Run this command inside the project folder:

```
npm install
```

Error: EADDRINUSE — Port 3000 already in use

Another program on your computer is already using port 3000. Two ways to fix this:

- **Option A:** Stop the other program. In a new terminal, run **npx kill-port 3000** then try `node server.js` again.
- **Option B:** Change the port. Open `.env` and change `PORT=3000` to `PORT=4000`. Then start the server and visit `http://localhost:4000`

Error: Invalid login / Username and Password not accepted

Your Gmail credentials are wrong. Check each of the following:

- The `EMAIL_USER` value is a valid, complete Gmail address ending in `@gmail.com`.
- The `EMAIL_PASS` is the 16-character App Password — not your regular Gmail password.
- 2-Step Verification is turned on for that Gmail account.
- There are no spaces inside the App Password value in `.env`.
- The `.env` file is saved — open it and confirm the values look correct.

Error: ENOENT — .env file not found

The `.env` file is missing. Go back to Phase 4.3 and create it from the `.env.example` template.

Website loads but has no styling (looks plain text)

The `style.css` file is either missing or in the wrong location. Make sure all six files are in the same folder as `server.js`.

Contact form shows 'Unable to send message' error

- Check that your internet connection is working.
- Verify the `.env` file exists and has the correct Gmail credentials.
- Try generating a new App Password in Google Account settings and updating `.env`.
- Make sure you did not accidentally close the terminal where `node server.js` is running.

node_modules folder is missing

You skipped the install step. Run:

```
npm install
```


Phase 7 — Auto-Restart During Development (Optional)

7 Use nodemon so the server restarts automatically when you edit files

Every time you change `server.js`, you currently have to press `Ctrl+C` and restart manually. The tool `nodemon` does this automatically and saves time during development.

7.1 Install nodemon

```
npm install -g nodemon
```

7.2 Start with nodemon

Instead of `node server.js`, use:

```
nodemon server.js
```

The server now restarts itself whenever you save a change to any file in the project.

Phase 8 — Managing the Server

8 How to stop, restart, and check the server status

Stop the server	Press <code>Ctrl + C</code> in the terminal where <code>node server.js</code> is running.
Restart the server	Stop it with <code>Ctrl+C</code> , then type <code>node server.js</code> and press <code>Enter</code> again.
Check if running	Open a browser and visit <code>http://localhost:3000</code> . If the website loads, the server is running.
Change the port	Edit <code>PORT=</code> in the <code>.env</code> file, save it, then restart the server.
Run in background	Use a tool like PM2: <code>npm install -g pm2</code> then <code>pm2 start server.js</code>

File Reference

A description of every file in the project:

File	Purpose
<code>index.html</code>	The complete website with all sections: Hero, About, Services, Why Us, Contact, and Footer.
<code>style.css</code>	All visual styling — dark and light themes, animations, responsive layout, colors, and fonts.
<code>script.js</code>	All interactivity — hamburger menu, theme toggle, scroll animations, and contact form submission.
<code>server.js</code>	The Node.js backend. Serves the website files and handles the <code>/api/contact</code> email endpoint.
<code>package.json</code>	Lists the three npm packages the project needs: <code>express</code> , <code>nodemailer</code> , and <code>dotenv</code> .
<code>.env</code>	Your private credentials: Gmail address and App Password. Never share or upload this file.
<code>.env.example</code>	A blank template showing what the <code>.env</code> file should contain. Safe to share — no real credentials.
<code>node_modules/</code>	Created automatically by <code>npm install</code> . Contains all downloaded packages. Do not edit or delete.

Quick Command Reference

All the commands you need, in one place:

```
# — Navigate to the project folder —————
cd /path/to/jay-dwarkadhish-website

# — Install packages (run once only) —————
npm install

# — Start the server —————
node server.js

# — Start with auto-restart (development) —————
nodemon server.js

# — Stop the server —————
Ctrl + C

# — Open the website in browser —————
http://localhost:3000
```

Final Checklist

Confirm every item below before considering the setup complete:

#	Checklist Item
1	node --version shows a version number in the terminal.
2	npm --version shows a version number in the terminal.
3	All six files are in the same project folder.
4	npm install completed without errors and node_modules folder exists.
5	.env file exists (not .env.example — the actual .env file).
6	EMAIL_USER in .env is a valid Gmail address.
7	EMAIL_PASS in .env is the 16-character Gmail App Password (no spaces).
8	2-Step Verification is enabled on the Gmail account used.
9	node server.js starts without errors and shows http://localhost:3000.
10	Website loads correctly in the browser at http://localhost:3000.
11	Dark and Light mode toggle works when clicking the icon in the navbar.
12	Hamburger menu appears and opens on narrow / mobile screen width.
13	Clicking the phone number opens the phone dialer.
14	Clicking the email address opens the email application.
15	Contact form submits without errors and shows a success message.
16	Firm's email inbox received the contact form inquiry.
17	Sender's email inbox received the auto-reply confirmation.