

## **CSS LAB MANUAL**



**Prepared by:**

Name of Student

Roll No: (A0594193)

Batch: 2023-27

Dept. of CSE

**DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING**



**INSTITUTE OF TECHNOLOGY AND MANAGEMENT  
SKILLS UNIVERSITY,  
KHARGHAR, NAVI MUMBAI**

**CERTIFICATE**

This is to certify that Mr. / Ms. Yashika Thakur  
Roll No. 23 of 2nd Semester of B.Tech Computer Science &  
Engineering of ITM Skills University, Kharghar, Navi Mumbai , has completed the  
term work satisfactorily in subject HTML CSS for  
the academic year 2023 - 2024 as prescribed in the curriculum.

Place: \_\_\_\_\_

Date: \_\_\_\_\_

**Subject I/C**

**HOD**

# INDEX

Exp. No	List of Experiment	Date of Submission	Sign
1	<p>Design a web page using CSS (Cascading Style Sheets) which includes the following:</p> <ol style="list-style-type: none"> <li>1) Use different font, styles: In the style definition you define how each selector should work (font, color etc.). Then, in the body of your pages, you refer to these selectors to activate the styles.</li> </ol>		
2	<p>Write a HTML/CSS program to develop a static Web Page for Shopping Cart.</p>		
3	<p>Design the following static web pages required for an online bookstore web site.</p> <ol style="list-style-type: none"> <li>1) HOME PAGE: The static home page must contain three frames.</li> <li>2) LOGIN PAGE</li> <li>3) CATALOGUE PAGE: The catalogue page should contain the details of all the books available in the web site in a table.</li> <li>4) REGISTRATION PAGE</li> </ol>		
4	<p>Create a external style sheet named as “external_css.css” and provide some styles for h2, hr, p &amp; a tags. Create an html file named as “4Style_sheet.html”</p> <ul style="list-style-type: none"> <li>• Include the external style sheet with necessary tag.</li> <li>• Include the internal style sheet for body tags &amp; also use class name, so that the style can be applied for all tags.</li> <li>• Include a &lt;p&gt; tags with inline style sheet.</li> </ul>		
5	<p>WEB SITE project</p>		

**Name of Student:** **Yashika Thakur**

**Roll Number:** **2 3**

**Experiment No:** **1**

---

### **Title:**

Design a web page using CSS (Cascading Style Sheets) which includes the following:

- 1) Use different font, styles:

In the style definition you define how each selector should work (font, color etc.). Then, in the body of your pages, you refer to these selectors to activate the styles.

### **Theory:**

CSS (Cascading Style Sheets) is a powerful tool for designing web pages, allowing developers to define styles for various HTML elements such as fonts, colors, and layouts. By utilizing selectors, developers can specify how each element should appear, creating visually appealing and consistent designs across the website. These styles are then applied to the HTML elements in the body of the web pages, resulting in a cohesive and professional-looking presentation.

### **Code:**

```
<!DOCTYPE html>
<html lang="en">
<head>

    <title>My Website</title>
    <link rel="stylesheet" href="question_1.css">
</head>
<body>
    <nav>
        <ul>
            <li><a href="https://www.storypage.com/storytelling/">Stories</a></li>
            <li><a href="#">About</a></li>
            <li><a href="#">Services</a></li>
            <li><a href="#">Contact</a></li>
        </ul>
    </nav>

    <header>
```

```

<h1>The Whispering Woods</h1>
</header>
<main>
    <section id="introduction">
        <h2>Introduction</h2>
        <p>In the heart of a lush, untamed forest lies a place few
dare to tread – the Whispering Woods. Legend has it that the trees here
possess a mysterious power, their whispers carrying secrets from ages long
past. It is said that those who enter are forever changed, for better or
for worse.

        Our story begins with a young adventurer named Amelia,
drawn to the allure of the Whispering Woods by tales of hidden treasures
and ancient artifacts. With a map in hand and determination in her heart,
she sets out on a quest that will challenge her courage, test her resolve,
and uncover truths she never imagined.

        As she ventures deeper into the forest, Amelia soon
realizes that the whispers of the woods are more than just the rustle of
leaves in the wind. They speak of forgotten kingdoms, lost souls, and the
power that binds them all. But amidst the intrigue and danger, she finds
unexpected allies and uncovers the strength within herself to confront the
darkness that lurks beneath the surface.

        Join Amelia on her journey through the Whispering Woods,
where every step brings her closer to the truth and closer to the ultimate
adventure of a lifetime.</p>
    </section>
</main>
<footer>
    <p>&copy; 2024 Story Page. All rights reserved.</p>
</footer>
</body>
</html>

```

## CSS CODE:

```

/* Define styles for headings */
h1 {
    font-family: Arial, sans-serif;
    color: blue;
    text-align: center;
}

/* Define styles for paragraphs */
p {
    font-family: Times New Roman, serif;
    color: green;
}

nav ul {

```

```
list-style-type: none;
margin-left: 1150px;
padding: 0;

}

nav ul li {
    display: inline;
    margin-right: 20px;

}

nav ul li a {
    text-decoration: none;
    color: #ffffdf;
    font-weight: bold;

}

nav {
    background-color: #333;
    height: 40px;
    display: flex; /* Use flexbox */
    justify-content: center; /* Center aligns the content horizontally */
    align-items: center;
}

/* Global Styles */
body {
    font-family: Arial, sans-serif;
    margin: 0;
    padding: 0;
}

header {
    background-color: #f2f2f2;
    padding: 20px;
    text-align: center;
}

main {
    padding: 20px;
}

section {
    margin-bottom: 20px;
}

footer {
    background-color: #333;
    color: #fff;
```

```
text-align: center;  
padding: 10px 0;  
}
```

## Output: (screenshot)



## Conclusion:

In summary, CSS enables web developers to customize the appearance of their websites with ease, enhancing user experience and brand identity. By leveraging the flexibility and versatility of CSS selectors, designers can create visually stunning web pages that engage and delight visitors.

## Experiment No: 2

---

### Title:

Write a HTML/CSS program to develop a static Web Page for Shopping Cart.

### Theory:

This HTML/CSS program creates a static shopping cart web page displaying product information such as name, image, price, quantity, and total cost. The layout is

organized using HTML <table> elements to represent each product in rows with corresponding details in columns, while CSS styling enhances the visual presentation by applying formatting, spacing, and alignment. Utilizing images alongside product descriptions adds visual appeal and aids in product identification, contributing to a more engaging user experience. By combining structured HTML markup with cascading style sheets, developers can design intuitive and visually appealing shopping cart interfaces that effectively convey product information and facilitate seamless navigation.

## Code:

```
<!DOCTYPE html>
<html lang="en">
<head>

<title>Shopping Cart</title>
<style>
    body {
        font-family: Arial, sans-serif;
        margin: 0;
        padding: 0;
        background-color: #f4f4f4;
    }

    .container {
        max-width: 800px;
        margin: 20px auto;
        padding: 20px;
        background-color: #fff;
        border-radius: 8px;
        box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
    }

    h1 {
        text-align: center;
    }

    .cart {
        margin-top: 20px;
        padding: 20px;
        border: 1px solid #ddd;
        border-radius: 8px;
        background-color: #f9f9f9;
    }

    .cart table {
        width: 100%;
    }
}
```

```

.cart table th,
.cart table td {
    padding: 10px;
    border-bottom: 1px solid #ddd;
}

.cart table th {
    text-align: left;
}

.cart table td {
    text-align: center;
}

.total {
    margin-top: 20px;
    text-align: right;
}

.total span {
    font-weight: bold;
}

```

</style>

</head>

<body>

```

<div class="container">
    <h1>Shopping Cart</h1>

    <div class="cart">
        <table>

            <tr>
                <th>Product</th>
                <th>Image</th>
                <th>Price</th>
                <th>Quantity</th>
                <th>Total</th>
            </tr>

            <tbody>
                <tr>
                    <td>Rice</td>
                    <td></td>
                    <td>400Rs/kg</td>
                    <td>5kg</td>
                    <td>2000Rs</td>
                </tr>
                <tr>
                    <td>Tea</td>
                    <td></td>
                    <td>550Rs/kg</td>
                </tr>
            </tbody>
        </table>
    </div>

```

```

        <td>2kg</td>
        <td>1100</td>
    </tr>
    <tr>
        <td>Sugar</td>
        <td></td>
        <td>55Rs/kg</td>
        <td>2kg</td>
        <td>110</td>
    </tr>
</tbody>
</table>
</div>

<div class="total">
    Total: <span>3210 Rs.</span>
</div>
</div>

</body>
</html>

```

## Output: (screenshot)

**Shopping Cart**

Product	Image	Price	Quantity	Total
Rice		400Rs/kg	5kg	2000Rs
Tea		550Rs/kg	2kg	1100
Sugar		55Rs/kg	2kg	110

Total: **3210 Rs.**

## **Conclusion:**

In conclusion, this example illustrates how HTML and CSS can be employed to create a functional and visually appealing shopping cart web page. By structuring content with HTML and applying styling with CSS, developers can craft user-friendly interfaces that enhance the shopping experience and encourage customer engagement, ultimately leading to improved satisfaction and conversion rates.

## **Experiment No: 3**

---

### **Title:**

Design the following static web pages required for an online bookstore web site.

- 1) HOME PAGE: The static home page must contain three frames.
- 2) LOGIN PAGE
- 3) CATALOGUE PAGE: The catalogue page should contain the details of all the books available in the web site in a table.
- 4) REGISTRATION PAGE

### **Theory:**

The three frames layout divides the browser window into three equal columns, each displaying a different HTML document. This approach is commonly used to create multi-pane interfaces, such as displaying navigation, content, and supplementary information simultaneously. By utilizing frames, developers can organize and present diverse content efficiently, enhancing user experience by providing simultaneous access to multiple resources.

### **Code:**

#### **Main code:**

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Three Frames Layout</title>
</head>
```

```

<frameset cols="33.3%, 33.3%, 33.3%">
  <frame src="question3_login.html" name="contents">
  <frame src="question3_cat.html" name="body">
  <frame src="question3_regist.html" name="remarks">
<noframes>
  <body>
    <p>This page requires a browser that supports frames.</p>
  </body>
</noframes>
</frameset>
</html>

```

### **Login page code :**

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Login - Online Bookstore</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      background-color: #f4f4f4;
      margin: 0;
      padding: 0;
      display: flex;
      flex-direction: column;
      align-items: center;
      min-height: 100vh;
    }
    header {
      width: 100%;
      background-color: #6eaef2;
      color: #fff;
      padding: 10px 0;
      text-align: center;
    }
    nav ul {
      list-style-type: none;
      padding: 0;
    }
    nav ul li {
      display: inline;
      margin-right: 20px;
    }
    .login-container {
      background-color: #fff;
      padding: 20px;
      border-radius: 5px;
      box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
      margin-top: 20px;
    }
    .login-container h2 {

```

```

        margin-top: 0;
        text-align: center;
    }
    .login-container input[type="text"],
    .login-container input[type="password"],
    .login-container input[type="submit"] {
        width: 100%;
        padding: 10px;
        margin-bottom: 15px;
        border: 1px solid #ccc;
        border-radius: 3px;
        box-sizing: border-box;
    }
    .login-container input[type="submit"] {
        background-color: #0078f9;
        color: #fff;
        cursor: pointer;
    }
    .login-container input[type="submit"]:hover {
        background-color: #0056b3;
    }

```

</style>

</head>

<body>

<header>

<!-- Header content here -->

<nav>

<ul>

<li><a href="question\_3.html">Home</a></li>

<li><a href="question3\_login.html">Login</a></li>

<li><a href="question3\_cat.html">Catalogue</a></li>

<li><a href="question3\_regist.html">Registration</a></li>

</ul>

</nav>

</header>

<main>

<h1 align="center">Login</h1>

<!-- Login form here -->

<div class="login-container">

<h2>Login to Book Reading App</h2>

<form action="#" method="post">

<input type="text" name="username" placeholder="Username" required>

<input type="password" name="password" placeholder="Password" required>

<input type="submit" value="Login">

</form>

</div>

</main>

</body>

</html>

## Catalogue page code:

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Catalogue – Online Bookstore</title>
    <style>
        body {
            font-family: Arial, sans-serif;
            margin: 0;
            padding: 0;
        }
        header {
            background-color: #72aded;
            color: #fff;
            padding: 10px 0;
            text-align: center;
        }
        nav ul {
            list-style-type: none;
            padding: 0;
        }
        nav ul li {
            display: inline;
            margin-right: 20px;
        }
        main {
            padding: 20px;
        }
        table {
            width: 100%;
            border-collapse: collapse;
        }
        th, td {
            padding: 10px;
            border-bottom: 1px solid #ddd;
            text-align: left;
        }
        th {
            background-color: #f2f2f2;
        }
    </style>
</head>
<body>
    <header>
        <nav>
            <ul>
                <li><a href="question_3.html">Home</a></li>
                <li><a href="question3_login.html">Login</a></li>
                <li><a href="question3_cat.html">Catalogue</a></li>
                <li><a href="question3_regist.html">Registration</a></li>
            </ul>
        </nav>
    </header>
    <main>
        <table border="1">
            <thead>
                <tr>
                    <th>Category</th>
                    <th>Book Title</th>
                    <th>Author</th>
                    <th>Price</th>
                </tr>
            </thead>
            <tbody>
                <tr>
                    <td>Science Fiction</td>
                    <td>The War of the Worlds</td>
                    <td>H.G. Wells</td>
                    <td>$12.99</td>
                </tr>
                <tr>
                    <td>Mystery</td>
                    <td>The Maltese Falcon</td>
                    <td>Dashiell Hammett</td>
                    <td>$14.99</td>
                </tr>
                <tr>
                    <td>Romance</td>
                    <td>Pride and Prejudice</td>
                    <td>Jane Austen</td>
                    <td>$11.99</td>
                </tr>
                <tr>
                    <td>Classics</td>
                    <td>War and Peace</td>
                    <td>Leo Tolstoy</td>
                    <td>$16.99</td>
                </tr>
                <tr>
                    <td>Science Fiction</td>
                    <td>The Martian</td>
                    <td>Andy Weir</td>
                    <td>$13.99</td>
                </tr>
            </tbody>
        </table>
    </main>
</body>
```

```
</nav>
</header>
<hr>

<main>
    <h1 align="center">Book Catalogue</h1>
    <hr>
    <table>
        <thead>
            <tr>
                <th>Title</th>
                <th>Author</th>
                <th>Genre</th>
            </tr>
        </thead>
        <tbody>
            <tr>
                <td>To Kill a Mockingbird</td>
                <td>Harper Lee</td>
                <td>Fiction, Southern Gothic</td>
            </tr>
            <tr>
                <td>1984</td>
                <td>George Orwell</td>
                <td>Dystopian Fiction</td>
            </tr>
            <tr>
                <td>Pride and Prejudice</td>
                <td>Jane Austen</td>
                <td>Romance, Classic Literature</td>
            </tr>
            <tr>
                <td>The Great Gatsby</td>
                <td>F. Scott Fitzgerald</td>
                <td>Fiction, Jazz Age</td>
            </tr>
            <tr>
                <td>The Catcher in the Rye</td>
                <td>J.D. Salinger</td>
                <td>Fiction, Coming-of-age</td>
            </tr>
            <tr>
                <td>Harry Potter and the Philosopher's Stone</td>
                <td>J.K. Rowling</td>
                <td>Fantasy, Young Adult</td>
            </tr>
            <tr>
                <td>The Lord of the Rings</td>
                <td>J.R.R. Tolkien</td>
                <td>Fantasy, High Fantasy</td>
            </tr>
            <tr>
                <td>To the Lighthouse</td>
                <td>Virginia Woolf</td>
            </tr>
        </tbody>
    </table>
</main>
```

```

        <td>Modernist Literature</td>
    </tr>
    <tr>
        <td>The Hunger Games</td>
        <td>Suzanne Collins</td>
        <td>Dystopian Fiction, Young Adult</td>
    </tr>
    <tr>
        <td>The Hobbit</td>
        <td>J.R.R. Tolkien</td>
        <td>Fantasy, Children's Literature</td>
    </tr>
</tbody>
</table>
</main>
</body>
</html>
```

### Registration page code:

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Registration - Online Bookstore</title>
    <style>
        body {
            font-family: Arial, sans-serif;
            background-color: #f4f4f4;
            margin: 0;
            padding: 0;
        }
        header {
            background-color: #82b8f2;
            color: #fff;
            padding: 10px 0;
            text-align: center;
        }
        nav ul {
            list-style-type: none;
            padding: 0;
        }
        nav ul li {
            display: inline;
            margin-right: 20px;
        }
        main {
            display: flex;
            justify-content: center;
```

```

        align-items: center;
        height: calc(100vh - 60px); /* Subtract header height */
    }
    .registration-container {
        background-color: #fff;
        padding: 20px;
        border-radius: 5px;
        box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
    }
    .registration-container h2 {
        margin-top: 0;
        text-align: center;
    }
    .registration-container input[type="text"],
    .registration-container input[type="password"],
    .registration-container input[type="email"],
    .registration-container input[type="submit"] {
        width: 100%;
        padding: 10px;
        margin-bottom: 15px;
        border: 1px solid #ccc;
        border-radius: 3px;
        box-sizing: border-box;
    }
    .registration-container input[type="submit"] {
        background-color: #007bff;
        color: #fff;
        cursor: pointer;
    }
    .registration-container input[type="submit"]:hover {
        background-color: #0056b3;
    }

```

</style>

</head>

<body>

<header>

<nav>

- <ul>
- <li><a href="question\_3.html">Home</a></li>
- <li><a href="question3\_login.html">Login</a></li>
- <li><a href="question3\_cat.html">Catalogue</a></li>
- <li><a href="question3\_regist.html">Registration</a></li>

</ul>

</nav>

</header>

<main>

<div class="registration-container">

## Registration

<form action="#" method="post">

<input type="text" name="username" placeholder="Username" required>

<input type="email" name="email" placeholder="Email" required>

```

        <input type="password" name="password"
placeholder="Password" required>
        <input type="submit" value="Register">
    </form>
</div>
</main>

</body>
</html>

```

## Output: (screenshot)

The screenshot displays a web application interface divided into three horizontal frames:

- Frame 1 (Left): Login**

  - Header: Home, Login, Catalogue, Registration
  - Section: **Login**
  - Form:
    - Label: Login to Book Reading App
    - Inputs: Username, Password
    - Button: Login

- Frame 2 (Middle): Book Catalogue**

  - Header: Home, Login, Catalogue, Registration
  - Section: **Book Catalogue**
  - Table:

Title	Author	Genre
To Kill a Mockingbird	Harper Lee	Fiction, Southern Gothic
1984	George Orwell	Dystopian Fiction
Pride and Prejudice	Jane Austen	Romance, Classic Literature
The Great Gatsby	F. Scott Fitzgerald	Fiction, Jazz Age
The Catcher in the Rye	J.D. Salinger	Fiction, Coming-of-age
Harry Potter and the Philosopher's Stone	J.K. Rowling	Fantasy, Young Adult
The Lord of the Rings	J.R.R. Tolkien	Fantasy, High Fantasy
To the Lighthouse	Virginia Woolf	Modernist Literature
The Hunger Games	Suzanne Collins	Dystopian Fiction, Young Adult
  - Frame 3 (Right): Registration**

    - Header: Home, Login, Catalogue, Registration
    - Form:
      - Inputs: Username, Email, Password
      - Button: Register

## Conclusion:

However, frames have limitations in terms of accessibility, SEO, and responsiveness, making them less favorable in modern web development practices. As alternative techniques like CSS Grid, Flexbox, and server-side includes offer more flexible and accessible solutions, the usage of frames has significantly decreased in contemporary web design.

## **Experiment No: 4**

---

### **Title:**

Create a external style sheet named as “external\_css.css” and provide some styles for h2, hr, p & a tags. Create an html file named as “4Style\_sheet.html”

- Include the external style sheet with necessary tag.
- Include the internal style sheet for body tags & also use class name,so that the style can be applied for all tags.
- Include a <p> tags with inline style sheet.

### **Theory:**

In web development, cascading style sheets (CSS) are crucial for defining the visual presentation of HTML elements. External CSS files allow for the separation of style from content, promoting cleaner and more maintainable code. Internal CSS, embedded within the HTML document, provides flexibility for defining specific styles that apply only to that document. Combining both external and internal CSS offers developers a powerful toolkit to create consistent and aesthetically pleasing web pages.

### **Code:**

#### **Main code:**

```
<!-- 4Style_sheet.html -->

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Style Sheet Example</title>
  <!-- External CSS -->
  <link rel="stylesheet" href="question_4.css">
  <!-- Internal CSS -->
```

```

<style>
  body {
    font-family: Arial, sans-serif;
    background-color: #f4f4f4;
  }
  .custom-style {
    color: #666;
    font-weight: bold;
  }
</style>
</head>
<body>
  <h2>External and Internal Style Sheets Example</h2>
  <hr>
  <p class="custom-style">This paragraph uses internal style sheet.</p>
  <p style="color: green;">This paragraph uses inline style.</p>
  <a href="#">This is a link</a>
</body>
</html>

```

#### Css code:

```

/* external_css.css */

h2 {
  color: #333;
  font-size: 24px;
}

hr {
  border: 1px solid #ccc;
}

p {
  font-size: 16px;
  line-height: 1.5;
}

a {
  color: #007bff;
  text-decoration: none;
}

a:hover {
  text-decoration: underline;
}

```

#### Output: (screenshot)

# External and Internal Style Sheets Example

This paragraph uses internal style sheet.

This paragraph uses inline style.

This is a link

## Conclusion:

In conclusion, mastering CSS empowers developers to create visually stunning and user-friendly websites. Whether through external or internal styles, CSS plays a fundamental role in shaping the overall design and user experience of web applications.

## Experiment No: 5

---

**Title:** WEB SITE project

**Theory:** This is website clone of woman Hari Pethe Jewellers website.

## Code:

```
<!DOCTYPE html>
<html>
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>WHP PROJECT</title>
    <link rel="stylesheet" type="text/css" href="external.css">
</head>
<body>

<div class="flex-container">
```

```
<div class="flex-item">
    Welcome To WHP Jewellers
</div>
</div>
<div>
    <div class="logo-container">
        
        <div class="search-container">
            <form action="/search" method="get">
                <input type="text" name="q" class="search-box"
placeholder="Search...">

            </form>
        </div>
    </div>
</div>
</div>

<hr>

<div class="slideshow-buttons">
    <button id="prevButton">=❮</button>
    <button id="nextButton">=❯</button>
</div>
    <div class="slideshow-image fade">
        
    </div>

    <div class="slideshow-image fade">
        
    </div>

    <div class="slideshow-image fade">
        
    </div>
</div>

<!-- New images side by side -->

<div class="flex-container3">
    <div class="flexitem8">
        
    </div>
    <div class="flexitem9">
        
    </div>
</div>
<br>
<div class="container">
<div class="box-row">
    <div class="box">
        <div class="box-logo"></div>
</div>
```



```
<!-- Repeat images for seamless scrolling effect -->
<a href="https://www.whpjewellers.com/jewellery-for-
men.html"></a>
    <a href="https://www.whpjewellers.com/section/gold-
investment-and-buying.html"></a>
        <a href="https://www.whpjewellers.com/section/mangalsutra-
designs.html"></a>
            <a href="https://www.whpjewellers.com/section/self-
gratification.html"></a>
                <a href="https://www.whpjewellers.com/section/silver-
pooja-items.html"></a>
                    <a href="https://www.anayra.net/"></a>
                        <a href="https://www.whpjewellers.com/9-ratna/loose-
stones.html"></a>
                    </div>
                </div>
                <br>
                <div class="marquee">
                    <div class="row">
                        <!-- Images from r2 -->
                        <a href="https://www.whpjewellers.com/section/engagement-
rings.html"></a>
                            <a href="https://www.whpjewellers.com/section/mangalsutra-
designs.html"></a>
                                <a href="https://www.whpjewellers.com/prime-
products.html"></a>
                                    <a href="https://www.swarnak.com/"></a>
                                        <a href="https://www.whpjewellers.com/section/kids-
jewellery.html"></a>
                                            <a href="https://www.whpjewellers.com/section/bridal-
jewellery-set.html"></a>
                                                <a href="https://www.whpjewellers.com/section/stylish-
jewellery-accessories.html"></a>
                                                <!-- Repeat images for seamless scrolling effect -->
                                                <a href="https://www.whpjewellers.com/section/engagement-
rings.html"></a>
                                                    <a href="https://www.whpjewellers.com/section/mangalsutra-
designs.html"></a>
                                                        <a href="https://www.whpjewellers.com/prime-
products.html"></a>
                                                            <a href="https://www.swarnak.com/"></a>
                                                                <a href="https://www.whpjewellers.com/section/kids-
jewellery.html"></a>
                                                                    <a href="https://www.whpjewellers.com/section/bridal-
jewellery-set.html"></a>
                                                                        <a href="https://www.whpjewellers.com/section/stylish-
jewellery-accessories.html"></a>
                                                                </div>
                </div>
            </div>
        </div>
```

```

<h2 style="font-family:Verdana, Geneva, Tahoma, sans-serif;color:rgb(246, 74, 111);text-align:center;">SHOP BY CATEGORIES</h2>
<br>
<div class="row2">
<center>
    
    
    
    
    
    
</center>
</div>
<br>
<div class="row2">
<center>
    
    
    
    
    
    
</center>
</div>

<!-- Your existing HTML content -->
<script src="java.js"></script>
</body>
</html>

```

**Output: (screenshot)**

# Elegant & Exclusive

collection with 10,000 + designs

DELIVERY WITHIN 24-48 HOURS

SHOP NOW

**ANAYRA**  
FINE SILVER JEWELLERY

ELEGANCE EMBEDDED IN SILVER JEWELLERY



Explore Now

  
**SWARNAK**  
24K GOLD AYURVEDA

ORDER THE SECRET OF



**ANAYRA**  
FINE SILVER JEWELLERY

ELEGANCE EMBEDDED  
IN SILVER JEWELLERY

  
**SWARNAK**  
24K GOLD AYURVEDA

ORDER THE SECRET OF  
HEALTHY SKIN



Explore Now



10,000+ Designs



BIS Hallmark Jewellery



Pan India Delivery



Safe & Secure Payment

Something Special For Every



10,000+ Designs



BIS Hallmark Jewellery



Pan India Delivery




Safe & Secure Payment

## Something Special For Every Season



Elegance



Self-gifting Treasures




Indian Silver Articles



Anayra: Fine Silver Jewellery



9Ratna: Gemstones



Gift for Him



Investors Selection



Action



The Wedding Collection



Gentlemens Glamour




Eternal Promise Collection



Mangalsutra Elegance



Gift for Her



Swarnak

<https://www.whpjewellers.com/9-ratna/loose-stones.html>




Little Stars Collection



The Wedding Collection




Gentlemens Glamour



Eternal Promise Collection



Mangalsutra Elegance



Gift for Her

## SHOP BY CATEGORIES



## Conclusion:

This all images are clickable and leads to next original page in WHP original website.

