

DAY 2 : TASK

1. Dictionary (5 Methods)

code :-

Dictionary

```
d = {"name": "Yash", "age": 20}
```

1. get()

```
print(d.get("name"))
```

2. keys()

```
print(d.keys())
```

3. values()

```
print(d.values())
```

4. update()

```
d.update({"city": "Surat"})
```

```
print(d)
```

5. pop()

```
d.pop("age")
```

```
print(d)
```

OUTPUT :-

```
19 print(d)
... Yash
dict_keys(['name', 'age'])
dict_values(['Yash', 20])
{'name': 'Yash', 'age': 20, 'city': 'Surat'}
{'name': 'Yash', 'city': 'Surat'}
```

2. List

```
l = [10, 20, 30]
```

```
l.append(40)    # append
```

```
l.extend([50, 60]) # extend
```

```
l.insert(1, 15)  # insert
```

```
l.remove(30)     # remove
```

```
l.pop()          # pop
```

```
print(l)
```

OUTPUT :-

```
[2] 3
✓ Os 4 l.append(40)
5 l.extend([50, 60])
6 l.insert(1, 15)
7 l.remove(30)
8 l.pop()
9
10 print(l)
[10, 15, 20, 40, 50]
```


3. Tuple

DAY 2 : TASK

```
t = (10, 20, 30, 20)
```

```
print(t.count(20))    # count
print(t.index(30))    # index
print(len(t))         # len
print(max(t))         # max
print(min(t))         # min
```

OUTPUT:-



```
6 print(len(t))    # 4
7 print(max(t))    # 30
8 print(min(t))    # 10
...
2
2
4
30
10
```


4. Set

```
s = {10, 20, 30}
```

```
s.add(40)          # add
s.update([50, 60]) # update
s.remove(20)        # remove
s.discard(100)      # discard
print(s.pop())      # pop
```

```
print(s)
```

OUTPUT :-




```
11
... 40
{10, 50, 60, 30}
```

5. if Statement

```
x = 10
```

```
if x > 5:
    print("Greater than 5")
```

OUTPUT:-



```
... Greater than 5
```


6. if-else Statement

DAY 2 : TASK

```
x = 4
```

```
if x % 2 == 0:  
    print("Even")  
else:  
    print("Odd")
```

OUTPUT :-


A screenshot of a code editor with a dark background. The code from the first block is visible at the top. Below the code, the output 'Even' is displayed in a light gray font.

7. if-elif-else Statement

```
marks = 75
```

```
if marks >= 90:  
    print("A")  
elif marks >= 60:  
    print("B")  
else:  
    print("C")
```

OUTPUT :-


A screenshot of a code editor with a dark background. The code from the second block is visible at the top. Below the code, the output 'B' is displayed in a light gray font.

8. Nested if-else

```
age = 20
```

```
if age >= 18:  
    if age >= 21:  
        print("Adult")  
    else:  
        print("Young Adult")  
else:  
    print("Minor")
```

OUTPUT :-


A screenshot of a code editor with a dark background. The code from the third block is visible at the top. Below the code, the output 'Young Adult' is displayed in a light gray font.

9. Break

```
for i in range(1, 6):  
    if i == 3:  
        break  
    print(i)
```

OUTPUT :-

DAY 2 : TASK




```
1
2
```

10. Continue

```
for i in range(1, 6):
    if i == 3:
        continue
    print(i)
```

OUTPUT :-




```
1
2
4
5
```

11. Pass

```
for i in range(3):
    if i == 1:
        pass
    print(i)
```

OUTPUT :-




```
4 | | print(i)
0
1
2
```

12. Input Method

```
name = input("Enter your name: ")
print("Hello", name)
```

OUTPUT :-




```
Enter your name: YASH
Hello YASH
```

DAY 2 : TASK

13. Range Function

```
for i in range(5):  
    print(i)
```

OUTPUT :-




```
0  
1  
2  
3  
4
```

14. len() Function

```
name = "Python"  
print(len(name))
```

OUTPUT :-




```
6
```

15. type() Function

```
x = 10  
print(type(x))
```

OUTPUT :-



```
<class 'int'>
```

16. For Loop

```
for i in range(1, 6):  
    print(i)
```

OUTPUT :-



```
1  
2  
3  
4  
5
```

DAY 2 : TASK

17. While Loop


```
i = 1
```

```
while i <= 5:
```

```
    print(i)
```

```
    i += 1
```

OUTPUT :-



```
... 1
     2
     3
     4
     5
```