Fundamentals of Data Management

Credit Tasks 10.2.4: Performance

Overview

You'll learn how DBMSs execute queries, how to find out about database statistics, when to create indexes and how to investigate whether an index is being used.

<u>Purpose</u>

Gain practical experience of some performance-related matters in databases.

Task

Open XAMPP/ VMWare Player. Follow the instructions to open two connections to the MySQL server from the MySQL Workbench. Work through the tasks below.

Time

This task should be completed in your lab class and submitted for feedback in lab 10 or at the beginning of lab 11.

Resources

 MySQL (on FDM virtual machine) and MySQL Workbench (or other RDBMS and suitable client).

Feedback

Discuss your solutions with the tutorial instructor.

Next

End of week 10 Tasks.

Credit Tasks 10.2.4 — Submission Details and Assessment Criteria

Document your solutions to the tasks using a word processor. Upload your solutions to Doubtfire, then discuss it with your tutor.





Use either window and run a simple query:

EXPLAIN EXTENDED SELECT * FROM Products;

You will receive a listing that includes the following columns:

ID select_type The type of query, such as SIMPLE (no joins) or UNION. See listing: https://dev.mysql.com/doc/refman/5.7/en/explain-output.html#explain_select_type table The table accessed to get the rows. type The type of join used. Most common options: all – This usually means that the table has been searched sequentially, which is expensive (making an index might help). ref – The DBMS uses an index on the key column to find the matching rows. Listing of all options: https://dev.mysql.com/doc/refman/5.7/en/explain-output.html#jointype_const The names of indexes that could be used. To find out which columns the indexes are made on, use SHOW indexes in ; key The index that was actually used for the search. key_len The length of the key that was used. ref Shows which columns or values were compared when the index mentioned under 'key' was used. rows Shows how many rows the DBMS believes it has to examine. This is an estimate based on statistics, not actual values. filtered The percentage of the table rows that will be examined based on the condition in the WHERE clause. Extra Any additional information.	Column	What the values mean
https://dev.mysql.com/doc/refman/5.7/en/explain- output.html#explain_select_type The table accessed to get the rows. type The type of join used. Most common options: all – This usually means that the table has been searched sequentially, which is expensive (making an index might help). ref – The DBMS uses an index on the key column to find the matching rows. Listing of all options: https://dev.mysql.com/doc/refman/5.7/en/explain-output.html#jointype_const possible_keys The names of indexes that could be used. To find out which columns the indexes are made on, use SHOW indexes in <table_name>; key The index that was actually used for the search. key_len The length of the key that was used. ref Shows which columns or values were compared when the index mentioned under 'key' was used. rows Shows how many rows the DBMS believes it has to examine. This is an estimate based on statistics, not actual values. filtered The percentage of the table rows that will be examined based on the condition in the WHERE clause.</table_name>	ID	ID field for the step
table table The table accessed to get the rows. type The type of join used. Most common options: all – This usually means that the table has been searched sequentially, which is expensive (making an index might help). ref – The DBMS uses an index on the key column to find the matching rows. Listing of all options: https://dev.mysql.com/doc/refman/5.7/en/explain-output.html#jointype_const possible_keys The names of indexes that could be used. To find out which columns the indexes are made on, use SHOW indexes in <table_name>; key The index that was actually used for the search. key_len The length of the key that was used. ref Shows which columns or values were compared when the index mentioned under 'key' was used. rows Shows how many rows the DBMS believes it has to examine. This is an estimate based on statistics, not actual values. filtered The percentage of the table rows that will be examined based on the condition in the WHERE clause.</table_name>	select_type	The type of query, such as SIMPLE (no joins) or UNION. See listing:
The type of join used. Most common options: all – This usually means that the table has been searched sequentially, which is expensive (making an index might help). ref – The DBMS uses an index on the key column to find the matching rows. Listing of all options: https://dev.mysql.com/doc/refman/5.7/en/explain-output.html#jointype_const possible_keys The names of indexes that could be used. To find out which columns the indexes are made on, use SHOW indexes in <table_name>; key The index that was actually used for the search. key_len The length of the key that was used. ref Shows which columns or values were compared when the index mentioned under 'key' was used. rows Shows how many rows the DBMS believes it has to examine. This is an estimate based on statistics, not actual values. filtered The percentage of the table rows that will be examined based on the condition in the WHERE clause.</table_name>		
all – This usually means that the table has been searched sequentially, which is expensive (making an index might help). ref – The DBMS uses an index on the key column to find the matching rows. Listing of all options: https://dev.mysql.com/doc/refman/5.7/en/explain-output.html#jointype_const The names of indexes that could be used. To find out which columns the indexes are made on, use SHOW indexes in <table_name>; key The index that was actually used for the search. key_len The length of the key that was used. ref Shows which columns or values were compared when the index mentioned under 'key' was used. rows Shows how many rows the DBMS believes it has to examine. This is an estimate based on statistics, not actual values. filtered The percentage of the table rows that will be examined based on the condition in the WHERE clause.</table_name>	table	The table accessed to get the rows.
sequentially, which is expensive (making an index might help). ref – The DBMS uses an index on the key column to find the matching rows. Listing of all options: https://dev.mysql.com/doc/refman/5.7/en/explain-output.html#jointype_const possible_keys The names of indexes that could be used. To find out which columns the indexes are made on, use SHOW indexes in <table_name>; key The index that was actually used for the search. key_len The length of the key that was used. ref Shows which columns or values were compared when the index mentioned under 'key' was used. rows Shows how many rows the DBMS believes it has to examine. This is an estimate based on statistics, not actual values. filtered The percentage of the table rows that will be examined based on the condition in the WHERE clause.</table_name>	type	The type of join used. Most common options:
matching rows. Listing of all options: https://dev.mysql.com/doc/refman/5.7/en/explain- output.html#jointype_const possible_keys The names of indexes that could be used. To find out which columns the indexes are made on, use SHOW indexes in <table_name>; key The index that was actually used for the search. key_len The length of the key that was used. ref Shows which columns or values were compared when the index mentioned under 'key' was used. rows Shows how many rows the DBMS believes it has to examine. This is an estimate based on statistics, not actual values. filtered The percentage of the table rows that will be examined based on the condition in the WHERE clause.</table_name>		·
https://dev.mysql.com/doc/refman/5.7/en/explain- output.html#jointype_const The names of indexes that could be used. To find out which columns the indexes are made on, use SHOW indexes in <table_name>; key The index that was actually used for the search. key_len The length of the key that was used. ref Shows which columns or values were compared when the index mentioned under 'key' was used. rows Shows how many rows the DBMS believes it has to examine. This is an estimate based on statistics, not actual values. filtered The percentage of the table rows that will be examined based on the condition in the WHERE clause.</table_name>		
possible_keys The names of indexes that could be used. To find out which columns the indexes are made on, use SHOW indexes in <table_name>; key The index that was actually used for the search. key_len The length of the key that was used. ref Shows which columns or values were compared when the index mentioned under 'key' was used. rows Shows how many rows the DBMS believes it has to examine. This is an estimate based on statistics, not actual values. filtered The percentage of the table rows that will be examined based on the condition in the WHERE clause.</table_name>		Listing of all options:
the indexes are made on, use SHOW indexes in <table_name>; key The index that was actually used for the search. key_len The length of the key that was used. ref Shows which columns or values were compared when the index mentioned under 'key' was used. rows Shows how many rows the DBMS believes it has to examine. This is an estimate based on statistics, not actual values. filtered The percentage of the table rows that will be examined based on the condition in the WHERE clause.</table_name>		' '
key_len The length of the key that was used. ref Shows which columns or values were compared when the index mentioned under 'key' was used. rows Shows how many rows the DBMS believes it has to examine. This is an estimate based on statistics, not actual values. filtered The percentage of the table rows that will be examined based on the condition in the WHERE clause.	possible_keys	the indexes are made on, use
ref Shows which columns or values were compared when the index mentioned under 'key' was used. rows Shows how many rows the DBMS believes it has to examine. This is an estimate based on statistics, not actual values. filtered The percentage of the table rows that will be examined based on the condition in the WHERE clause.	key	The index that was actually used for the search.
rows Shows how many rows the DBMS believes it has to examine. This is an estimate based on statistics, not actual values. The percentage of the table rows that will be examined based on the condition in the WHERE clause.	key_len	The length of the key that was used.
an estimate based on statistics, not actual values. The percentage of the table rows that will be examined based on the condition in the WHERE clause.	ref	·
condition in the WHERE clause.	rows	·
Extra Any additional information.	filtered	, · · · · · · · · · · · · · · · · · · ·
	Extra	Any additional information.



Subtask 10.2.4

Examine the Vendors table. Which columns have indexes?

SQL

EXPLAIN EXTENDED

SELECT * FROM Vendors WHERE VendZipCode=98001;

Run the SQL query shown in the box, then run the query plan. Examine the output with the help of the column explanations given above.

Is the query executed the way you expected?

Document and upload your findings.

