

# MediaWiki API help

This is an auto-generated MediaWiki API documentation page.

Documentation and examples: <https://www.mediawiki.org/wiki/API>

## action=changeauthenticationdata (changeauth)

([main](#) | [changeauthenticationdata](#))

- This module requires read rights.
- This module requires write rights.
- This module only accepts POST requests.
- Source: MediaWiki
- License: [GPL-2.0+](#)

Change authentication data for the current user.

- [https://www.mediawiki.org/wiki/API:Manage\\_authentication\\_data](https://www.mediawiki.org/wiki/API:Manage_authentication_data)

Parameters:

changeauthrequest

Use this authentication request, by the id returned from [action=query&meta=authmanagerinfo](#) with amirequestsfor=change.

This parameter is required.

changeauthtoken

A "csrf" token retrieved from [action=query&meta=tokens](#)

This parameter is required.

\*

This module accepts additional parameters depending on the available authentication requests. Use [action=query&meta=authmanagerinfo](#) with amirequestsfor=change (or a previous response from this module, if applicable) to determine the requests available and the fields that they use.

Example:

Attempt to change the current user's password to ExamplePassword.

[api.php?action=changeauthenticationdata&changeauthrequest=MediaWiki%5CAuth%5CPasswordAuthenticationRequest&password=ExamplePassword&retype=ExamplePassword&changeauthtoken=&csrf=&format=json&formatversion=2">api.php?action=changeauthenticationdata&changeauthrequest=MediaWiki%5CAuth%5CPasswordAuthenticationRequest&password=ExamplePassword&retype=ExamplePassword&changeauthtoken=&csrf=&format=json&formatversion=2](#)  
[open in sandbox](#)

Retrieved from "<https://codex.wordpress.org/Special:ApiHelp>"