



[Home](#) / [Reference](#) / [Functions](#) / `add_comment_meta()`

Search resources



```
add_comment_meta( int $comment_id, string $meta_key, mixed $meta_value,
bool $unique = false ): int|false
```

Adds meta data field to a comment.

Parameters

`$comment_id`**int**required

Comment ID.

`$meta_key`**string**required

Metadata name.

`$meta_value`**mixed**required

Metadata value. Must be serializable if non-scalar.

`$unique`**bool**optional

Whether the same key should not be added.

Default: `false`

Return

int|false Meta ID on success, false on failure.

Source

wp-includes/comment.php

Copy

```
function add_comment_meta( $comment_id, $meta_key, $meta_value, $unique = false ) {
    return add_metadata( 'comment', $comment_id, $meta_key, $meta_value, $unique );
}
```

[View all references](#) · [View on Trac](#) · [View on GitHub](#)

Related

Uses

[add_metadata\(\)](#)

wp-includes/meta.php

Used by

- [wp_spam_comment\(\)](#)
wp-includes/comment.php
- [wp_insert_comment\(\)](#)
wp-includes/comment.php
- [wp_trash_comment\(\)](#)
wp-includes/comment.php

Changelog

Version	Description
2.9.0	Introduced.

User Contributed Notes

Codex8 years ago

^ -6 v

Basic Example

Add a custom posted value to every new comment

Copy

```
<?php
function add_custom_comment_field( $comment_id ) {

    add_comment_meta( $comment_id, 'my_custom_comment_field', $_POST['my_custom_comment_field'] );
}
add_action( 'comment_post', 'add_custom_comment_field' );
?>
```

[Log in to add feedback](#)

You must [log in](#) before being able to contribute a note or feedback.

[Documentation](#)

[Developers](#)

[WordPress.tv ↗](#)

[Get Involved](#)

[Events](#)

[Donate ↗](#)

[Swag Store ↗](#)

[WordPress.com ↗](#)

[Matt ↗](#)

[bbPress ↗](#)

[BuddyPress ↗](#)



CODE IS POETRY