



Home / Reference / Functions / addslashes_gpc()

Search resources

addslashes_gpc(string|array \$gpc): string|array

Adds slashes to a string or recursively adds slashes to strings within an array.

Parameters

\$gpcstring|arrayrequired

String or array of data to slash.

Return

string|array Slashed \$gpc.

Source

View all references · View on Trac · View on GitHub

Related

Uses

wp_slash()

wp-includes/formatting.php

Used by

WP_Query::get_posts()

wp-includes/class-wp-query.php

Changelog

Version Description

<u>0.71</u> Introduced.

User Contributed Notes

```
Yuvrajsinh Sisodiya3 weeks ago

Copy

/* Example usage of addslashes_gpc() */

$data = array(
    'name' => 'John\'s Blog',
    'content' => 'It\'s a beautiful day.',
    'meta' => array(
        'author' => 'Jane\'s Pen',
    )
);

$sanitized_data = addslashes_gpc( $data );

print_r( $sanitized_data );

Log in to add feedback
```

You must <u>log in</u> before being able to contribute a note or feedback.

```
About
News
Hosting
Privacy
Showcase
Themes
Plugins
Patterns
Learn
Documentation
Developers
WordPress.tv 2
Get Involved
Events
Donate 2
Swag Store 2
WordPress.com 2
Matt 2
bbPress.2
BuddyPress 2
```



